Trade name : Revision date : Print date : BOSTIKS BEST 13 KG 04.11.2015 29.06.2016



Version (Revision) :

16.0.0 (15.0.0)

.1	Product identifier BOSTIKs BEST 13 KG															
1.2	Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Water borne adhesive Product Categories [PC]															
								Product Categories [PC] PC1 - Adhesives, sealants Uses advised against None known.								
																.3
		user/distribut	-													
				Bostik GmbH												
	Street :		An der Bundesstraße 16													
	Postal code/ci	ity:	33829 Borgholzhausen													
	Telephone :		+49 (0) 5425-801-0													
	Telefax :		+49 (0) 5425-801-140													
	Information co	ontact :	msds.germany@bostik.com													
.4	Emergency telephone number															
	out of office hours: +49 (0) 5425 / 951-220															
E(CTION 2: Hazards	identification														
2.1	Classification	Classification of the substance or mixture														
• •	Classification of the substance of mixture Classification according to Regulation (EC) No 1272/2008 [CLP]															
	None															
.2	Labelling according to Regulation (EC) No. 1272/2008 [CLP]															
2.2	l abelling acco	Special rules for supplemental label elements for certain mixtures														
2.2	•	• •	• • • • • •													
2.2	•	supplemental label e	• • • • • •													
.2	Special rules for	supplemental label e Contains 1,2-BEN METHYL-2H-ISO	Plements for certain mixtures NZISOTHIAZOL-3(2H)-ONE ; A MIXTURE OF: 5-CHLORO-2- ITHIAZOL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE													
.2	Special rules for EUH208	supplemental label e Contains 1,2-BEN METHYL-2H-ISO (3:1).May produce	Plements for certain mixtures NZISOTHIAZOL-3(2H)-ONE ; A MIXTURE OF: 5-CHLORO-2- ITHIAZOL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE e an allergic reaction.													
	Special rules for EUH208 EUH210	supplemental label e Contains 1,2-BEN METHYL-2H-ISO (3:1).May produce	Veneration Restance of the second sec													
	Special rules for EUH208	supplemental label e Contains 1,2-BEN METHYL-2H-ISO (3:1).May produce	Plements for certain mixtures NZISOTHIAZOL-3(2H)-ONE ; A MIXTURE OF: 5-CHLORO-2- ITHIAZOL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE e an allergic reaction.													
2.3	Special rules for EUH208 EUH210 Other hazards None	supplemental label e Contains 1,2-BEN METHYL-2H-ISO (3:1).May produce	Rements for certain mixtures NZISOTHIAZOL-3(2H)-ONE ; A MIXTURE OF: 5-CHLORO-2- THIAZOL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE e an allergic reaction. t available on request.													
2.3 SE(Special rules for EUH208 EUH210 Other hazards None CTION 3: Compos	supplemental label e Contains 1,2-BEN METHYL-2H-ISO (3:1).May produce Safety data shee	Rements for certain mixtures NZISOTHIAZOL-3(2H)-ONE ; A MIXTURE OF: 5-CHLORO-2- THIAZOL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE e an allergic reaction. t available on request.													
2.3	Special rules for EUH208 EUH210 Other hazards None	supplemental label e Contains 1,2-BEN METHYL-2H-ISO (3:1).May produce Safety data shee	Rements for certain mixtures NZISOTHIAZOL-3(2H)-ONE ; A MIXTURE OF: 5-CHLORO-2- THIAZOL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE e an allergic reaction. t available on request.													

SECTION 4: First aid measures

Trade name : Revision date : Print date :

BOSTIKS BEST 13 KG 04 11 2015 29 06 2016



Version (Revision) :

16.0.0 (15.0.0)

4.1 Description of first aid measures

General information

If medical advice is needed, have product container, label or safety data sheet at hand.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. Consult a physician in case of symptoms.

In case of skin contact

After contact with skin, wash with plenty of water and soap.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Extinguishing powder Water spray alcohol resistant foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

Do not allow run-off from fire-fighting to enter drains or water courses.

Special protective equipment for firefighters

Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Avoid contact with skin and eyes.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

See chapter 8.

SECTION 7: Handling and storage



BOSTIKs BEST 13 KG 04.11.2015 29.06.2016



Version (Revision) :

16.0.0 (15.0.0)

7.1 Precautions for safe handling **Protective measures** No special measures are necessary. 7.2 Conditions for safe storage, including any incompatibilities Technical measures and storage conditions No particular measures required. Hints on joint storage Storage class (TRGS 510): 12 Further information on storage conditions Protect from frost ! Recommended storage temperature 10 °C - 30 °C. 7.3 Specific end use(s) Water borne adhesive - Observe technical data sheet. SECTION 8: Exposure controls/personal protection 8.1 Control parameters None 8.2 Exposure controls Personal protection equipment Eye/face protection Use safety glasses. - DIN EN 166 Skin protection Hand protection Wear suitable gloves. - DIN EN 374 Suitable material : CR (polychloroprene, chloroprene rubber) NBR (Nitrile rubber) Butyl caoutchouc (butyl rubber) Unsuitable material : PVA (Polyvinyl alcohol) Breakthrough time (maximum wearing time): The permeation time (max. usage time) of the gloves depends on material and thickness as well as temperature. The data are available from the manaufacturer of the specific gloves. The permeation time for the mentioned glove materials is in general > 480 min. Recommended glove articles : Appropriate gloves are available e.g. from Mapa-Professionel (F-92205 Neuilly sur Seine - France): STANZOIL ® (CR - 0,85 mm) - ULTRANITRIL ® (491, 492, 494 oder 495 - NBR - 0,55mm) -Remark : Disposable gloves are suitable as protection against spray or splashes, only. **Respiratory protection**

Usually no personal respirative protection necessary.

Remark

For spray application suction of air or other appropriate measures are necessary to prevent inhalation of spray mist. Comply with the health and safety at work laws. (See also Leaflet TA - in German language - "Dispersionsklebstoffe im Sprühauftrag" des Industrieverbandes Klebstoffe e.V. - www.klebstoffe.com --> Publikationen.)

General health and safety measures

The usual precautionary measures for the handling of chemicals have to be observed. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Avoid contact with skin, eyes and clothes.

SECTION 9: Physical and chemical properties

Page : 3 / 7



BOSTIKs BEST 13 KG 04.11.2015 29.06.2016



Version (Revision) :

16.0.0 (15.0.0)

9.1	Information on basic phy Appearance Physical state : liquid Colour : Off white / pale	vsical and che	mical prop	erties					
	Odour								
	Poor, characteristic.								
	Odour threshold								
	No data available								
	Safety relevant basis data								
	Melting point/melting range :			not applicable					
	Initial boiling point and boiling			100	°C				
	range : Decomposition temperature :			No data available					
	Flash point :			none		C,C,			
	Ignition temperature :			not relevant					
	Lower explosion limit :		none						
	Upper explosion limit :		approx.	none					
	Vapour pressure :	(50 °C)	upprox.	120	hPa				
	Density :	(20 °C)	approx.	1,2	g/cm ³				
	Water solubility :	(20 °C)			Wt %				
	pH:			7 - 8					
	log P O/W :			No data available					
	Viscosity :	(20 °C)		No data available					
	Relative vapour density :	(20°C)		not relevant					
	Vapourisation rate :			not relevant					
	Oxidising liquids :	Not relevant.							
	Explosive properties :	Not relevant.							
02	Other information								

9.2 Other information

The product is not self-igniting. The product is not explosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

Product is under normal conditions not reactive.

10.2 Chemical stability

Product is stable under normal conditions.

- 10.3 Possibility of hazardous reactions
- None known. 10.4 Conditions to avoid

Protect from frost !

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No dangerous decomposition products during appropriate storage and handling.

SECTION 11: Toxicological information



Trade name : Revision date : Print date : BOSTIKS BEST 13 KG 04.11.2015 29.06.2016



16.0.0 (15.0.0)

11.1 Information on toxicological effects

Assessment/classification

Health hazards

Acute toxicity (oral): No - Based on available data, the classification criteria are not met. Acute toxicity (dermal): No - Based on available data, the classification criteria are not met. Acute toxicity (inhalation): No - Based on available data, the classification criteria are not met. Skin Corrosion / Irritation: No - Based on available data, the classification criteria are not met. Serious eye damage / eye irritation: No - Based on available data, the classification criteria are not met. Sensitisation (Respiratory): No - Based on available data, the classification criteria are not met. Sensitisation (Skin): Category 2 - Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE ; A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2 - METHYL-2H-ISOTHIAZOL-3-ONE (3:1).May produce an allergic reaction. Germ cell mutagenicity: No - Based on available data, the classification criteria are not met. Careinogenericity: No - Based on available data, the classification criteria are not met.

Carcinogenicity : No - Based on available data, the classification criteria are not met. **Reproductive toxicity :** No - Based on available data, the classification criteria are not met.

Reproductive toxicity, Effects on or via lactation: No - Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure) : No - Based on available data, the classification criteria are not met.

Specific target organ toxicity (Respiratory tract irritation): No - Based on available data, the classification criteria are not met.

Specific target organ toxicity (Narcosis): No - Based on available data, the classification criteria are not met. Specific target organ toxicity (Repeated exposure): No - Based on available data, the classification criteria are not met.

Aspiration hazard : No - Based on available data, the classification criteria are not met.

Additional information

When used and handled according to specification, the product does not have any harmful effect according to our experience and knowledge.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

The mixture has been checked following the conventional method for eco-toxicological properties. If classified as eco-toxic see section 2 for details.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Contains no PBT / vBvP-substance.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

Do not allow undiluted product or large quanities to reach sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product/Packaging disposal



Trade name : Revision date : Print date : BOSTIKs BEST 13 KG 04.11.2015 29.06.2016



16.0.0 (15.0.0)

Uncured product: Special waste.

Cured product: household garbage or trade garbage - observe local regulations. Waste codes/waste designations according to EWC/AVV

08 04 10: Waste adhesives and sealants other than those mentioned in 08 04 09.

Waste treatment options

Appropriate disposal / Package

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

13.2 Additional information

Please note: The classification of waste for this product may change according to the field of its application. Please observe Directive 2001/118/EC.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

Protect from frost !

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code No information available.

SECTION 15: Regulatory information

$_{15.1}$ Safety, health and environmental regulations/legislation specific for the

substance or mixture

National regulations

Observe in addition any national regulations!

Restrictions of occupation

Please consider possible restrictions for the protection of pregnant and breastfeeding women at work (Directive 92/85/EC) and for the protection of young people at work (Directive 94/33/EC).

Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I): <1 %

Weight fraction (Number 5.2.4. III): <1 %

Water hazard class (WGK)

 $Class: 1 (Slightly hazardous to water) \ Classification according to VwVwS$

Other regulations, restrictions and prohibition regulations

Betriebssicherheitsverordnung (BetrSichV)

No flammable liquid according to BetrSichV.

15.2 Chemical safety assessment

No information available.

Trade name : Revision date : Print date : BOSTIKs BEST 13 KG 04.11.2015 29.06.2016



Version (Revision) :

16.0.0 (15.0.0)

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture \cdot 02. Label elements \cdot 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] \cdot 02. Special rules for supplemental label elements for certain mixtures \cdot 02. Labelling (67/548/EEC or 1999/45/EC) – Hazard components for labelling \cdot 02. Special provisions concerning the labelling of certain mixtures \cdot 03. Hazardous ingredients \cdot 07. Hints on joint storage – Storage class \cdot 08. Occupational exposure limit values \cdot 15. Technische Anleitung Luft (TA-Luft)

16.2 Abbreviations and acronyms

BCF - Bioconzentration Factor CMR - Carcinogenic-Mutagenic-toxic for Reproduction DNEL - Derived No Effect Level EWC - European Waste Catalogue NOEC - No Observed Effect Concentration NOEL - No Observed Effect Level

OEL - Occupational Exposure Limit

PBT - Persitent, Bioaccumulative, Toxic

PNEC - Predicted No Effect Concnetration

STOT - Specific Target Organ Toxicity

SVHC - Substance of Very High Concern

 $v \mbox{PvB}$ - very Persitent, very Bioaccumulative

16.3 Key literature references and sources for data

Regulations for prevention of accidents , safety rules and recommendations provided by professional associations.

Observe technical data sheet.

16.4 Relevant H- and EUH-phrases (Number and full text)

None

16.5 Training advice

None

16.6 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.