

Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Replaced version: 3.1.0, issued: 01.07.2021 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

PC mix Palmatex 20 Basis 1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

coating material

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

einzA Farben GmbH & Co KG

Junkersstraße 13 30179 Hannover

Telephone no. +49 (0)511 67490-0 Fax no. +49 (0)511 67490-20 e-mail info@einzA.com

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

-

Signal word

-

Hazard statement(s)

-

Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-

isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1), 2-methyl-2H-isothiazol-3-one.

May produce an allergic reaction.

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

Precautionary statement(s)

-



Trade name: PC mix Palmatex 20 Basis 1

Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Reglaced version: 3.1.0, issued: 01.07.2021 Region: GB

Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Aqueous coating based on a polymer emulsion

Hazardous ingredients

No	Substance name Additional information		tional information		
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Cond	centration	%
1		n powder form containing 1 % or more of			
		dynamic diameter ≤ 10 μm]			
	13463-67-7	Carc. 2; H351i	>=	5.00 - < 10.00	wt%
	236-675-5				
	-				
	01-2119489379-17		_		
2	1,2-benzisothiazol-			refer to footnote (1)	
	2634-33-5	Acute Tox. 4*; H302	<	0.05	wt%
	220-120-9	Eye Dam. 1; H318			
	613-088-00-6	Skin Irrit. 2; H315			
	-	Skin Sens. 1; H317			
		Acute Tox. 2; H330			
		Aquatic Acute 1; H400			
		Aquatic Chronic 2; H411			
3		5-chloro-2-methyl-4-isothiazolin-3-one and 2-			
	methyl-2H -isothiaz				
	55965-84-9	Acute Tox. 2; H310	<	0.0015	wt%
	-	Acute Tox. 2; H330			
	613-167-00-5	Acute Tox. 3; H301			
	-	Aquatic Acute 1; H400			
		Aquatic Chronic 1; H410			
		EÚH071			
		Eye Dam. 1; H318			
		Skin Corr. 1C; H314			
		Skin Sens. 1A; H317			
4	2-methyl-2H-isothia	azol-3-one			
	2682-20-4	Acute Tox. 2; H330	<	0.10	wt%
	220-239-6	Acute Tox. 3; H301			
	613-326-00-9	Acute Tox. 3; H311			
	-	Aquatic Acute 1; H400			
		Aquatic Chronic 1; H410			
		EUH071			
		Eye Dam. 1; H318			
		Skin Corr. 1B; H314			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,***,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

⁽¹⁾ Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.



Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Reglaced version: 3.1.0, issued: 01.07.2021 Region: GB

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	Skin Sens. 1; H317: C >= 0.05%	-	-
3	В	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06% Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%	M = 100	M = 100
4	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 10	M = 1

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
1	H351i
	inhalational; -; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Not combustible under normal conditions. Extinguishing measures to suit surroundings.

Unsuitable extinguishing media

No data available.

5.2 Special hazards arising from the substance or mixture

None known.

5.3 Advice for firefighters

Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel



Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Reglaced version: 3.1.0, issued: 01.07.2021 Region: GB

Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Avoid inhalation of dust from sanding. For personal protection see section 8.

General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. No smoking. Keep from freezing.

Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5
	more of particles with aerodynamic diameter ≤ 10			
	μm]			
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m³	



Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Reglaced version: 3.1.0, issued: 01.07.2021 Region: GB

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure		Value		
1	titanium dioxide; [in powder form containing 1 % or more of particles with			13463-67-7	
	aerodynamic diameter ≤ 10 µm]			236-675-5	
	inhalative	Long term (chronic)	local	10	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no			
	Route of exposure		Value				
1	titanium dioxide; [in powder form containing 1 % or more of particles with			13463-67-7			
	aerodynamic diameter ≤ 10 µm]			236-675-5			
	oral	Long term (chronic)	systemic	700	mg/kg/day		

PNEC values

No	Substance name	CAS / EC no		
	ecological compartment	Type	Value	
1	titanium dioxide; [in powder form containing 1 % or more of particles with		13463-67-7	
	aerodynamic diameter ≤ 10 µm]	aerodynamic diameter ≤ 10 µm]		
	water	fresh water	0.127	mg/L
	water	marine water	1	mg/L
	water	Aqua intermittent	0.61	mg/L
	water	fresh water sediment	1000	mg/kg
	with reference to: dry weight			
	water	marine water sediment	100	mg/kg
	with reference to: dry weight			
	soil	-	100	mg/kg
	with reference to: dry weight			
	sewage treatment plant	-	100	mg/L
	secondary poisoning	mammalian	1667	mg/kg

8.2 Exposure controls

Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Personal protective equipment

Respiratory protection

Not necessary. When applied by spraying: Filter A2P2 (DIN EN 14387)

Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: nitrile rubber

Material thickness>0.4mmBreakthrough time>120minAppropriate MaterialIn case of prolonged exposure: nitrile rubberMaterial thickness>0.4mmBreakthrough time>480min

Other

Light protective clothing

Environmental exposure controls

Do not allow to enter drains or water courses.



Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Replaced version: 3.1.0, issued: 01.07.2021 Region: GB

SECTION 9: Physical and chemical properties

Partition coefficient n-octanol/water (log value)

No data available

9.

ference temperature thod DIN 5179	roperties		
rm/Colour iid cording to product name four aracteristic value ue 7 illing point / boiling range ue Ilting point/freezing point data available composition temperature data available ish point t applicable idising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature ference temperature thod DIN 517:			
idicording to product name lour aracteristic value ue liting point / boiling range ue liting point/freezing point data available composition temperature data available ist applicable idising properties t applicable immability t applicable immability t applicable per explosion limit data available pour pressure ue leference temperature lative density data available insity ue ference temperature lubility in water			
cording to product name lour aracteristic value ue			
our aracteristic value ue			
aracteristic value ue			
value ue 7 illing point / boiling range ue			
ue 7 illing point / boiling range ue			
iling point / boiling range ue Itting point/freezing point data available composition temperature data available ish point t applicable iition temperature data available idising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature thod lubility in water			
liting point/freezing point data available composition temperature data available ish point t applicable iition temperature data available iidising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature ference temperature limit data available lative density data available nsity ue ference temperature limit data available lative density data available nsity ue ference temperature limit data available lative density data available nsity ue ference temperature limit data available limit data available lative density data available lative density data available lative density data available	.0 - 9.0		
composition temperature data available composition temperature data available ish point t applicable iition temperature data available iidising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature 1 forence temperature			
data available composition temperature data available ish point t applicable iition temperature data available iidising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature 1. Itiohility in water	100	°C	
data available composition temperature data available ish point t applicable iition temperature data available iidising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature 1. Itiohility in water			
data available ish point t applicable iition temperature data available iidising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature thod DIN 517			
data available ish point t applicable iition temperature data available iidising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature thod DIN 517			
t applicable idition temperature data available idising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature ference temperature 1 for DIN 517			
t applicable idition temperature data available idising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature ference temperature 1 for DIN 517			
data available idising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature ference temperature ference temperature 1 ference temperature 1 ference temperature 1 for DIN 517:			
idising properties t applicable immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature ltipidity in water			
idising properties t applicable Immability t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature 1 ference temperature 1 ference temperature 1 for no density ue ference temperature 1 for no density ue ference temperature 1 for no density ue for no dens			
t applicable Immability t applicable Wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature 1 ference temperature 1 ference temperature 1 for a policia			
Immability It applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature 1 ference temperature 1 ference temperature 1 for a point of the problem of the prob			
t applicable wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature 1 ference temperature 1 ference temperature 1 for a point of the p			
wer explosion limit data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature 1 ference temperature 1 ference temperature thod DIN 517			
data available per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature 1 ference temperature thod DIN 517			
per explosion limit data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature thod DIN 517			
data available pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature thod DIN 517			
pour pressure ue ference temperature lative vapour density data available lative density data available nsity ue ference temperature ethod lubility in water			
lative vapour density data available lative density data available sity ue 1 ference temperature ethod DIN 5178			
lative vapour density data available lative density data available sity ue 1 ference temperature ethod DIN 5178			
lative vapour density data available lative density data available nsity ue 1 ference temperature ethod DIN 5178	100		
data available lative density data available nsity ue 1 ference temperature bthod DIN 5175	50	°C	
data available nsity ue 1 ference temperature thod DIN 517			
data available nsity ue 1 ference temperature thod DIN 517			
data available nsity ue 1 ference temperature thod DIN 517			
ue 1 ference temperature thod DIN 5175			
ue 1 ference temperature thod DIN 5175			
thod DIN 517	.30 - 1.70		
lubility in water	25	°C	
	0/		
manage de la companya del companya de la companya del companya de la companya de			
mments miscible			
lubility data available			



Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Replaced version: 3.1.0, issued: 01.07.2021 Region: GB

Viscosity						
Value	5000 - 15000 mPa*s					
Reference temperature	25 °C					
Method	DIN 53019					

Solvent separation test	
Not applicable	

Particle characteristics	
No data available	

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity					
No	Substance name		CAS no.		EC no.	
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7		236-675-5	
LD5	0	>		2000	mg/kg bodyweight	
Spec	cies	rat				
Meth	nod	OECD 401				
Soul	rce	ECHA				
Eval	uation/classification	Based on ava	ailable data, the	classification	on criteria are not met.	

Acute dermal toxicity No data available

Acu	te inhalational toxicity					
No	Substance name		CAS no.		EC no.	
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7		236-675-5	
LC5	0	>		6.82	mg/l	
Dura	ation of exposure			4	h	
Stat	e of aggregation	Dust				
Spe	cies	rat				
Sou	rce	ECHA				
Eval	luation/classification	Based on ava	ailable data, the	classification	on criteria are not met.	



Trade name: PC mix Palmatex 20 Basis 1

Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Replaced version: 3.1.0, issued: 01.07.2021 Region: GB

Ckir	Skin corrosion/irritation					
_	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
No	Substance name	CAS	no.	EC no.		
1	titanium dioxide; [in powder form conta	ining 1 % or 1346	3-67-7	236-675-5		
	more of particles with aerodynamic diar	neter ≤ 10				
	µm]					
Spe	cies	rabbit				
Metl	hod	OECD 404				
Sou	rce	ECHA				
Eval	luation	non-irritant				
Eval	luation/classification	Based on available	data, the classification	n criteria are not met.		

Seri	Serious eye damage/irritation					
No	Substance name		CAS no.	EC no.		
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]	•	13463-67-7	236-675-5		
Spec		rabbit				
Meth	nod	OECD 405				
Sour	rce	ECHA				
Eval	uation	non-irritant				
Eval	uation/classification	Based on av	ailable data, the clas	ssification criteria are not met.		

Res	piratory or skin sensitisation					
No	Substance name	CAS no. EC no.				
1	titanium dioxide; [in powder form conta	ining 1 % or 13463-67-7 236-675-5				
	more of particles with aerodynamic diar	meter ≤ 10				
	μm]					
Rou	te of exposure	Skin				
Spe	cies	mouse				
Meth	nod	OECD 429				
Source		ECHA				
Evaluation		non-sensitizing				
Eval	uation/classification	Based on available data, the classification criteria are not met.				

Ger	Germ cell mutagenicity						
No	Substance name	CAS no.	EC no.				
1	titanium dioxide; [in powder more of particles with aerody µm]		236-675-5				
Тур	e of examination	In vitro mammalian cytogenicity					
Method OECD 487		OECD 487					
Sou	rce	ECHA					
Evaluation/classification Based on available data, the classification criteria are not met.			ication criteria are not met.				

Reproduction toxicity				
No Substance name	CAS no. EC no.			
1 titanium dioxide; [in powder form con	ntaining 1 % or 13463-67-7 236-675-5			
more of particles with aerodynamic di	liameter ≤ 10			
μm]				
Route of exposure	oral			
NOAEL	>= 1000 mg/kg bw/d			
Type of examination	Reproductive studies - one generation			
Species	rat			
Method	OECD 443			
Source	ECHA			
Evaluation/classification	Based on available data, the classification criteria are not met.			
Route of exposure	oral			
NOAEL	1000 mg/kg bw/d			
Type of examination	Prenatal Developmental Toxicity Study			
Species	rat			
Method	OECD 414			
Source	ECHA			



Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Reglaced version: 3.1.0, issued: 01.07.2021 Region: GB

Evaluation/classification

Based on available data, the classification criteria are not met.

Card	Carcinogenicity					
No	Substance name		CAS no.	EC no.		
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5		
Rou	te of exposure	oral				
NOE	L		750	00 mg/kg bw/d		
Spec	cies	mouse				
Soul	rce	ECHA				
Eval	uation/classification	Based on ava	ailable data, the clas	sification criteria are not met.		

STOT - single exposure

No data available

STO	STOT - repeated exposure					
No	Substance name		CAS no.	EC no.		
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5		
Rout	te of exposure	oral				
NOA	EL	>	9	62 mg/	/kg bw/d	
Spec	cies	rat				
Method		OECD 408				
Source		ECHA				
Eval	uation/classification	Based on ava	ailable data, the cla	assification criteria are	not met.	

Aspiration hazard

No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

The liquid splashed in the eyes may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity	to fish	(acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxi	Toxicity to algae (acute)					
No	Substance name		CAS no.		EC no.	
	titanium dioxide; [in powder form contain more of particles with aerodynamic diame µm]		13463-67-7		236-675-5	
EC5	50 >	>		100	mg/l	



Trade name: PC mix Palmatex 20 Basis 1

Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Reglaced version: 3.1.0, issued: 01.07.2021 Region: GB

Duration of exposure	72	h
Species	Pseudokirchneriella subcapitata	
Method	OECD 201	
Source	ECHA	

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity							
No	Substance name	CAS no.		EC no.			
1	titanium dioxide; [in powder form containing 1 % or 13463-67-7 236-675-5 more of particles with aerodynamic diameter ≤ 10						
	μm]						
EC5	0	>	1000				
Dura	ation of exposure		3	h			
Spec	cies	activated sludge					
Method		OECD 209					
Soul	rce	ECHA					

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment				
PBT assessment	The components of this product are not considered to be a PBT.			
vPvB assessment	The components of this product are not considered to be a vPvB.			

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information	
Do not allow to enter drains or water courses.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste code 08 01 12 waste paint and varnish other than those mentioned in 08 01 11 The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.



Trade name: PC mix Palmatex 20 Basis 1

Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Replaced version: 3.1.0, issued: 01.07.2021 Region: GB

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE, Cat. : a, type: |b| = 30 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 30 g/l

National regulations

Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.



Product no.: 0030592

Current version: 4.0.0, issued: 23.08.2021 Reglaced version: 3.1.0, issued: 01.07.2021 Region: GB

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these

sections)

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H351i Suspected of causing cancer by inhalation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a

weight/weight basis.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760178