

Product no.: 9213080

Current version: 6.0.0, issued: 08.01.2024 Reglaced version: 5.0.0, issued: 28.10.2022 Region: GB

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade name

# einzA Airless-Spritzfüller, weiß

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

decorative paints/finishes

#### Uses advised against

No data available.

### 1.3 Details of the supplier of the safety data sheet

#### **Address**

einzA Farben GmbH & Co KG

Junkersstraße 13 30179 Hannover

Telephone no. +49 (0)511 67490-0 Fax no. +49 (0)511 67490-20 e-mail info@einzA.com

#### **Advice on Safety Data Sheet**

sdb\_info@umco.de

## 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Flam. Liq. 3; H226 STOT RE 2; H373 STOT SE 3; H336

# **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

## 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

## **Hazard pictograms**



GHS02



CHS07



Signal word

Warning

### Hazardous component(s) to be indicated on label:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics Hydrocarbons, C8-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Hazard statement(s)



Trade name: einzA Airless-Spritzfüller, weiß

**Product no.:** 9213080

Current version: 6.0.0, issued: 08.01.2024 Reglaced version: 5.0.0, issued: 28.10.2022 Region: GB

H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure

H412 Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208 Contains phthalic-anhydride. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P370+P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to

extinguish.

P405 Store locked up.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

### 2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable. The product is not a substance.

# 3.2 Mixtures

**Hazardous ingredients** 

No	Substance name		Additional information			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1		n powder form containing 1 % or more of				
	particles with aeroo	dynamic diameter ≤ 10 μm]				
	13463-67-7	Carc. 2; H351i	>=	10.00 - <	25.00	wt%
	236-675-5					
	022-006-00-2					
	01-2119489379-17					
2		C11, n-alkanes, isoalkanes, cyclics, <2%				
	aromatics					
	64742-48-9	Asp. Tox. 1; H304	>=	10.00 - <	25.00	wt%
	919-857-5	EUH066				
	-	Flam. Liq. 3; H226				
	01-2119463258-33	STOT SE 3; H336				
3	1-methoxy-2-propa					
	107-98-2	Flam. Liq. 3; H226	>=	5.00 - <	10.00	wt%
	203-539-1	STOT SE 3; H336				
	603-064-00-3					
	01-2119457435-35					
4	Hydrocarbons, C9,		pls. re	efer to footnote	(2)	
	64742-95-6	Flam. Liq. 3; H226	>=	5.00 - <	10.00	wt%
	918-668-5	STOT SE 3; H335				
	649-356-00-4	STOT SE 3; H336				
	01-2119455851-35	,				
		Asp. Tox. 1; H304				
		EUH066				



Trade name: einzA Airless-Spritzfüller, weiß

**Product no.:** 9213080

Current version: 6.0.0, issued: 08.01.2024 Replaced version: 5.0.0, issued: 28.10.2022 Region: GB

5	Hydrocarbons, C8-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)				
	927-344-2 - 01-2119463586-28	Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336 STOT RE 1; H372 Aquatic Chronic 2; H411 EUH066	<	5.00	wt%
6	phthalic-anhydride				
	85-44-9 201-607-5 607-009-00-4	Acute Tox. 4*; H302 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335	<	0.50	wt%

Full Text for all H-phrases and EUH-phrases; pls. see section 16

<sup>(2)</sup> According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	V, W, 10	-	-	-
4	Р	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
1	H351i
	inhalational: -: -

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### **General information**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

## After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

# After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

#### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed

No data available.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Alcohol resistant foam, CO2, powders, water spray

<sup>(\*,\*\*,\*\*\*\*)</sup> Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2



**Product no.:** 9213080

Current version: 6.0.0, issued: 08.01.2024 Reglaced version: 5.0.0, issued: 28.10.2022 Region: GB

# Unsuitable extinguishing media

water jet.

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Toxic pyrolysis products; Exposure to decomposition products may cause a health hazard.

#### 5.3 Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses. Appropriate breathing apparatus may be required.

# **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

## For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

## 6.4 Reference to other sections

No data available.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

#### Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

# General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

# Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

## 7.2 Conditions for safe storage, including any incompatibilities

## Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

# Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

## Incompatible products



Trade name: einzA Airless-Spritzfüller, weiß

**Product no.: 9213080** 

Current version: 6.0.0, issued: 08.01.2024 Replaced version: 5.0.0, issued: 28.10.2022 Region: GB

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

# 7.3 Specific end use(s)

No data available.

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

# Occupational exposure limit values

No	Substance name	CAS no.		EC no.		
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5		
	more of particles with aerodynamic diameter ≤ 10					
	μm]					
	List of approved workplace exposure limits (WELs) / I	EH40				
	Titanium dioxide					
	total inhalable dust					
	WEL long-term (8-hr TWA reference period)	10	mg/m³			
	List of approved workplace exposure limits (WELs) / I	EH40				
	Titanium dioxide					
	respirable dust					
	WEL long-term (8-hr TWA reference period)	4	mg/m³			
2	1-methoxy-2-propanol	107-98-2		203-539-1		
	2000/39/EC					
	1-Methoxypropanol-2					
	WEL short-term (15 min reference period)	568	mg/m³	150	ppm	
	WEL long-term (8-hr TWA reference period)	375	mg/m³	100	ppm	
	Skin resorption / sensibilisation	Skin				
	List of approved workplace exposure limits (WELs) / I	EH40				
	1-Methoxypropan-2-ol					
	WEL short-term (15 min reference period)	560	mg/m³	150	ppm	
	WEL long-term (8-hr TWA reference period)	375	mg/m³	100	ppm	
	Comments	Sk				

# **DNEL, DMEL and PNEC values**

# DNEL values (worker)

	DNEL values (worker)							
No	Substance name			CAS / EC no				
	Route of exposure	Exposure time	Effect	Value				
1	titanium dioxide; [in powo	der form containing 1 % or	more of particles with	13463-67-7				
	aerodynamic diameter ≤ 1	0 μm]		236-675-5				
	inhalative	Long term (chronic)	local	1.25	mg/m³			
2	Hydrocarbons, C9-C11, n	alkanes, isoalkanes, cyclic	cs, <2% aromatics	64742-48-9				
	dawa al	Langtone (abronia)	Lavatanaia	919-857-5	ma militari lalan i			
	dermal	Long term (chronic)	systemic	77	mg/kg/day			
	inhalative	Long term (chronic)	systemic	871 <b>107-98-2</b>	mg/m³			
3	1-methoxy-2-propanol							
				203-539-1				
	dermal	Long term (chronic)	systemic	183	mg/kg/day			
	inhalative	Long term (chronic)	systemic	369	mg/m³			
	inhalative	Short term (acut)	local	553.5	mg/m³			
	inhalative	Short term (acut)	systemic	553.5	mg/m³			
4	Hydrocarbons, C9, aroma	tics		64742-95-6				
				918-668-5				
	dermal	Long term (chronic)	systemic	12.5	mg/kg/day			
	inhalative	Long term (chronic)	systemic	151	mg/m³			
5	Hydrocarbons, C8-C12, n	-alkanes, isoalkanes, cyclic	cs, aromatics (2-25%)	-				
				927-344-2				
	dermal	Long term (chronic)	systemic	21	mg/kg bw/day			
	inhalative	Long term (chronic)	systemic	330	mg/m³			
	inhalative	Short term (acut)	systemic	570	mg/m³			



Trade name: einzA Airless-Spritzfüller, weiß

**Product no.:** 9213080

Current version: 6.0.0, issued: 08.01.2024 Reglaced version: 5.0.0, issued: 28.10.2022 Region: GB

**DNEL** value (consumer)

No	Substance name				
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in powo	ler form containing 1 % or	more of particles with	13463-67-7	
	aerodynamic diameter ≤ 1	236-675-5			
	inhalative	Long term (chronic)	local	210	μg/m³
2	Hydrocarbons, C9-C11, n-	alkanes, isoalkanes, cyclic	s, <2% aromatics	64742-48-9	
				919-857-5	
	oral	Long term (chronic)	systemic	46	mg/kg/day
	dermal	Long term (chronic)	systemic	46	mg/kg/day
	inhalative	Long term (chronic)	systemic	185	mg/m³
3	1-methoxy-2-propanol			107-98-2	
				203-539-1	
	oral	Long term (chronic)	systemic	33	mg/kg/day
	dermal	Long term (chronic)	systemic	78	mg/kg/day
	inhalative	Long term (chronic)	systemic	43.9	mg/m³
4	Hydrocarbons, C9, aroma	tics		64742-95-6	
				918-668-5	
	oral	Long term (chronic)	systemic	7.5	mg/kg/day
	dermal	Long term (chronic)	systemic	7.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	32	mg/m³
5	Hydrocarbons, C8-C12, n-	alkanes, isoalkanes, cyclic	cs, aromatics (2-25%)	-	
				927-344-2	
	oral	Long term (chronic)	systemic	21	mg/kg bw/day
	dermal	Long term (chronic)	systemic	12	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	71	mg/m³
	inhalative	Short term (acut)	systemic	570	mg/m³

#### **PNEC** values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	1-methoxy-2-propanol		107-98-2	
			203-539-1	
	water	fresh water	10	mg/L
	water	marine water	1	mg/L
	water	Aqua intermittent	100	mg/L
	water	fresh water sediment	52.3	mg/kg
	with reference to: dry weight			
	water	marine water sediment	5.2	mg/kg
	with reference to: dry weight			
	soil		4.59	mg/kg
	with reference to: dry weight			
	sewage treatment plant	-	100	mg/L

# 8.2 Exposure controls

#### Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

# Personal protective equipment

# Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

#### Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

# **Hand protection**



Trade name: einzA Airless-Spritzfüller, weiß

**Product no.:** 9213080

Current version: 6.0.0, issued: 08.01.2024 Reglaced version: 5.0.0, issued: 28.10.2022 Region: GB

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: nitrile rubber

Material thickness>0.4mmBreakthrough time>120minAppropriate MaterialIn case of prolonged exposure: nitrile rubberMaterial thickness>0.4mmBreakthrough time>480min

Other

Value

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

#### **Environmental exposure controls**

Do not allow to enter drains or water courses.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form			
liquid			
Colour			
according to product name			
Odour			
like solvents			
pH value  No data available			
Boiling point / boiling range Value	>	120	°C
Reference substance	solvent mixture	0	
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point	1 20	20	00
Value Method	36 - closed cup	38	°C
Ignition temperature			
Value	>	200	°C
Reference substance	solvent mixture		
Oxidising properties	solvent mixture		
	solvent mixture		
Oxidising properties Not applicable  Flammability	solvent mixture		
Oxidising properties Not applicable  Flammability Not applicable	solvent mixture		
Oxidising properties Not applicable  Flammability Not applicable  Lower explosion limit		0.0	0/
Oxidising properties Not applicable  Flammability Not applicable	> solvent mixture	0.6	% vol

7.5

% vol



**Product no.: 9213080** 

Current version: 6.0.0, issued: 08.01.2024 Replaced version: 5.0.0, issued: 28.10.2022 Region: GB

Reference substance	solvent mixtu	ıre			
Vapour pressure					
Value	<	100	hPa		
Reference temperature		50	°C		
Reference substance	solvent mixtu	ıre			
Relative vapour density					
No data available					
Relative density					
No data available					
Density					
Value	1.36	- 1.40	g/cm³		
Reference temperature		20	ŠČ		
Method	DIN 51757				
Solubility in water					
Comments	immiscible				
Solubility					
No data available					
Partition coefficient n-octanol/water (log	valuo)				
No Substance name	value)	CAS no.		EC no.	
1 titanium dioxide; [in powder form co	ntaining 1 % or	13463-67-7		236-675-5	
more of particles with aerodynamic	diameter ≤ 10				
μm]					
Not applicable					
Source	ECHA				
2 1-methoxy-2-propanol		107-98-2		203-539-1	
log Pow	<		1	00	
Reference temperature			20	°C	

Kinematic viscosity				
Value	1680	-	1800	Pa*s
Reference temperature			20	°C
Method	DIN 53019			

pH: 6.8

**ECHA** 

**OECD 117** 

Solvent separation test						
Value	<	3	%			
Reference temperature		20	°C			

Particle characteristics	
No data available	

# 9.2 Other information

with reference to

Method

Source

	Other information
Ī	No data available.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

## 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

# 10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

# 10.4 Conditions to avoid



**Product no.: 9213080** 

Current version: 6.0.0, issued: 08.01.2024 Reglaced version: 5.0.0, issued: 28.10.2022 Region: GB

Heat, naked flames and other ignition sources.

# 10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

# 10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity				
No	Substance name		CAS no.		EC no.
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam µm]		13463-67-7		236-675-5
LD5	0	>		2000	mg/kg bodyweight
Spe Meth Soul	nod rce	rat OECD 401 ECHA			
	uation/classification		·	classification	criteria are not met.
2	Hydrocarbons, C9-C11, n-alkanes, isoalk cyclics, <2% aromatics	anes,	64742-48-9		919-857-5
LD5	0	>		5000	mg/kg bodyweight
Spe Meth	nod	rat OECD 401			
Soul		ECHA			
3	1-methoxy-2-propanol		107-98-2		203-539-1
LD5	•			4016	mg/kg bodyweight
Spe		rat EC 440/2008.	B 1		
Soul		ECHA			
4	Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
LD5	0	>		3492	mg/kg bodyweight
Spe		rat ECHA			
5	Hydrocarbons, C8-C12, n-alkanes, isoalk cyclics, aromatics (2-25%)	anes,	-		927-344-2
LD5	0	>		15000	mg/kg bodyweight
	oioo	rat			
Sped Meth Soul	nod	OECD 401 ECHA			

Acute dermal toxicity				
No Substance name		CAS no.		EC no.
1 Hydrocarbons, C9-C11, n-alkanes, isoa	lkanes,	64742-48-9		919-857-5
cyclics, <2% aromatics				
LD50	>		2000	mg/kg bodyweight
Species	rabbit			
Method	OECD 402			
Source	ECHA			
2 1-methoxy-2-propanol		107-98-2		203-539-1
LD50	>		2000	mg/kg bodyweight
Species	rat			
Method	440/2008/EC	B.3.		
Source	ECHA			
3 Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
LD50	>		3160	mg/kg bodyweight
Species	rabbit			
Method	OECD 402			
Source	ECHA			

Acute inhalational toxicity



Trade name: einzA Airless-Spritzfüller, weiß

**Product no.: 9213080** 

No Substance name		CAS no.		EC no.
1 titanium dioxide; [in powder form cont more of particles with aerodynamic dia		13463-67-7		236-675-5
μm]				
LC50			5.09	mg/l
Duration of exposure			4	h
State of aggregation	Dust			
Species	rat			
Method	OECD 403			
Source	ECHA			
Evaluation/classification	Based on av	ailable data, the	classificatio	n criteria are not met.
2 Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
LC50	>		6.193	mg/l
Duration of exposure			4	h
State of aggregation	Vapour			
Species	rat			
Method	OECD 403			
Source	ECHA			
Evaluation/classification	Based on av	ailable data, the	classificatio	n criteria are not met.

			· · · · · · · · · · · · · · · · · · ·	ontena are not met.
Skin	n corrosion/irritation			
No			CAS no.	EC no.
1	titanium dioxide; [in powder form contain	ning 1 % or	13463-67-7	236-675-5
•	more of particles with aerodynamic diam		13403-07-7	230-073-3
	uml	ietei 2 10		
Spec		rabbit		
Meth		OECD 404		
Sour		ECHA		
	luation	non-irritant		
	luation/classification		ilable data, the classification	criteria are not met
2	Hydrocarbons, C9-C11, n-alkanes, isoalk		64742-48-9	919-857-5
_	cyclics, <2% aromatics	,	04142 40 0	0.0 00.0
Spec		rabbit		
Meth		OECD 404		
Sour		ECHA		
	luation	non-irritant		
3	1-methoxy-2-propanol		107-98-2	203-539-1
Spec	, , ,	rabbit		
ı ıvıetr	nod	EC 440/2008.	B.4	
Sour	nod rce	EC 440/2008, ECHA	B.4	
Sour			B.4	
Sour	rce luation	ECHA	B.4 <b>64742-95-6</b>	918-668-5
Sour Eval	rce luation Hydrocarbons, C9, aromatics	ECHA		918-668-5
Sour Eval	rce luation Hydrocarbons, C9, aromatics cies	ECHA non-irritant		918-668-5
Sour Eval 4 Spec	rce luation Hydrocarbons, C9, aromatics cies nod	ECHA non-irritant		918-668-5
Sour Eval 4 Spec Meth Sour	rce luation Hydrocarbons, C9, aromatics cies nod	rabbit OECD 404		918-668-5
Sour Eval 4 Spec Meth Sour Eval	rce luation Hydrocarbons, C9, aromatics cies nod rce	rabbit OECD 404 ECHA low-irritant		
Sour Eval 4 Spec Meth Sour Eval	rce luation Hydrocarbons, C9, aromatics cies nod rce luation	rabbit OECD 404 ECHA low-irritant Based on ava	64742-95-6	
Sour Eval 4 Spec Meth Sour Eval Eval	rce luation Hydrocarbons, C9, aromatics cies nod rce luation luation/classification	rabbit OECD 404 ECHA low-irritant Based on ava	64742-95-6	ı criteria are not met.
Sour Eval 4 Spec Meth Sour Eval Eval	rce luation Hydrocarbons, C9, aromatics cies nod rce luation luation/classification Hydrocarbons, C8-C12, n-alkanes, isoalk cyclics, aromatics (2-25%)	rabbit OECD 404 ECHA low-irritant Based on ava	64742-95-6	ı criteria are not met.
Sour Eval 4 Spec Meth Sour Eval Eval	rce luation  Hydrocarbons, C9, aromatics cies nod rce luation luation/classification  Hydrocarbons, C8-C12, n-alkanes, isoalk cyclics, aromatics (2-25%) cies	rabbit OECD 404 ECHA low-irritant Based on ava	64742-95-6	ı criteria are not met.
Sour Eval 4 Spec Meth Sour Eval Eval 5 Spec	rce luation  Hydrocarbons, C9, aromatics cies nod rce luation luation/classification  Hydrocarbons, C8-C12, n-alkanes, isoalk cyclics, aromatics (2-25%) cies nod	rabbit OECD 404 ECHA low-irritant Based on ava	64742-95-6	ı criteria are not met.

Seri	ous eye damage/irritation				
No	Substance name		CAS no.	EC no.	
1	1 titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10		13463-67-7	236-675-5	
	μm]				
Spe	cies	rabbit			
Meth	nod	OECD 405			
Soul	Source ECHA				
Eval	uation	non-irritant			



Trade name: einzA Airless-Spritzfüller, weiß

**Product no.: 9213080** 

Eval	uation/classification	Based on ava	nilable data, the classification	criteria are not met.
2	Hydrocarbons, C9-C11, n-alkanes, isoalk cyclics, <2% aromatics	anes,	64742-48-9	919-857-5
Spec	cies	rabbit		
Meth	nod	OECD 405		
Sour	ce	ECHA		
Eval	uation	non-irritant		
3	1-methoxy-2-propanol		107-98-2	203-539-1
Spec	cies	rabbit		
Meth	nod	2004/73/EEC	, B.5	
Sour	ce	ECHA		
Eval	uation	non-irritant		
4	Hydrocarbons, C9, aromatics		64742-95-6	918-668-5
Spec	cies	rabbit		
Meth	nod	OECD 405		
Sour	ce	ECHA		
Eval	uation	non-irritant		
5	Hydrocarbons, C8-C12, n-alkanes, isoalk cyclics, aromatics (2-25%)	anes,	-	927-344-2
Sner		rabbit		
	Species rabbit Method OECD 405			
Sour		ECHA		
	uation	non-irritant		
	441011	mon initiant		

⊏vai	uation	non-irritant	
Res	piratory or skin sensitisation		
No	Substance name	CAS no. EC no.	
1	titanium dioxide; [in powder form cont	27.00 1.01	
•	more of particles with aerodynamic dia		
	um1		
Rou	te of exposure	Skin	
Spe		mouse	
Meth		OECD 429	
Sou	rce	ECHA	
Eval	uation	non-sensitizing	
Eval	uation/classification	Based on available data, the classification criteria are not met.	
2	Hydrocarbons, C9-C11, n-alkanes, isoa	palkanes, 64742-48-9 919-857-5	
	cyclics, <2% aromatics		
	te of exposure	Skin	
Spe		guinea pig	
Meth		OECD 406	
Sou		ECHA	
	uation	non-sensitizing	
3	1-methoxy-2-propanol	107-98-2 203-539-1	
	te of exposure	Skin	
Spe		guinea pig	
Meth		440/2008/EC B.6	
Sou		ECHA	
	uation	non-sensitizing	
4	Hydrocarbons, C9, aromatics	64742-95-6 918-668-5	
	te of exposure	Skin	
Spe		guinea pig	
Meth Sou		OECD 406 FCHA	
	uation	non-sensitizing 927-344-2	
5	Hydrocarbons, C8-C12, n-alkanes, isoa cyclics, aromatics (2-25%)	Jainalies, 321-344-2	
Rou	te of exposure	Skin	
Spe		guinea pig	
Meth		OECD 406	
Sou		ECHA	
	uation	non-sensitizing	

Corm	الم	mutac	enicity
Germ	cen	mutau	ienicity



Trade name: einzA Airless-Spritzfüller, weiß

**Product no.: 9213080** 

No	Substance name	CAS no. EC no.		
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam µm]	_		
Туре	of examination	In vitro mammalian cytogenicity		
Meth	nod	OECD 487		
Soul	ce	ECHA		
Eval	uation/classification	Based on available data, the classification criteria are not met.		
Rout	e of exposure	oral		
Туре	of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte micronucleus		
Spec	cies	rat		
Meth	nod	OECD 474		
Soui	ce	ECHA		
Eval	uation/classification	Based on available data, the classification criteria are not met.		
2	Hydrocarbons, C9, aromatics	64742-95-6 918-668-5		
Soul	ce	ECHA		
Eval	uation/classification	Based on available data, the classification criteria are not met.		
3	Hydrocarbons, C8-C12, n-alkanes, isoalk cyclics, aromatics (2-25%)	kanes, - 927-344-2		
Meth	nod	OECD 479		
Soul	ce	ECHA		
Eval	uation/classification	Based on available data, the classification criteria are not met.		

Dan	raduation taxialty	
No	roduction toxicity Substance name	CAS no. EC no.
1	titanium dioxide; [in powder form contai	
•	more of particles with aerodynamic diam	
	um]	illieter 7 10
Rou	te of exposure	oral
NOA		>= 1000 mg/kg bw/d
	e of examination	Reproductive studies - one generation
Spe		rat
Meth		OECD 443
Soul	·ce	ECHA
Eval	uation/classification	Based on available data, the classification criteria are not met.
Rou	te of exposure	oral
NOA	AEL .	1000 mg/kg bw/d
Туре	e of examination	Prenatal Developmental Toxicity Study
Spe		rat
Meth	nod	OECD 414
Soul		ECHA
	uation/classification	Based on available data, the classification criteria are not met.
2	Hydrocarbons, C9, aromatics	64742-95-6 918-668-5
Soul		ECHA
	uation/classification	Based on available data, the classification criteria are not met.
3	Hydrocarbons, C8-C12, n-alkanes, isoalk	Ikanes, - 927-344-2
	cyclics, aromatics (2-25%)	
Meth		OECD 413
Sou		ECHA
Eval	uation/classification	Based on available data, the classification criteria are not met.

Card	Carcinogenicity						
No	Substance name		CAS no.	EC no.			
1	titanium dioxide; [in powder form contail	ning 1 % or	13463-67-7	236-675-5			
	more of particles with aerodynamic diam	neter ≤ 10					
	μm]						
Rou	te of exposure	oral					
NOE	L		750	00 mg/kg bw/d			
Spe	cies	mouse					
Sou	rce	ECHA					
Eval	uation/classification	Based on av	ailable data, the clas	sification criteria are not met.			



**Product no.:** 9213080

Current version: 6.0.0, issued: 08.01.2024 Reglaced version: 5.0.0, issued: 28.10.2022 Region: GB

	Hydrocarbons, C8-C12, n-alkanes, isoalk cyclics, aromatics (2-25%)	kanes, - 927-344-2
Meth	nod	OECD 453
Sour	rce	ECHA
Evaluation/classification		Based on available data, the classification criteria are not met.

STOT - single exposure	
No data available	

STO	T - repeated exposure			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm]		13463-67-7	236-675-5
Rout	te of exposure	oral		
NOA	EL	>	962	mg/kg bw/d
Spec	cies	rat		
Meth	nod	OECD 408		
Soul	ce	ECHA		
Eval	uation/classification	Based on av	ailable data, the class	sification criteria are not met.
Rout	te of exposure	inhalational		
Spec	cies	rat		
Soul	ce	ECHA		
Eval	uation/classification	Based on av	ailable data, the class	sification criteria are not met.

Aspiration hazard	
No data available	

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### 11.2 Information on other hazards

**Endocrine disrupting properties** 

No data available.

Other information

No data available.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxi	city to fish (acute)					
No	Substance name		CAS no.		EC no.	
1	Hydrocarbons, C9-C11, n-alkanes, isoalk	anes,	64742-48-9		919-857-5	
	cyclics, <2% aromatics					
LL50		>		1000	mg/l	
Dura	tion of exposure			96	h	
Spec	cies	Rainbow trout	İ			
Meth	od	OECD 203				
Sour	ce	ECHA				
2	1-methoxy-2-propanol		107-98-2		203-539-1	
LC50		> 4600	-	10000	mg/l	
Dura	tion of exposure			96	h ¯	
Spec	cies	Leuciscus idu	S			
Meth	od	DIN 38 412, p	art L15			



**Product no.: 9213080** 

Source	ECHA			
Evaluation/classification	Based on available data,	the classificat	ion criteria are not met.	
3 Hydrocarbons, C9, aromatics	64742-95-	6	918-668-5	
LL50		9.2	mg/l	
Duration of exposure		96	h	
Species	Oncorhynchus mykiss			
Method	OECD 203			
Source	ECHA			
4 Hydrocarbons, C8-C12, n-alkanes	s, isoalkanes, -		927-344-2	
cyclics, aromatics (2-25%)				
LL50	10	- 30	mg/l	
Duration of exposure		96	h	
Species	Oncorhynchus mykiss			
Method	OECD 203			
Source	ECHA			

Toxicity to fish (chronic)	
No data available	-

Toxicity to Daphnia (acute)					
No Substance name		CAS no.		EC no.	
1 Hydrocarbons, C9-C11, n-alkanes, isoalk cyclics, <2% aromatics	anes, (	64742-48-9		919-857-5	
EL50	>		1000	mg/l	
Duration of exposure			48	h	
Species	Daphnia magn	a			
with reference to	WAF (water ac	commodated fra	actions)		
Method	OECD 202				
Source	ECHA				
2 1-methoxy-2-propanol	•	107-98-2		203-539-1	
EC50	21100	-	25900	mg/l	
Duration of exposure			48	h	
Species	Daphnia magn	а			
Method	ESR-ES-15				
Source	ECHA				
Evaluation/classification	Based on avail	able data, the c	lassification	criteria are not met.	
3 Hydrocarbons, C9, aromatics		64742-95-6		918-668-5	
EL50			3.2	mg/l	
Duration of exposure			48	h	
Species	Daphnia magn	а			
Method	OECD 202				
Source	ECHA				
4 Hydrocarbons, C8-C12, n-alkanes, isoalk	canes, -			927-344-2	
cyclics, aromatics (2-25%)					
EL50	10	-	22	mg/l	
Duration of exposure			48	h	
Species	Daphnia magn	а			
Method	OECD 202				
Source	ECHA				

Toxi	city to Daphnia (chronic)			
No	Substance name	CAS no.		EC no.
1	Hydrocarbons, C8-C12, n-alkanes, isoalk	anes, -		927-344-2
	cyclics, aromatics (2-25%)			
NOE	EC		0.097	mg/l
Spec	cies	Daphnia magna		-
Meth	nod	OECD 211		
Soul	rce	ECHA		

Toxi	Toxicity to algae (acute)						
No	Substance name	CAS no.	EC no.				
1	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7	236-675-5				



**Product no.: 9213080** 

Current version: 6.0.0, issued: 08.01.2024 Replaced version: 5.0.0, issued: 28.10.2022 Region: GB

FOEO		100	/I
EC50	>	100	mg/l
Duration of exposure		72	h
Species	Raphidocelis subcapitata		
Method	OECD 201		
Source	ECHA		
Evaluation/classification	Based on the available data,	the classification	on criteria are not met.
2 Hydrocarbons, C9-C11, n-alkanes, isoalk	anes, 64742-48-9	9	19-857-5
cyclics, <2% aromatics	·		
EL50	>	1000	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapit	ata	
with reference to	WAF (water accommodated t		
Method	OFCD 201	radiono,	
Source	ECHA		
3 Hydrocarbons, C9, aromatics	64742-95-6	C	18-668-5
EL50	04742-33-0	2.9	
		2.9 72	mg/l
Duration of exposure	B 11:1 : 11 : 1	• =	h
Species	Pseudokirchneriella subcapit	ata	
Method	OECD 201		
Source	ECHA		
4 Hydrocarbons, C8-C12, n-alkanes, isoalk	anes, -	9	27-344-2
cyclics, aromatics (2-25%)			
EL50		4.1	mg/l
Duration of exposure		72	h
Species	Raphidocelis subcapitata		
Method	OECD 201		
Source	ECHA		
Source	ECHA		

Toxicity to algae (chronic)	
No data available	

Bac	Bacteria toxicity					
No	Substance name	CAS no.		EC no.		
1	Hydrocarbons, C9, aromatics	64742-95-6		918-668-5		
EC5	0	>	99	mg/l		
Dura	ation of exposure		10	min		
Spe	cies	activated sludge				
Method		OECD 209				
Soul	rce	ECHA				

12.2 Persistence and degradability

	Persistence and degradability				
Biod	degradability				
No	Substance name		CAS no.		EC no.
1	titanium dioxide; [in powder form contain		13463-67-7		236-675-5
	more of particles with aerodynamic diam	eter ≤ 10			
	μm]				
Sou	rce	ECHA			
Eval	uation	Not applicable	e for inorganic s	substances.	
2	Hydrocarbons, C9-C11, n-alkanes, isoalk	anes,	64742-48-9		919-857-5
	cyclics, <2% aromatics				
Meth	nod	OECD 301 F			
Soul	rce	ECHA			
Eval	uation	readily biodeg	gradable		
3	1-methoxy-2-propanol		107-98-2		203-539-1
Туре		aerobic biode	gradation		
Valu	e			96	%
Dura	ation			28	day(s)
Meth	nod	OECD 301 E			
Soul	rce	ECHA			
Eval	uation	readily biodeg	gradable		
4	Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
Туре		BSB			
Valu	e			78	%
					·



Trade name: einzA Airless-Spritzfüller, weiß

**Product no.:** 9213080

Current version: 6.0.0, issued: 08.01.2024 Region: 5.0.0, issued: 28.10.2022 Region: GB

Duration		28	d
Method	OECD 301 F		
Source	ECHA		
Evaluation	readily biodegradable		
Hydrocarbons, C8-C12, n-alkanes, isoalkanes, - cyclics, aromatics (2-25%)			927-344-2
Value		74.7	%
Duration		28	day(s)
		20	day(3)
Method	OECD 301 F	20	udy(3)
	OECD 301 F ECHA	20	day(5)

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No			CAS no.		EC no.	
1	1 titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10		13463-67-7		236-675-5	
	μm]					
Not	applicable	•				
Sou	rce	ECHA				
2	1-methoxy-2-propanol		107-98-2		203-539-1	
log F	Pow	<		1		
	erence temperature			20	°C	
with	reference to	pH: 6.8				
Meth	nod	OECD 117				
Sou	rce	ECHA				

# 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment			
PBT assessment	The components of this product are not considered to be a PBT.		
vPvB assessment	The components of this product are not considered to be a vPvB.		

# 12.6 Endocrine disrupting properties

No data available.

# 12.7 Other adverse effects

No data available.

#### 12.8 Other information

Other information	
Do not allow to enter drains or water courses.	

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

## **Product**

Waste code 08 01 11\* waste paint and varnish containing organic solvents or other hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

### **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

# **SECTION 14: Transport information**



**Product no.:** 9213080

Current version: 6.0.0, issued: 08.01.2024 Reglaced version: 5.0.0, issued: 28.10.2022 Region: GB

# 14.1 Transport ADR/RID/ADN

Class 3
Classification code F1
Packing group III
Hazard identification no. 30
UN number UN1263
Proper shipping name PAINT
Tunnel restriction code D/E
Label 3

Comments Containers with a capacity <= 450 ltrs are not subject to ADR-regulations (refer to

2.2.3.1.5.)

14.2 Transport IMDG

Class 3
Packing group III
UN number UN1263
Proper shipping name PAINT
EmS F-E+S-E
Label 3

Comments Containers with a capacity <= 450 ltrs are not subjected to IMDG regulations.

chapter 4.1, 5.2 and 6.1 (see IMDG-Code 2.3.2.5)

### 14.3 Transport ICAO-TI / IATA

Class 3
Packing group III
UN number UN1263
Proper shipping name Paint
Label 3

# 14.4 Other information

No data available.

# 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

## 14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

# Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

# REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No Substance name CAS no. EC no. No



Trade name: einzA Airless-Spritzfüller, weiß

**Product no.:** 9213080

Current version: 6.0.0, issued: 08.01.2024 Region: 5.0.0, issued: 28.10.2022 Region: GB

1	2-methylpentane-2,4-diol	107-41-5	203-489-0	75	
2	Limestone	1317-65-3	215-279-6	75	
3	phthalic-anhydride	85-44-9	201-607-5	75	
4	propylene carbonate	108-32-7	203-572-1	75	
5	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7	236-675-5	75	

Directive 2012/18/EU on the control of major-accident hazards involving dangerous s	ubstances
This product is subject to Part I of Annex I, risk category:	P5c

Directive 2010/75/EU on industrial emissions	(integrated pollution prevention and control)
VOC content	30.38 %

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE , Cat. : i, type: lb = 500 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 500 g/l

## **National regulations**

## Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

# **SECTION 16: Other information**

## Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH066 Repeated exposure may cause skin dryness or cracking.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351i Suspected of causing cancer by inhalation.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

# Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

P The harmonised classification as a carcinogen applies unless the full refining history is

known and it can be shown that the substance from which it is produced is not a carcinogen, in which case a classification in accordance with Title II of this Regulation

shall be performed also for that hazard class.

V If the substance is to be placed on the market as fibres (with diameter < 3  $\mu$ m, length > 5

µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.



Trade name: einzA Airless-Spritzfüller, weiß

**Product no.:** 9213080

Current version: 6.0.0, issued: 08.01.2024 Reglaced version: 5.0.0, issued: 28.10.2022 Region: GB

W It has been observed that the carcinogenic hazard of this substance arises when

respirable dust is inhaled in quantities leading to significant impairment of particle

clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a

criterion for classification according to this Regulation.

1 The concentration stated or, in the absence of such concentrations, the generic

concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated

with reference to the total weight of the mixture.

# Creation of the safety data sheet

**UMCO GmbH** 

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 655752