EU safety data sheet

Trade name: einzA mix All-Grund, Basis 4 Product no.: 0171603 Current version : 4.2.0. issued: 03.01.2024

Replaced version: 4.1.1, issued: 14.03.2023

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

einzA mix All-Grund, Basis 4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture decorative paints/finishes

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

einzA Farben GmbH & Co KG Junkersstraße 13 30179 Hannover

 Telephone no.
 +49 (0)511 67490-0

 Fax no.
 +49 (0)511 67490-20

 e-mail
 info@einzA.com

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411 Flam. Liq. 3; H226 STOT SE 3; H335 STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Hazardous component(s) to be indicated on label: Hydrocarbons, C9, aromatics

Hazard statement(s) H226 FI

Flammable liquid and vapour.

Product no.: 017160	3		
Current version : 4.2.0, issue	ed: 03.01.2024	Replaced version: 4.1.1, issued: 14.03.2023	Region: GB
H335	May cause r	respiratory irritation.	
	,		
H336	iviay cause (drowsiness or dizziness.	

e

H336 H411	May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
Hazard statements (EU) EUH208	Contains phthalic-anhydride. May produce an allergic reaction.
Precautionary statement(s)
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P370+P378	In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 **Mixtures**

Hazardous ingredients

No	Substance name		Addit	tional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration	%
	REACH no				
1	Hydrocarbons, C9,	aromatics	pls. r	efer to footnote (2)	
	64742-95-6	Flam. Liq. 3; H226	>=	25.00 - < 50	.00 wt%
	918-668-5	STOT SE 3; H335			
	649-356-00-4	STOT SE 3; H336			
	01-2119455851-35	Aquatic Chronic 2; H411			
		Asp. Tox. 1; H304			
		EUH066			
2	Quartz (SiO2)				
	14808-60-7	-	>=	10.00 - < 25	.00 wt%
	238-878-4				
	-				
	-				
3	phthalic-anhydride				
	85-44-9	Acute Tox. 4; H302	<	0.50	wt%
	201-607-5	Eye Dam. 1; H318			
	607-009-00-4	Resp. Sens. 1; H334			
	01-2119457017-41	Skin Irrit. 2; H315			
		Skin Sens. 1; H317			
		STOT SE 3; H335			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008 , the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor	M-factor
			(acute)	(chronic)

EU safety data sheet

Trade name: einzA mix All-Grund, Basis 4

Product no.: 0171603

Current version : 4.2.0. issued: 03.01.2024

Replaced version: 4.1.1, issued: 14.03.2023

Region: GB

_

1 P -

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Alcohol resistant foam, CO2, powders, water spray Unsuitable extinguishing media

water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Toxic pyrolysis products; Exposure to decomposition products may cause a health hazard.

5.3 Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses. Appropriate breathing apparatus may be required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Product no.: 0171603

Current version : 4.2.0, issued: 03.01.2024

Region: GB

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	Quartz (SiO2)	14808-60-7		238-878-4
	2004/37/EC			
	Respirable crystalline silica dust			
	WEL long-term (8-hr TWA reference period)	0,1 (9)	mg/m³	

DNEL, DMEL and PNEC values

DNEL values (worker)

No	o Substance name			CAS / EC no	
	Route of exposure Exposure time Effect			Value	
1	1 Hydrocarbons, C9, aromatics			64742-95-6	
	-			918-668-5	
	dermal	Long term (chronic)	systemic	12.5	mg/kg/day

Product no.: 0171603

Current version : 4.2.0. issued: 03.01.2024

Replaced version: 4.1.1, issued: 14.03.2023

Region: GB

	inhalative	Long term (chronic)	systemic	151	mg/m³
	DNEL value (consumer)				
10	Substance name			CAS / EC	C no
	Route of exposure	Exposure time	Effect	Value	
1	Hydrocarbons, C9, aro	matics		64742-95	5-6
	-			918-668-	5
	oral	Long term (chronic)	systemic	7.5	mg/kg/day
	dermal	Long term (chronic)	systemic	7.5	mg/kg/day
	inhalative	Long term (chronic)	svstemic	32	mg/m ³

8.2 Exposure controls

Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	In case of short-term	contact / spla	ash protection: nitrile rubber
Material thickness	>	0.4	mm
Breakthrough time	>	120	min
Appropriate Material	In case of prolonged e	exposure: nit	rile rubber
Material thickness	>	0.4	mm
Breakthrough time	>	480	min

Other

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

Environmental exposure controls

Do not allow to enter drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation
iquid
Form
iquid
Colour
according to product name
Odour
ike solvents
oH value
No data available

Product no.: 0171603

Current version : 4.2.0, issued: 03.01.2024

Boiling point / boiling range	1.	400	*0
Value Reference substance	> solvent mixture	120	°C
	Solvent mixture		
Melting point/freezing point No data available			
Decomposition temperature			
No data available			
Flash point			
Value	>=	36	°C
Method	closed cup		
Ignition temperature			
Value	>	200	°C
Reference substance	solvent mixture		
Oxidising properties			
Not applicable			
Flammability			
Not applicable			
Lower explosion limit Value	>	0.6	% vol
Reference substance	solvent mixture	0.0	
Upper explosion limit Value	<	7.5	% vol
Reference substance	solvent mixture	1.5	/8 001
Vapour pressure Value	<	100	hPa
Reference temperature		50	°C
Reference substance	solvent mixture		
Relative vapour density			
No data available			
Relative density No data available			
Density Value	1.30 -	1.32	g/cm ³
Reference temperature	1.50 -	20	°C
Method	DIN 51757		-
Solubility in water			
Comments	immiscible		
	•		
Solubility No data available			
Partition coefficient n-octanol/water (log valu No data available	e)		
Kinematic viscosity			
Value	40 -	45	sec
Reference temperature		20	°C
Method	DIN EN 2431 (6 m		
Solvent separation test			
Value Reference temperature	<	3 20	°C
		20	
Particle characteristics No data available			

Replaced version: 4.1.1, issued: 14.03.2023



Region: GB

Trade name: einzA mix All-Grund, Basis 4 Product no.: 0171603

Current version : 4.2.0. issued: 03.01.2024

Region: GB

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Replaced version: 4.1.1, issued: 14.03.2023

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acut	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
LD50)	>		3492	mg/kg bodyweight
Spec	cies	rat			
Sour	ce	ECHA			
Acut	te dermal toxicity				
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
LD50)	>		3160	mg/kg bodyweight
Spec		rabbit			
Meth	nod	OECD 402			
Sour	ce	ECHA			
Aout	te inhalational toxicity				
	Substance name		CAS no.		EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
LC50		>	04/42-99-0	6.193	
	-	-		4	mg/l
	tion of exposure e of aggregation	Vapour		4	h
Spec		rat			
Meth		OECD 403			
Sour		ECHA			
	uation/classification		ailable data the	classificatio	on criteria are not met.
Lvai		Dased on av		classificatio	
Skin	corrosion/irritation				
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
Spec		rabbit			
Meth	nod	OECD 404			
Sour	ce	ECHA			
Eval	uation	low-irritant			

Evaluation/classification Based on available data, the classification criteria are not met

Product no.: 0171603

Current version : 4.2.0, issued: 03.01.2024

Region: GB

einz

No	Substance name		CAS no.	EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6	918-668-5
Spe		rabbit		
Meth		OECD 405		
Sou	rce	ECHA		
Eval	luation	non-irritant		
Dee		•		
	piratory or skin sensitisation Substance name		CAS no.	EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6	918-668-5
	te of exposure	Skin	0+1+2-30-0	010-000-0
Spe		guinea pig		
Meth		OECD 406		
Sou		ECHA		
	luation	non-sensitizi	na	
Lvai			ng	
	m cell mutagenicity			
	Substance name		CAS no.	EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6	918-668-5
Sou	rce luation/classification	ECHA Record on ov	ailabla data tha als	ification oritoria are not mat
⊏val	uation/classification	Based on av	allable data, the class	ification criteria are not met.
	roduction toxicity			
	Substance name		CAS no.	EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6	918-668-5
Sou		ECHA		
Evaluation/classification Based on available data, the classification criteria are not met.				
Card	cinogenicity			
	data available			
STO)T - single exposure			
	lata available			
	OT - repeated exposure			
INO C	data available			
	iration hazard			
No c	data available			
Dela	ayed and immediate effects as well as	chronic effects f	rom short and long-t	erm exposure
	osure to component solvents vapours co			
	dverse health effects such as mucous me			
	and central nervous system. Symptoms			
	vsiness and in extreme cases, loss of cor			
	ugh the skin. Repeated or prolonged con			
	Ilting in non-allergic contact dermatitis an			
	tion and reversible damage. Ingestion man			
	wn, delayed and immediate effects and a			
	ral, inhalation and dermal routes of expos			choire term and long term expected
2	nformation on other hazards	•		
	Endocrine disrupting properties			
	No data available.			
	Other information No data available.			
CT	ION 12: Ecological information			
1 1	Toxicity			
	Foxicity icity to fish (acute)			

Toxicity to fish (acute) No Substance name CAS no. EC no. 1 Hydrocarbons, C9, aromatics 64742-95-6 918-668-5

Product no.: 0171603

Current version : 4.2.0, issued: 03.01.2024

Replaced version	1: 4.1.1, issued:	: 14.03.2023

Region: GB

eir

LL50			9.2	mg/l	
Duration of exposure			96	h	
Species		Oncorhynchus mykiss			
Method		OECD 203			
Source		ECHA			
Toxicity to fish (chronic					
No data available					
Toxicity to Daphnia (acu	uto)				
No Substance name		CAS no.		EC no.	
1 Hydrocarbons, C9,	aromatics	64742-95-0	6	918-668-5	
EL50	aromatics	64742-55-6	3.2		
Duration of exposure			3.∠ 48	mg/l h	
		Dephoia magna	40		
Species		Daphnia magna			
Method		OECD 202			
Source		ECHA			
Toxicity to Daphnia (ch	ronic)				
No data available					
Toxicity to algae (acute)					
No Substance name		CAS no.		EC no.	
1 Hydrocarbons, C9,	aromatics	64742-95-0	6	918-668-5	
EL50			2.9	mg/l	
Duration of exposure			72	h	
Species		Pseudokirchneriella subc	apitata		
Method		OECD 201	•		
Source		ECHA			
	• •	•			
Toxicity to algae (chron	IC)				
No data available					
Bacteria toxicity					
No Substance name		CAS no.		EC no.	
1 Hydrocarbons, C9,	aromatics	64742-95-0	6	918-668-5	
EC50	aroniatioo	>	99	mg/l	
Duration of exposure			10	min	
Species		activated sludge	10	11111	
Method		OECD 209			
Source		ECHA			
Source		LONA			
2.2 Persistence and de	earadahility				
Biodegradability					
No Substance name		CAS no.		EC no.	
1 Hydrocarbons, C9,	aromatics	64742-95-0	6	918-668-5	
	aiomatics	BSB		310-000-3	
Type		000	70	%	
Value			78		
Duration		OECD 301 F	28	d	
Method					
0					
Source Evaluation		ECHA readily biodegradable			

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties

Product no.: 0171603

Current version : 4.2.0, issued: 03.01.2024

Replaced version: 4.1.1, issued: 14.03.2023

Region: GB

No data available.

12.7 Other adverse effects No data available.

12.8 Other information Other information

Do not allow to enter drains or water courses.

SEC	FION 13: Disposal consid	erations	
	Waste treatment methods		
	ProductWaste code08	01 11* waste paint and varnish containing organic solvents or other hazardous	
	recommendation. A final decision Disposal of the product should l	substances , according to the European Waste Catalogue, are to be understood as a on must be made in agreement with the regional waste disposal company. be carried out in accordance with all applicable regulations following consultation with and the disposal company in an authorised and suitable disposal facility.	
	Packaging Residues must be removed fror regulations for waste removal. I	n packaging and when emptied completely disposed of in accordance with the ncompletely emptied packaging must be disposed of in the form of disposal specified containers must be scrapped or reconditioned.	
SEC	TION 14: Transport inform	nation	
14.1	Transport ADR/RID/ADN		
	Class Classification code Packing group Hazard identification no. UN number Proper shipping name Tunnel restriction code Label Environmentally hazardous substance mark	3 F1 III 30 UN1263 PAINT D/E 3 Symbol "fish and tree"	
14.2	Transport IMDG Class Packing group UN number Proper shipping name Technical name EmS Label Marine pollutant mark	3 III UN1263 PAINT Hydrocarbons, C9, aromatics F-E+S-E 3 Symbol "fish and tree"	
14.3	Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name Label	3 III UN1263 Paint 3	
14.4	Other information No data available.		
14.5	Environmental hazards	azards, if relevant, please see 14.1 - 14.3.	
14.6	Special precautions for use	er	

14.6 Special precautions for user Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that

persons transporting the product know what to do in the event of an accident or spillage.

Trade name: einzA mix All-Grund, Basis 4 Product no.: 0171603 Current version : 4.2.0. issued: 03.01.2024

Replaced version: 4.1.1, issued: 14.03.2023

14.7 Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.
 No
 3, 40

 The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.
 No
 3, 40

No	Substance name	CAS no.	EC no.	No
1	1,2,4-trimethylbenzene	95-63-6	202-436-9	75
2	2-methylpentane-2,4-diol	107-41-5	203-489-0	75
3	Cumene	98-82-8	202-704-5	75
4	Limestone	1317-65-3	215-279-6	75
5	phthalic-anhydride	85-44-9	201-607-5	75
6	propan-1-ol	71-23-8	200-746-9	75
7	xylene	1330-20-7	215-535-7	75

 Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

 This product is subject to Part I of Annex I, risk category:
 E2, P5c

 If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)VOC content35.42 %

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE, Cat. : i, type: lb = 500 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 500 g/l

National regulations

Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Product no.: 0171603

Current version : 4.2.0, issued: 03.01.2024

Replaced version: 4.1.1, issued: 14.03.2023

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections) EUH066 Repeated exposure may cause skin dryness or cracking.

EUH066	Repeated exposure may cause skin dryness or cracking.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

P

The harmonised classification as a carcinogen applies unless the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen, in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Creation of the safety data sheet

UMCO GmbH Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 653633