EU safety data sheet

Trade name: einzA All-Grund, weiß Product no.: 7310130 Current version : 7.1.0, issued: 04.01.2024

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

einzA All-Grund, weiß

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture decorative paints/finishes

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

einzA Farben GmbH & Co KG Junkersstraße 13 30179 Hannover

 Telephone no.
 +49 (0)511 67490-0

 Fax no.
 +49 (0)511 67490-20

 e-mail
 info@einzA.com

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411 Flam. Liq. 3; H226 STOT SE 3; H335 STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Hazardous component(s) to be indicated on label: Hydrocarbons, C9, aromatics

Hazard statement(s) H226 Fl

Flammable liquid and vapour.

Product no.: 7310130

Current version : 7.1.0, issued: 04.01.2024 Replaced version: 7.0.0, issued: 03.07.2023 Region: GB H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. Hazard statements (EU) EUH208 Contains phthalic-anhydride. May produce an allergic reaction. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Precautionary statement(s) P101 . If medical advice is needed, have product container or label at hand. P102

Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. D271 Use only outdoors or in a well-ventilated area

P273	Avoid release to the environment.
P370+P378	In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to
	extinguish.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Not applicable. The product is not a substance.

3.2 **Mixtures**

Hazardous ingredients

No	Substance name		A dditi	onal informatio	n	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)		Concentration		%
	REACH no		Conce	mation		70
-				6 6	(0)	
1	Hydrocarbons, C9,			fer to footnote		
	64742-95-6	Flam. Liq. 3; H226	>=	25.00 - <	50.00	wt%
	918-668-5	STOT SE 3; H335				
	649-356-00-4	STOT SE 3; H336				
	01-2119455851-35	Aquatic Chronic 2; H411				
		Asp. Tox. 1; H304				
		EUH066				
2	titanium dioxide; [ii	n powder form containing 1 % or more of				
	particles with aeroo	dynamic diameter ≤ 10 μm]				
	13463-67-7	Carc. 2; H351i	>=	10.00 - <	25.00	wt%
	236-675-5					
	022-006-00-2					
	01-2119489379-17					
3	Quartz (SiO2)					
	14808-60-7	-	>=	10.00 - <	25.00	wt%
	238-878-4					
	-					
	-					
4	phthalic-anhydride					



Current version : 7.1.0, issued: 04.01.2024

Product no.: 7310130

Replaced version: 7.0.0, issued: 03.07.2023

 85-44-9
 Acute Tox. 4; H302
 < 0.50</td>
 wt%

 201-607-5
 Eye Dam. 1; H318

 0.50
 wt%

 607-009-00-4
 Resp. Sens. 1; H334

 <t

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	Р	-	-	-
2	V, W, 10	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect	
----	--------------------------------------	--

H351i

2

inhalational; -; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Alcohol resistant foam, CO2, powders, water spray

Unsuitable extinguishing media water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Toxic pyrolysis products; Exposure to decomposition products may cause a health hazard.

5.3 Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses. Appropriate breathing apparatus may be required.

Current version : 7.1.0, issued: 04.01.2024

Trade name: einzA All-Grund, weiß

Product no.: 7310130

Replaced version: 7.0.0, issued: 03.07.2023

Region: GB

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Product no.: 7310130 **Current version** : 7.1.0, issued: 04.01.2024

Region: GB

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5
	more of particles with aerodynamic diameter ≤ 10			
	μm]			
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m³	
2	Quartz (SiO2)	14808-60-7		238-878-4
	2004/37/EC			
	Respirable crystalline silica dust			
	WEL long-term (8-hr TWA reference period)	0,1 (9)	mg/m³	

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	CAS / EC no			
	Route of exposure	Value			
1	Hydrocarbons, C9, aroma	64742-95-6 918-668-5			
	dermal	Long term (chronic)	systemic	12.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	151	mg/m³
2	titanium dioxide; [in powo aerodynamic diameter ≤ 1	13463-67-7 236-675-5			
	inhalative	Long term (chronic)	local	1.25	mg/m³

DNEL value (consumer)

No	Substance name	CAS / EC no	l		
	Route of exposure	Value			
1	Hydrocarbons, C9, aroma	64742-95-6 918-668-5			
	oral	Long term (chronic)	systemic	7.5	mg/kg/day
	dermal	Long term (chronic)	systemic	7.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	32	mg/m³
2	titanium dioxide; [in powo aerodynamic diameter ≤ 1	13463-67-7 236-675-5			
	inhalative	Long term (chronic)	local	210	µg/m³

8.2 Exposure controls

Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

Hand protection

Product no.: 7310130



Replaced version: 7.0.0, issued: 03.07.2023

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work- station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.						
Appropriate Material	In case of	short-term contact / sp	lash protectior	n: nitrile rubber		
Material thickness	>	0.4	mm			
Breakthrough time	>	120	min			
Appropriate Material	In case of	prolonged exposure: n	itrile rubber			
Material thickness	>	0.4	mm			
Breakthrough time	>	480	min			

Other

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

Environmental exposure controls

Do not allow to enter drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form			
liquid			
Colour			
according to product name			
Odour			
like solvents			
pH value			
No data available			
Boiling point / boiling range			
Value	>	120	°C
Reference substance	solvent mixture		
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Value	>=	36	°C
Method	closed cup		
Ignition temperature			
Value	>	200	°C
Reference substance	solvent mixture		
Oxidising properties			
Not applicable			
Flammability			
Not applicable			
Lower explosion limit			
Value	>	0.6	% vol
Reference substance	solvent mixture		
Upper explosion limit			
Value	<	7.5	% vol

Product no.: 7310130

Current version : 7.1.0, issued: 04.01.2024	Replaced	versio	on: 7.0.0	, issued: 03.0	7.2023	Region: GE
Reference substance	solvent mixtu	re				
Vapour pressure						
Value	<		100	hPa		
Reference temperature			50	°C		
Reference substance	solvent mixtu	re				
Relative vapour density						
No data available						
Relative density						
No data available						
Density						
Value	1.41	-	1.43	g/cm³		
Reference temperature			20	°C		
Method	DIN 51757					
Solubility in water						
Comments	immiscible					
Solubility						
No data available						
Partition coefficient n-octanol/water (log value						
No Substance name		CAS	no.		EC no.	
1 titanium dioxide; [in powder form contai more of particles with aerodynamic dian μm]	ining 1 % or neter ≤ 10	1346	67-7		236-675-5	
Not applicable						
Source	ECHA					
Kinematic viscosity						
Value	35	-	40	sec		
Reference temperature			20	°C		
Method	DIN EN 2431	(6 mi	m)			
Solvent separation test						
Value	<		3	%		
Reference temperature			20	°C		
Particle characteristics						
No data available						
9.2 Other information						
Other information		_				
No data available.						

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.



Region:	GB
---------	----

EU safety data sheet

Trade name: einzA All-Grund, weiß Product no.: 7310130 Current version : 7.1.0, issued: 04.01.2024

Replaced version: 7.0.0, issued: 03.07.2023

einz

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity				
No Substance name		CAS no.		EC no.
1 Hydrocarbons, C9, aromatics	r	64742-95-6		918-668-5
LD50	>		3492	mg/kg bodyweight
Species	rat			
Source	ECHA			
2 titanium dioxide; [in powder form contai		13463-67-7		236-675-5
more of particles with aerodynamic diam	leter ≤ 10			
µm]			0000	an a line in a di avez i a la t
LD50 Species	> rat		2000	mg/kg bodyweight
Method	OECD 401			
Source	ECHA			
Evaluation/classification	-	ailable data, the	classification	n criteria are not met.
Acute dermal toxicity				
No Substance name		CAS no.		EC no.
1 Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
LD50	>		3160	mg/kg bodyweight
Species	rabbit			
Method Source	OECD 402 ECHA			
Source	ECHA			
Acute inhalational toxicity				
No Substance name		CAS no.		EC no.
1 Hydrocarbons, C9, aromatics	-	64742-95-6		918-668-5
LC50	>		6.193	mg/l
Duration of exposure			4	h
State of aggregation	Vapour			
Species	rat			
Method Source	OECD 403 ECHA			
Evaluation/classification		ailahla data tha	classification	n criteria are not met.
2 titanium dioxide; [in powder form contail		13463-67-7	Classification	236-675-5
more of particles with aerodynamic diam		10400 01 1		200 010 0
µm]				
LC50			5.09	mg/l
Duration of exposure			4	h
State of aggregation	Dust			
Species	rat			
Method	OECD 403			
Source Evaluation/classification	ECHA Beaged on av	ailabla data tha	alaasifiaation	oritoria are not mot
Evaluation/classification	based on ava	aliable data, the	classification	n criteria are not met.
Skin corrosion/irritation				
No Substance name		CAS no.		EC no.
1 Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
Species	rabbit			
Method	OECD 404			
Source	ECHA			
Evaluation Evaluation/classification	low-irritant	ailabla data tha	alaasifiaation	oritoria are not mot
2 titanium dioxide; [in powder form contain		13463-67-7	ciassification	criteria are not met. 236-675-5
more of particles with aerodynamic diam		13403-07-7		230-075-5
µm]				
Species	rabbit			
Method	OECD 404			
Source	ECHA			
Evaluation	non-irritant			

Product no.: 7310130

Current version : 7.1.0, issued: 04.01.2024

Replaced version: 7.0.0, issued: 03.07.2023

einza

Evaluation/classification	Based on av	ailable data, the classifica	tion criteria are not met.
Serious eye damage/irritation			
No Substance name		CAS no.	EC no.
1 Hydrocarbons, C9, aromatics		64742-95-6	918-668-5
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		
2 titanium dioxide; [in powder form contai more of particles with aerodynamic diam		13463-67-7	236-675-5
μm]			
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on av	ailable data, the classifica	ition criteria are not met.
Respiratory or skin sensitisation			
No Substance name		CAS no.	EC no.
1 Hydrocarbons, C9, aromatics		64742-95-6	918-668-5
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizi	0	
2 titanium dioxide; [in powder form contai		13463-67-7	236-675-5
more of particles with aerodynamic dian	neter ≤ 10		
µm]	Oldin		
Route of exposure	Skin		
Species Method	mouse OECD 429		
Source	ECHA		
Evaluation	non-sensitizi	na	
Evaluation/classification		ailable data, the classifica	ition criteria are not met.
Germ cell mutagenicity			
No Substance name		CAS no.	EC no.
1 Hydrocarbons, C9, aromatics		64742-95-6	918-668-5
Source	ECHA		
Evaluation/classification	Based on av	ailable data, the classifica	ition criteria are not met.
2 titanium dioxide; [in powder form contai	ning 1 % or	13463-67-7	236-675-5
more of particles with aerodynamic diam	neter ≤ 10		
Type of examination	In vitro mam	malian cytogenicity	
Method	OECD 487	manan oytogomoity	
Source	ECHA		
Evaluation/classification		ailable data, the classifica	ition criteria are not met.
Route of exposure	oral	,	
Type of examination	In vivo mamr	malian somatic cell study:	cytogenicity / erythrocyte
	micronucleus		
Species	rat		
Method	OECD 474		
Source	ECHA		
Evaluation/classification	Based on av	ailable data, the classifica	tion criteria are not met.
Reproduction toxicity			
No Substance name		CAS no.	EC no.
1 Hydrocarbons, C9, aromatics	1	64742-95-6	918-668-5
Source	ECHA		

EU safety data sheet

Trade name: einzA All-Grund, weiß

Product no.: 7310130

Current version : 7.1.0, issued: 04.01.2024

2	titanium dioxide; [in powder forn	containing 1 % or	13463-67-7	236-675-5
-	more of particles with aerodynam		13403-07-7	230-075-5
	µm]			
2011	te of exposure	oral		
		>=	1000) mg/kg bw/d
	e of examination		e studies - one genera	
	cies	rat	e studies - one genera	lion
Леth		OECD 443		
Sou		ECHA		
	uation/classification	-	ailable data the classi	fication criteria are not met.
	te of exposure	oral		
	AEL		1000) mg/kg bw/d
	e of examination	Prenatal Dev	velopmental Toxicity Si	00
	cies	rat	relepinental realety e	lady
	nod	OECD 414		
Sou		ECHA		
	uation/classification	- • • • •	ailable data, the classi	fication criteria are not met.
			,	
ard	cinogenicity			
10			CAS no.	EC no.
	titanium dioxide; [in powder forn		13463-67-7	236-675-5
	more of particles with aerodynam	nic diameter ≤ 10		
	μm]			
Rou	te of exposure	oral		
IOE	EL		7500) mg/kg bw/d
Spe	cies	mouse		
Sou		ECHA		
Eval	uation/classification	Based on av	ailable data, the classi	fication criteria are not met.
	DT - single exposure			
NO C	lata available			
STO	T - repeated exposure			
	Substance name		CAS no.	EC no.
I	titanium dioxide; [in powder forn	n containing 1 % or	13463-67-7	236-675-5
	more of particles with aerodynam			
	μm]			
Rou	te of exposure	oral		
IO A	AEL	>	962	mg/kg bw/d
Spe	cies	rat		
/ieth	nod	OECD 408		
Sou	rce	ECHA		
Eval	uation/classification	Based on av	ailable data, the classi	fication criteria are not met.
	te of exposure	inhalational		
	cies	rat		
Source		ECHA		
	uation/classification	-	ailable data, the classi	fication criteria are not met.
		· ·		
\sp	iration hazard			
	lata available			
lo c				
		Las chronic offects f	rom short and long_t	
Dela	ayed and immediate effects as wel			
Dela Expo	ayed and immediate effects as well osure to component solvents vapour	s concentration in exc	ess of the stated occu	pational exposure limit may result
Dela Expo n ac	ayed and immediate effects as well osure to component solvents vapour dverse health effects such as mucou	s concentration in exc s membrane and resp	ess of the stated occu iratory system irritatior	pational exposure limit may result a and adverse effects on kidney,
Dela Expo n ac iver	ayed and immediate effects as well osure to component solvents vapour dverse health effects such as mucou and central nervous system. Sympt	s concentration in exc s membrane and resp oms and signs include	ess of the stated occu iratory system irritatior headache, dizziness,	pational exposure limit may result and adverse effects on kidney, fatigue, muscular weakness,
Dela Expo n ac iver trow	ayed and immediate effects as well osure to component solvents vapour dverse health effects such as mucou	s concentration in exc s membrane and resp oms and signs include f consciousness. Solv	ess of the stated occu iratory system irritatior headache, dizziness, ents may cause some	pational exposure limit may result and adverse effects on kidney, fatigue, muscular weakness, of the above effects by absorptio

Replaced version: 7.0.0, issued: 03.07.2023

resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

11.2 Information on other hazards

Endocrine disrupting properties



Region: GB

Trade name: einzA All-Grund, weiß Product no.: 7310130 Current version : 7.1.0, issued: 04.01.2024

Replaced version: 7.0.0, issued: 03.07.2023

einza

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

	icity to fish (acute) Substance name		CAS no.		EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
LL5	0			9.2	mg/l
	ation of exposure			96	h
	ecies	Oncorhynchu	us mykiss		
Met	hod	OECD 203	-		
Sou	Irce	ECHA			
Τοχ	icity to fish (chronic)				
	data available				
	icity to Daphnia (acute)				
	Substance name		CAS no.		EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
EL5				3.2	mg/l
	ation of exposure			48	h
Spe	cies	Daphnia mag	gna		
	hod	OECD 202	-		
Sou	irce	ECHA			
Τογ	icity to Daphnia (chronic)				
	data available				
	icity to algae (acute)		010		50
	Substance name		CAS no.		EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6	2.0	918-668-5
EL5				2.9 72	mg/l
	ation of exposure cies	Decudokirob	neriella subcap		h
	hod	OECD 201	ierielia subcap	nidld	
Sou		ECHA			
<u>2</u>	titanium dioxide; [in powder form co		13463-67-7		236-675-5
_	more of particles with aerodynamic of	diameter ≤ 10			
	μm]				
EC	50	>		100	mg/l
	ation of exposure			72	h
	cies	Raphidocelis	subcapitata		
	hod	OECD 201			
0	Irce	ECHA			· · · · ·
	luction/alassification	Based on the	e available data	a, the class	ification criteria are not me
	luation/classification				
Eva	icity to algae (chronic)	·			
Eva Tox					
Eva Tox No (icity to algae (chronic) data available				
Eva Tox No (Bac	icity to algae (chronic) data available steria toxicity Substance name		CAS no.		EC no.
Eva Tox No (Bac No 1	icity to algae (chronic) data available steria toxicity Substance name Hydrocarbons, C9, aromatics		CAS no. 64742-95-6		EC no. 918-668-5
Eva Tox No o Bac No 1 ECt	icity to algae (chronic) data available steria toxicity Substance name Hydrocarbons, C9, aromatics	>		99	918-668-5 mg/l
Eva Tox No 0 Bac No 1 EC 5 Dur	icity to algae (chronic) data available teria toxicity Substance name Hydrocarbons, C9, aromatics 50 ation of exposure		64742-95-6	99 10	918-668-5
Eva No o Bac No EC Dur Spe	icity to algae (chronic) data available teria toxicity Substance name Hydrocarbons, C9, aromatics 50 ation of exposure ecies	activated slu	64742-95-6		918-668-5 mg/l
Eva No o Bac No EC Dur Spe	icity to algae (chronic) data available teria toxicity Substance name Hydrocarbons, C9, aromatics 50 ation of exposure cies hod		64742-95-6		918-668-5 mg/l

Product no.: 7310130

Current version : 7.1.0. issued: 04.01.2024

Region: GB

No	Substance name	CAS no.		EC no.
1	Hydrocarbons, C9, aromatics	64742-95-6	;	918-668-5
Тур	9	BSB		
Valu	e		78	%
Dura	ation		28	d
Method		OECD 301 F		
Sou	rce	ECHA		
Eva	luation	readily biodegradable		
2	titanium dioxide; [in powder form contai	ning 1 % or 13463-67-7	,	236-675-5
	more of particles with aerodynamic diam	neter ≤ 10		
	μm]			
Sou	rce	ECHA		
Eva	luation	Not applicable for inorgan	ic substances.	

12.3 Bioaccumulative potential

Part	ition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.	
1	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm]	13463-67-7	236-675-5	
	applicable			
Sour	rce ECHA			

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

-		
	Results of PBT and vPvB assessment	
	PBT assessment	The components of this product are not considered to be a PBT.
	vPvB assessment	The components of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information Do not allow to enter drains or water courses.

SECTION 13: Disposal considerations

08 01 11*

13.1 Waste treatment methods

Product

Waste code

waste paint and varnish containing organic solvents or other hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 3 Classification code F1 Packing group III

Product no.: 7310130

Current version : 7.1.0, issued: 04.01.2024

Replaced version: 7.0.0, issued: 03.07.2023

Region: GB

	Hazard identification no. UN number Proper shipping name Tunnel restriction code Label Environmentally hazardous substance mark	30 UN1263 PAINT D/E 3 Symbol "fish and tree"	
14.2	Transport IMDG Class Packing group UN number Proper shipping name Technical name EmS Label Marine pollutant mark	3 III UN1263 PAINT Hydrocarbons, C9, aromatics F-E+S-E 3 Symbol "fish and tree"	
14.3	Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name Label	3 III UN1263 Paint 3	
14.4	Other information No data available.		
14.5	Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.		
14.6	Special precautions for user Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.		
14.7	Maritime transport in bulk ac Not relevant	cording to IMO instruments	
SEC	TION 15: Regulatory inform	ation	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation) According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.
 No
 3, 40

 The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.
 No
 3, 40

No	Substance name	CAS no.	EC no.	No	
1	1,2,4-trimethylbenzene	95-63-6	202-436-9	75	
2	2-methylpentane-2,4-diol	107-41-5	203-489-0	75	
3	Cumene	98-82-8	202-704-5	75	
4	Limestone	1317-65-3	215-279-6	75	
5	phthalic-anhydride	85-44-9	201-607-5	75	

Product no.: 7310130

rent	version : 7.1.0, issued: 04.01.2024 Replace	Replaced version: 7.0.0, issued: 03.07.2023		
6	propan-1-ol	71-23-8	200-746-9	75
7	titanium dioxide; [in powder form containing 1 % of more of particles with aerodynamic diameter ≤ 10 μm]	r 13463-67-7	236-675-5	75
8	xylene	1330-20-7	215-535-7	75
	ective 2012/18/EU on the control of major-accident h s product is subject to Part I of Annex I, risk category:	azards involving d	angerous substance E2, P5c	
	ne properties of the substance/product give rise to more the set qualifying quantities set out in Part 1 and Part 2 of Ar		on, for the purposes of	f 2012/18/UE, the
Dir	ective 2010/75/EU on industrial emissions (integrated	I pollution preventi	ion and control)	
VO	C content	30.33 %	, 0	

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE , Cat. : i, type: lb = 500 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 500 g/l

National regulations

Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH066	Repeated exposure may cause skin dryness or cracking.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351i	Suspected of causing cancer by inhalation.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

V

I ne narmonised classification as a carcinogen applies unless the full refining history is
known and it can be shown that the substance from which it is produced is not a
carcinogen, in which case a classification in accordance with Title II of this Regulation
shall be performed also for that hazard class.
If the substance is to be placed on the market as fibres (with diameter < 3 μ m, length > 5
μ m and aspect ratio \geq 3:1) or particles of the substance fulfilling the WHO fibre criteria or
as particles with modified surface chemistry, their hazardous properties must be evaluated
in accordance with Title II of this Regulation, to assess whether a higher category (Carc.
1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.



Trade name: einzA All-Grund, weiß
Product no.: 7310130
Current version : 7.1.0, issued: 04.01.2024

eir

W	It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.
	This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.
1	The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.
Creation of the a	

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 653830