

Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Reglaced version: 7.0.1, issued: 14.03.2023 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

einzA All-Grund, grau

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

decorative paints/finishes

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

einzA Farben GmbH & Co KG

Junkersstraße 13 30179 Hannover

Telephone no. +49 (0)511 67490-0 Fax no. +49 (0)511 67490-20 e-mail info@einzA.com

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411 Flam. Liq. 3; H226 STOT SE 3; H335 STOT SE 3: H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02



CHSUZ



Signal word

Warning

Hazardous component(s) to be indicated on label:

Hydrocarbons, C9, aromatics

Hazard statement(s)

H226 Flammable liquid and vapour.



Trade name: einzA All-Grund, grau

Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.
EUH208 Contains phthalic-anhydride. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P370+P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to

extinguish.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additi	onal informatio	n	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration			%
	REACH no					
1	Hydrocarbons, C9,	aromatics	pls. re	fer to footnote	(2)	
	64742-95-6	Flam. Liq. 3; H226	>=	25.00 - <	50.00	wt%
	918-668-5	STOT SE 3; H335				
	649-356-00-4	STOT SE 3; H336				
	01-2119455851-35	Aquatic Chronic 2; H411				
		Asp. Tox. 1; H304				
		EUH066				
2	Quartz (SiO2)					
	14808-60-7	-	>=	10.00 - <	25.00	wt%
	238-878-4					
	-					
	-					
3	titanium dioxide; [in powder form containing 1 % or more of					
	particles with aeroo	dynamic diameter ≤ 10 μm]				
	13463-67-7	Carc. 2; H351i	>=	5.00 - <	10.00	wt%
	236-675-5					
	022-006-00-2					
	01-2119489379-17					
4	phthalic-anhydride					



Trade name: einzA All-Grund, grau

Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

85-44-9	Acute Tox. 4; H302	<	0.50	wt%
201-607-5	Eye Dam. 1; H318			
607-009-00-4	Resp. Sens. 1; H334			
01-2119457017-41	Skin Irrit. 2; H315			
	Skin Sens. 1; H317			
	STOT SE 3; H335			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	Р	-		-
3	V, W, 10	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
3	H351i
	inhalational; -; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam, CO2, powders, water spray

Unsuitable extinguishing media

water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Toxic pyrolysis products; Exposure to decomposition products may cause a health hazard.

5.3 Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses. Appropriate breathing apparatus may be required.



Trade name: einzA All-Grund, grau

Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Reglaced version: 7.0.1, issued: 14.03.2023 Region: GB

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters



Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	Quartz (SiO2)	14808-60-7		238-878-4
	2004/37/EC			
	Respirable crystalline silica dust			
	WEL long-term (8-hr TWA reference period)	0,1 (9)	mg/m³	
2	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5
	more of particles with aerodynamic diameter ≤ 10			
	μm]			
	List of approved workplace exposure limits (WELs) / E	EH40		
	Titanium dioxide			
	total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	List of approved workplace exposure limits (WELs) / E	EH40		
	Titanium dioxide			
	respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m³	•

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	- ,		64742-95-6		
				918-668-5	
	dermal	Long term (chronic)	systemic	12.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	151	mg/m³
2	titanium dioxide; [in powo	ler form containing 1 % or	more of particles with	13463-67-7	
	aerodynamic diameter ≤ 1	0 μm]		236-675-5	
	inhalative	Long term (chronic)	local	1.25	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Hydrocarbons, C9, aromatics			64742-95-6	
	-			918-668-5	
	oral	Long term (chronic)	systemic	7.5	mg/kg/day
	dermal	Long term (chronic)	systemic	7.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	32	mg/m³
2	titanium dioxide; [in powo	ler form containing 1 % or	more of particles with	13463-67-7	
	aerodynamic diameter ≤ 1	0 μm]	-	236-675-5	
	inhalative	Long term (chronic)	local	210	μg/m³

8.2 Exposure controls

Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

Hand protection



Trade name: einzA All-Grund, grau

Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: nitrile rubber

Material thickness > 0.4 mm

Breakthrough time > 120 min

Appropriate Material In case of prolonged exposure: nitrile rubber

Material thickness > 0.4 mm

Breakthrough time > 480 min

Other

Value

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

Environmental exposure controls

Do not allow to enter drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form			
liquid			
Colour			
according to product name			
according to product name			
Odour			
like solvents			
pH value			
No data available			
Boiling point / boiling range			
Value	>	120	°C
Reference substance	solvent mixture		
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Value	>=	36	°C
Method	closed cup		
1. 20			
Ignition temperature		000	00
Value Reference substance	> solvent mixture	200	°C
Reference substance	Solvent mixture		
Oxidising properties			
Not applicable			
Flammability			
Not applicable			
Lower explosion limit			
Value	>	0.6	% vol
Reference substance	solvent mixture		
Upper explosion limit			
V I			0/ 1

% vol

7.5



Product no.: 7320130

Current version: 7.1.0. issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

Reference substance	solvent mixtur	е		
Vapour pressure				
Value	<	100	hPa	

Reference temperature 50 °C Reference substance solvent mixture

Relative vapour density

No data available

Relative density No data available

Density Value 1.32 1.35 g/cm³ Reference temperature 20 $^{\circ}$ C Method DIN 51757

Solubility in water immiscible Comments

Solubility No data available

Partition coefficient n-octanol/water (log value) No Substance name CAS no. EC no. titanium dioxide; [in powder form containing 1 % or 13463-67-7 236-675-5 more of particles with aerodynamic diameter ≤ 10 Not applicable ECHA Source

Kinematic viscosity				
Value	35 - 40 sec			
Reference temperature	20 °C			
Method	DIN EN 2431 (6 mm)			

Solvent separation test					
Value	<	3	%		
Reference temperature		20	°C		

Particle characteristics No data available

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.



Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6		918-668-5
LD5	0	>		3492	mg/kg bodyweight
Spec	cies	rat			
Soul	rce	ECHA			
2	titanium dioxide; [in powder form contai		13463-67-7		236-675-5
	more of particles with aerodynamic diam	neter ≤ 10			
	μm]				
LD5	0	>		2000	mg/kg bodyweight
Spec	cies	rat			
Method		OECD 401			
Soul	rce	ECHA			
Eval	uation/classification	Based on av	ailable data, the	classification	on criteria are not met.

Acu	Acute dermal toxicity					
No	Substance name		CAS no.		EC no.	
1	Hydrocarbons, C9, aromatics		64742-95-6		918-668-5	
LD5	0	>		3160	mg/kg bodyweight	
Spe	cies	rabbit				
Meth	nod	OECD 402				
Soul	rce	ECHA				

Acu	te inhalational toxicity					
No	Substance name		CAS no.		EC no.	
1	Hydrocarbons, C9, aromatics		64742-95-6		918-66	8-5
LC5	0	>		6.193		mg/l
Dura	tion of exposure			4		h
State	e of aggregation	Vapour				
Spec	cies	rat				
Meth	nod	OECD 403				
Sour	ce	ECHA				
Eval	uation/classification	Based on available data, the classification criteria are not met.				are not met.
2	titanium dioxide; [in powder form contain	ning 1 % or	13463-67-7		236-67	5-5
	more of particles with aerodynamic diam	eter ≤ 10				
	μm]					
LC5	0			5.09		mg/l
Dura	tion of exposure			4		h
State	e of aggregation	Dust				
Species		rat				
Meth	Method					
Sour	ce	ECHA				
Eval	uation/classification	Based on ava	ailable data, the	classification	criteria	are not met.

Skir	n corrosion/irritation				
No	Substance name		CAS no.	EC no.	
1	Hydrocarbons, C9, aromatics		64742-95-6	918-668-5	
Spe	cies	rabbit			
Meth	nod	OECD 404			
Soul	rce	ECHA			
Eval	luation	low-irritant			
Eval	luation/classification	Based on available data, the classification criteria are not met.			
2	titanium dioxide; [in powder form contain	ning 1 % or	13463-67-7	236-675-5	
	more of particles with aerodynamic diam	eter ≤ 10			
	μm]				
Spe	cies	rabbit			
Meth	nod	OECD 404			
Soul	rce	ECHA			
Eval	luation	non-irritant			



Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

Evaluation/classification Based on available data, the classification criteria are not met.

Seri	Serious eye damage/irritation					
No	Substance name		CAS no.	EC no.		
1	Hydrocarbons, C9, aromatics		64742-95-6	918-668-5		
Spec	cies	rabbit				
Meth	nod	OECD 405				
Sour	rce	ECHA				
Eval	uation	non-irritant				
2	2 titanium dioxide; [in powder form containing 1 % or 13463-67-7 236-675-5 more of particles with aerodynamic diameter ≤ 10 μm]					
Spec	cies	rabbit				
Meth	nod	OECD 405				
Source		ECHA				
Evaluation		non-irritant				
Eval	uation/classification	Based on ava	ailable data, the classification	n criteria are not met.		

Res	piratory or skin sensitisation			
No	Substance name		CAS no.	EC no.
1	Hydrocarbons, C9, aromatics		64742-95-6	918-668-5
Rou	te of exposure	Skin		
Spe	cies	guinea pig		
Meth	nod	OECD 406		
Soul	rce	ECHA		
Eval	uation	non-sensitizir	ng	
2	titanium dioxide; [in powder form contai		13463-67-7	236-675-5
	more of particles with aerodynamic dian	neter ≤ 10		
	μm]			
Rou	te of exposure	Skin		
Spe	cies	mouse		
Meth	nod	OECD 429		
Soul	rce	ECHA		
Eval	uation	non-sensitizing		
Eval	uation/classification	Based on ava	ailable data, the class	sification criteria are not met.

Ger	m cell mutagenicity				
No	Substance name	CAS no. EC no.			
1	Hydrocarbons, C9, aromatics	64742-95-6 918-668-5			
Sou	rce	ECHA			
Eval	luation/classification	Based on available data, the classification criteria are not m	net.		
2	titanium dioxide; [in powder form contail				
	more of particles with aerodynamic diam	neter ≤ 10			
	μm]				
Туре	e of examination	In vitro mammalian cytogenicity			
Meth	nod	OECD 487			
Sou	rce	ECHA			
Eval	luation/classification	Based on available data, the classification criteria are not met.			
Rou	te of exposure	oral			
Туре	e of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte			
		micronucleus			
Spe	cies	rat			
Meth	nod	OECD 474			
Sou	rce	ECHA			
Eval	luation/classification	Based on available data, the classification criteria are not m	net.		

Rep	Reproduction toxicity						
No	Substance name	CAS no.	EC no.				
1	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5				
Sou	rce	ECHA					
Eval	luation/classification	Based on available data, the classificatio	n criteria are not met.				



Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

titanium dioxide; [in powder more of particles with aerody μm]		63-67-7	236-675-5			
Route of exposure	oral					
NOAEL	>=	1000	mg/kg bw/d			
Type of examination	Reproductive stud	ies - one generation				
Species	rat	rat				
Method	OECD 443	OECD 443				
Source	ECHA					
Evaluation/classification	Based on available	e data, the classification	criteria are not met.			
Route of exposure	oral					
NOAEL		1000	mg/kg bw/d			
Type of examination	Prenatal Developn	nental Toxicity Study	•			
Species	rat					
Method	OECD 414					
Source	ECHA					
Evaluation/classification	Based on available	e data, the classification	criteria are not met.			

Card	cinogenicity			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form contai		13463-67-7	236-675-5
	more of particles with aerodynamic diam	neter ≤ 10		
	μm]			
Rou	te of exposure	oral		
NOE	L		7500	0 mg/kg bw/d
Spe	cies	mouse		
Soul	rce	ECHA		
Eval	uation/classification	Based on av	ailable data, the class	ification criteria are not met.

STOT - single exposure No data available

STO	T - repeated exposure			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form contai	ning 1 % or	13463-67-7	236-675-5
	more of particles with aerodynamic diam	neter ≤ 10		
	μm]			
Rou	te of exposure	oral		
NOA	\EL	>	962	mg/kg bw/d
Spec	cies	rat		
Meth	nod	OECD 408		
Sour	rce	ECHA		
Eval	uation/classification	Based on available data, the classification criteria are not met.		
Rou	Route of exposure			
Spec	cies	rat		
Sour	rce	ECHA		
Eval	uation/classification	Based on av	ailable data, the classi	fication criteria are not met.

Aspiration hazard No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

11.2 Information on other hazards

Endocrine disrupting properties



Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)						
No	Substance name	CAS no.		EC no.			
1	Hydrocarbons, C9, aromatics	64742-95-6		918-668-5			
LL50	0		9.2	mg/l			
Dura	ation of exposure		96	h			
Spe	cies	Oncorhynchus mykiss					
Meth	nod	OECD 203					
Sou	rce	ECHA					

Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)			
No	Substance name	CAS no.		EC no.
1	Hydrocarbons, C9, aromatics	64742-95-6		918-668-5
EL5	0		3.2	mg/l
Dura	ation of exposure		48	h
Spe	cies	Daphnia magna		
Meth	nod	OECD 202		
Soul	rce	ECHA		

Toxicity to Daphnia (chronic)

No data available

Toxi	Toxicity to algae (acute)				
No	Substance name	CAS no	0.	EC no.	
1	Hydrocarbons, C9, aromatics	64742-	95-6	918-668-5	
EL50)		2.9	mg/l	
Dura	tion of exposure		72	h	
Spec	cies	Pseudokirchneriella s	ubcapitata		
Meth	nod	OECD 201			
Sour	ce	ECHA			
2	titanium dioxide; [in powder form contain more of particles with aerodynamic diam		67-7	236-675-5	
	μm]	.0.0. = .0			
EC5	0	>	100	mg/l	
Dura	ition of exposure		72	h	
Species		Raphidocelis subcapi	tata		
Method		OECD 201			
Sour	ce	ECHA			
Eval	uation/classification	Based on the available	e data, the classific	ation criteria are not met.	

Toxicity to algae (chronic)

No data available

Bac	Bacteria toxicity				
No	Substance name	CAS no.		EC no.	
1	Hydrocarbons, C9, aromatics	64742-95-	6	918-668-5	
EC5	0	>	99	mg/l	
Dura	ation of exposure		10	min	
Spec	cies	activated sludge			
Meth	nod	OECD 209			
Soul	rce	ECHA			

12.2 Persistence and degradability

Biodegradability



Trade name: einzA All-Grund, grau

Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
Туре		BSB	
Valu	e	78	%
Dura	ation	28	d
Meth	nod	OECD 301 F	
Soul	rce	ECHA	
Eval	uation	readily biodegradable	
2	titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm]		236-675-5
Soul	rce	ECHA	
Evaluation Not applicable for inorganic substances.			

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)				
No	Substance name	CAS no.	EC no.		
1	titanium dioxide; [in powder form containi more of particles with aerodynamic diame µm]		236-675-5		
Not	Not applicable				
Soul	rce	ECHA			

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

C	Other information
Г	Oo not allow to enter drains or water courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste code 08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 3
Classification code F1
Packing group III



Trade name: einzA All-Grund, grau

Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

Hazard identification no. 30
UN number UN1263
Proper shipping name PAINT
Tunnel restriction code D/E
Label 3

Environmentally hazardous Symbol "fish and tree"

substance mark

14.2 Transport IMDG

Class 3
Packing group III
UN number UN1263
Proper shipping name PAINT

Technical name Hydrocarbons, C9, aromatics

EmS F-E+S-E

Label 3

Marine pollutant mark Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

Class 3
Packing group III
UN number UN1263
Proper shipping name Paint
Label 3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	1,2,4-trimethylbenzene	95-63-6	202-436-9	75
2	2-methylpentane-2,4-diol	107-41-5	203-489-0	75
3	Cumene	98-82-8	202-704-5	75
4	Limestone	1317-65-3	215-279-6	75
5	phthalic-anhydride	85-44-9	201-607-5	75



Trade name: einzA All-Grund, grau

Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

6	propan-1-ol	71-23-8	200-746-9	75	
7	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7	236-675-5	75	
8	xylene	1330-20-7	215-535-7	75	

Directive 2012/18/EU on the control of major-accident hazards involving d	langerous substances
This product is subject to Part I of Annex I, risk category:	E2, P5c
If the properties of the substance/product give rise to more than one classification	on, for the purposes of 2012/18/UE, the
lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.	

Directive 2010/75/EU on industrial emissions	(integrated pollution prevention and control)
VOC content	35.23 %

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE , Cat. : i, type: lb = 500 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 500 g/l

National regulations

Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

W

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H351i Suspected of causing cancer by inhalation.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

P The harmonised classification as a carcinogen applies unless the full refining history is

known and it can be shown that the substance from which it is produced is not a carcinogen, in which case a classification in accordance with Title II of this Regulation

shall be performed also for that hazard class.

V If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5

µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle

clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a

criterion for classification according to this Regulation.



Trade name: einzA All-Grund, grau

Product no.: 7320130

Current version: 7.1.0, issued: 04.01.2024 Replaced version: 7.0.1, issued: 14.03.2023 Region: GB

1

The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 653831