EU safety data sheet

Trade name: einzA Aqua-PU seidenmatt, weiß Product no.: 0076088 Current version : 5.4.0. issued: 21.12.2023

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

einzA Aqua-PU seidenmatt, weiß

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture decorative paints/finishes

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

einzA Farben GmbH & Co KG Junkersstraße 13 30179 Hannover

 Telephone no.
 +49 (0)511 67490-0

 Fax no.
 +49 (0)511 67490-20

 e-mail
 info@einzA.com

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

Signal word

Hazard statement(s)

Hazard statements (EU)

EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-
	3-one and 2-methyl-2H -isothiazol-3-one (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe
	spray or mist.

Precautionary statement(s)

Labelling information

Product no.: 0076088

Current version : 5.4.0, issued: 21.12.2023

Replaced version: 5.3.0, issued: 07.02.2022

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

2.3 Other hazards

PBT assessment The components of this product are not considered to be a PBT. vPvB assessment The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

	Hazardous ingredients				
No		E		ional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration	%
	REACH no				
1		n powder form containing 1 % or more of			
	particles with aeroo	dynamic diameter ≤ 10 μm]			
	13463-67-7	Carc. 2; H351i	>=	25.00 - < 50.00	wt%
	236-675-5				
	022-006-00-2				
	01-2119489379-17				
2	(2-METHOXYMETH	YLETHOXY)PROPANOL			
	34590-94-8	-	<	2.50	wt%
	252-104-2				
	-				
	01-2119450011-60				
3	propylidynetrimeth	anol			
	77-99-6	Repr. 2; H361fd	<	0.50	wt%
	201-074-9				
	-				
	01-2119486799-10				
4	triethylamine				
	121-44-8	Flam. Liq. 2; H225	<	1.00	wt%
	204-469-4	Acute Tox. 4; H302		1.00	
	612-004-00-5	Acute Tox. 3; H311			
	01-2119475467-26	Skin Corr. 1A; H314			
	01-2110-10-01-20	Acute Tox. 3; H331			
		STOT SE 3; H335			
5	1,2-benzisothiazol-		nls re	efer to footnote (1)	
•	2634-33-5	Acute Tox. 4*; H302	<	0.05	wt%
	220-120-9	Eye Dam. 1; H318	-	0.00	WVC /0
	613-088-00-6	Skin Irrit. 2; H315			
	-	Skin Sens. 1: H317			
	-	Acute Tox. 2; H330			
		Aquatic Acute 1; H400			
		Aquatic Chronic 2; H411			
6	pyridine-2-thiol 1-o				
0	3811-73-2	EUH070	<	0.10	wt%
	223-296-5	Acute Tox. 4; H302		0.10	VVL/U
	613-344-00-7	Acute Tox. 3; H311			
		Acute Tox. 3; H331			
	-	Skin Irrit. 2; H315			
		Skin Sens. 1; H317			
		Eve Irrit. 2; H319			
		STOT RE 1; H372			
		Aquatic Acute 1; H400			
		Aquatic Acute 1, H400 Aquatic Chronic 2; H411			
7	reaction many of F				
1		i-chloro-2-methyl-4-isothiazolin-3-one and 2-			
	methyl-2H -isothiaz	201-3-011e (3:1)			

Product no.: 0076088

Current version : 5.4.0, issued: 21.12.2023	
---	--

Replaced version: 5.3.0, issued: 07.02.2022

Region: GB

	55965-84-9 - 613-167-00-5 -	Acute Tox. 2; H310 Acute Tox. 2; H330 Acute Tox. 3; H301 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 Eye Dam. 1; H318 Skin Corr. 1C; H314 Skin Sens. 1A; H317	<	0.0015	wt%
8	propane-1,2-diol				
	57-55-6	-	<	2.50	wt%
	200-338-0				
	-				
	01-2119456809-23				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	V, W, 10	-	-	-
4	-	STOT SE 3; H335: C >= 1%	-	-
5	-	Skin Sens. 1; H317: C >= 0.05%	-	-
6	-	-	M = 100	-
7	В	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06% Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%	M = 100	M = 100

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
1	H351i
	inhalational; -; -
6	H372
	-; nervous system; -

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
4	730 mg/kg bodyweight	580 mg/kg bodyweight			

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Trade name: einzA Aqua-PU seidenmatt, weiß Product no.: 0076088



Due to the organic solvents' content of the mixture: Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

Replaced version: 5.3.0, issued: 07.02.2022

Indication of any immediate medical attention and special treatment needed 4.3 No data available

SECTION 5: Firefighting measures

5.1 **Extinguishing media**

Suitable extinguishing media Alcohol resistant foam, CO2, powders, water spray

Unsuitable extinguishing media water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Toxic pyrolysis products; Exposure to decomposition products may cause a health hazard.

5.3 Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses. Appropriate breathing apparatus may be required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 **Environmental precautions**

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 **Reference to other sections**

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling



Product no.: 0076088

Replaced version: 5.3.0, issued: 07.02.2022

Region: GB

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.			
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5			
	more of particles with aerodynamic diameter ≤ 10						
	μm]						
	List of approved workplace exposure limits (WELs) /	EH40					
	Titanium dioxide						
	total inhalable dust						
	WEL long-term (8-hr TWA reference period)	10	mg/m³				
	List of approved workplace exposure limits (WELs) /	EH40					
	Titanium dioxide						
	respirable dust						
	WEL long-term (8-hr TWA reference period)	4	mg/m³				
2	(2-METHOXYMETHYLETHOXY)PROPANOL	34590-94-8		252-104-2			
	2000/39/EC						
	(2-Methoxymethylethoxy)-propanol						
	WEL long-term (8-hr TWA reference period)	308	mg/m³	50	ppm		
	Skin resorption / sensibilisation	Skin					
	List of approved workplace exposure limits (WELs) /	EH40					
	(2-Methoxymethylethoxy) propanol						
	WEL long-term (8-hr TWA reference period)	308	mg/m³	50	ppm		
	Comments	Sk					
3	propane-1,2-diol	57-55-6		200-338-0			
	List of approved workplace exposure limits (WELs) /	EH40					
	Propane-1,2-diol						
	vapour & particulates	-					
	WEL long-term (8-hr TWA reference period)	474	mg/m³	150	ppm		
	List of approved workplace exposure limits (WELs) /	EH40					
	Propane-1,2-diol particulates	-					
	WEL long-term (8-hr TWA reference period)	10	mg/m³				
4	triethylamine	121-44-8		204-469-4			
	2000/39/EC						
	Triethylamine	T					
	WEL short-term (15 min reference period)	12.6	mg/m³	3	ppm		
	WEL long-term (8-hr TWA reference period)	8.4	mg/m³	2	ppm		
	Skin resorption / sensibilisation	Skin					
	List of approved workplace exposure limits (WELs) /	EH40					
	Triethylamine	-					
	WEL short-term (15 min reference period)	17	mg/m³	4	ppm		
	WEL long-term (8-hr TWA reference period)	8	mg/m³	2	ppm		
	Comments	Sk					

Trade name: einzA Aqua-PU seidenmatt, weiß Product no.: 0076088 Current version : 5.4.0. issued: 21.12.2023

Replaced version: 5.3.0, issued: 07.02.2022

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC r	10
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in pow	der form containing 1 %	or more of particles with	13463-67-7	,
	aerodynamic diameter ≤ [•]	10 µm]		236-675-5	
	inhalative	Long term (chronic)	local	1.25	mg/m³
2	propylidynetrimethanol			77-99-6	
				201-074-9	
	dermal	Long term (chronic)	systemic	0.94	mg/kg/day
	inhalative	Long term (chronic)	systemic	3.30	mg/m³
3	triethylamine			121-44-8	
	_			204-469-4	
	dermal	Long term (chronic)	systemic	12.1	mg/kg/day
	inhalative	Long term (chronic)	systemic	8.4	mg/m³
	inhalative	Short term (acut)	systemic	12.6	mg/m³
	inhalative	Long term (chronic)	local	8.4	mg/m³
	inhalative	Short term (acut)	local	12.6	mg/m ³

DNEL value (consumer)

No	Substance name	CAS / EC no	1		
	Route of exposure	Value			
1	······································			13463-67-7 236-675-5	
	inhalative	Long term (chronic)	local	210	µg/m³
2	propylidynetrimethanol			77-99-6 201-074-9	
	oral	Long term (chronic)	systemic	0.34	mg/kg/day
	dermal	Long term (chronic)	systemic	0.34	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.58	mg/m³

PNEC values

No	Substance name		CAS / EC	no	
	ecological compartment	ological compartment Type		Value	
1	triethylamine		121-44-8		
			204-469-4	•	
	water	fresh water	0.11	mg/L	
	water	marine water	0.011	mg/L	
	water	fresh water sediment	1.575	mg/kg dry weight	
	water	marine water sediment	0.158	mg/kg dry weight	
	soil	-	0.25	mg/kg dry weight	
	sewage treatment plant	-	100	mg/L	

8.2 Exposure controls

Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

Product no.: 0076088

Current version : 5.4.0, issued: 21.12.2023

Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	In case of sh	ort-term contact / s	plash protection: nitrile	rubber
Material thickness	>	0.4	mm	
Breakthrough time	>	120	min	
Appropriate Material	In case of pro	olonged exposure: I	nitrile rubber	
Material thickness	>	0.4	mm	
Breakthrough time	>	480	min	

Other

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

Environmental exposure controls

Do not allow to enter drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation liquid			
Form liquid			
Colour according to product name			
Odour characteristic			
pH value Value	8.0	- 8.3	
Boiling point / boiling range Value	appr.	100	°C
Melting point/freezing point No data available			
Decomposition temperature No data available			
Flash point Not applicable			
Ignition temperature No data available			
Oxidising properties Not applicable			
Flammability Not applicable			
Lower explosion limit No data available			
Upper explosion limit No data available			



Replaced version: 5.3.0, issued: 07.02.2022

Product no.: 0076088

Vapour pressure

Value

Current version : 5.4.0, issued: 21.12.2023

	Replaced version	on: 5.3.0,	issued: 07.02.2022
<		100	hPa
		FO	°C

				0		
Relative	e vapour density					
	available					
Relative	e density					
	available					
Density						
Value	•	appr.	1.38	g/cm ³		
	ice temperature	аррі.	20	°C		
Method		DIN 51757		-		
Solubili	ity in water					
Comme		miscible				
Solubili						
No data	available					
Partitio	n coefficient n-octanol/water (log value	e)				
	Ibstance name	•	CAS no.		EC no.	
1 tita mo µn	anium dioxide; [in powder form contain ore of particles with aerodynamic diam n]	ning 1 % or neter ≤ 10	13463-67-7		236-675-5	
Not app	licable					
Source		ECHA				
	opylidynetrimethanol	1	77-99-6		201-074-9	
Log Pow				-0.47		
log Pow				00	°O	
Referen	ce temperature			26	°C	
Referen Method		OECD		26	C°	
Referen Method Source	ce temperature	OECD ECHA	121-44-8	26		_
Referen Method Source 3 trie	ce temperature ethylamine		121-44-8	26	°C 204-469-4	
Referen Method Source 3 trie log Pow	ce temperature ethylamine	ECHA pH: 13	121-44-8			
Referen Method Source 3 trie log Pow	ce temperature ethylamine	ECHA	121-44-8			
Referen Method Source 3 trie log Pow with refe Source	ce temperature ethylamine erence to	ECHA pH: 13	121-44-8			
Referen Method Source 3 trie log Pow with refe Source	ce temperature ethylamine	ECHA pH: 13 ECHA		1.45		
Referen Method Source 3 trie log Pow with refe Source Kinema Value	ethylamine erence to tic viscosity	ECHA pH: 13	121-44-8 - 3000 20			
Referen Method Source 3 trie log Pow with refe Source Kinema Value	ce temperature ethylamine erence to	ECHA pH: 13 ECHA	- 3000	1.45 mPa*s		
Referen Method Source 3 trie log Pow with refe Source Kinema Value Referen Method	ethylamine erence to ntic viscosity ace temperature	ECHA pH: 13 ECHA 2500	- 3000	1.45 mPa*s		
Referen Method Source 3 trie log Pow with refe Source Kinema Value Referen Method	ethylamine erence to ntic viscosity ace temperature t separation test	ECHA pH: 13 ECHA 2500	- 3000	1.45 mPa*s		

Particle characteristics No data available

No dala avallable

9.2 Other information

Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.



Region:	GB
---------	----

Product no.: 0076088

Acute oral toxicity

1

2

LD50

Species

Source

LD50

Species Method

Source

propylidynetrimethanol

triethylamine

Evaluation/classification

Current version : 5.4.0, issued: 21.12.2023

77-99-6

121-44-8

201-074-9

204-469-4

mg/kg bodyweight

mg/kg bodyweight

10000

580

Based on available data, the classification criteria are met.

Acu	te inhalational toxicity (result of the ATE of	alculation for the mixture)
No	Product Name	
1	einzA Aqua-PU seidenmatt, weiß	
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).

Page 9 of 17

>

rabbit

ECHA

rabbit

OECD 402 ECHA

Replaced version: 5.3.0, issued: 07.02.2022

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

No Substance name		CAS no.		EC no.		
1 titanium dioxide; [in powder form contai	ning 1 % or	13463-67-7		236-675-5		
more of particles with aerodynamic diameter ≤ 10						
μm]						
LD50	>		2000	mg/kg bodyweight		
Species	rat					
Method	OECD 401					
Source	ECHA					
Evaluation/classification	Based on ava	ailable data, the	e classificatio	n criteria are not met.		
2 propylidynetrimethanol		77-99-6		201-074-9		
LD50			14700	mg/kg bodyweight		
Species	rat					
Source	ECHA					
3 triethylamine	-	121-44-8		204-469-4		
LD50			730	mg/kg bodyweight		
Species	rat					
Method	OECD 401					
Source	ECHA					
Evaluation/classification	Based on ava	ailable data, the	e classificatio	n criteria are met.		
Acute dermal toxicity (result of the ATE calcu	lation for the	mixture)				
No Product Name						
1 einzA Aqua-PU seidenmatt, weiß						
Comments	The result of	the applied cal	culation meth	od according to the		
				LP), Paragraph 3.1.3.6, Part		
	3 of Annex I	is outside the v	alues that im	ply a classification / labelling		
	of this mixture	e according to t	able 3.1.1 de	fining the respective		
	categories (A	TE dermal > 20)00 mg/kg).			
A quite dermal terrigity						
Acute dermal toxicity		CAC ===		F0 ==		
No Substance name		CAS no.		EC no.		



Region: GB

Product no.: 0076088

Current version : 5.4.0, issued: 21.12.2023

Region: GB

ein

Acu	te inhalational toxicity			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form contai more of particles with aerodynamic diam μm]		13463-67-7	236-675-5
LC5	0 ation of exposure		5.09 4) mg/l h
	e of aggregation	Dust	7	П
Spe		rat		
Met		OECD 403		
Sou		ECHA		
Eva	luation/classification	-	ailable data, the class	ification criteria are not met.
			,	
	corrosion/irritation			=0
No	Substance name	4.0/	CAS no.	EC no.
1	titanium dioxide; [in powder form contai more of particles with aerodynamic diam μm]	neter ≤ 10	13463-67-7	236-675-5
Spe		rabbit		
Met		OECD 404		
Sou		ECHA		
	luation luation/classification	non-irritant	ailabla data tha alaaa	ification oritoria are not mot
⊑va	propylidynetrimethanol	based on av	77-99-6	ification criteria are not met. 201-074-9
∠ Spe		rabbit	11-33-0	201-074-9
Sou		ECHA		
	luation	non-irritant		
3	triethylamine	non-initiant	121-44-8	204-469-4
Spe		rabbit		201 100 1
Met		OECD 404		
Sou		ECHA		
	luation	corrosive		
Eva	luation/classification	Based on av	ailable data, the class	ification criteria are met.
Sori	ous eve damage/irritation			
Seri No	ous eye damage/irritation Substance name		CAS no.	EC no.
	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam		CAS no. 13463-67-7	EC no. 236-675-5
<u>No</u> 1	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm]	neter ≤ 10		
No 1 Spe	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies	rabbit		
No 1 Spe Met	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod	rabbit OECD 405		
No 1 Spe Meth Sou	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod	rabbit		
No 1 Spe Metl Sou Eval	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod rce	rabbit OECD 405 ECHA non-irritant	13463-67-7	
No 1 Spe Metl Sou Eval	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod rce luation	rabbit OECD 405 ECHA non-irritant	13463-67-7	236-675-5
No 1 Spe Meti Sou Eval Eval	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod rce luation uation/classification propylidynetrimethanol	rabbit OECD 405 ECHA non-irritant	13463-67-7 ailable data, the class	236-675-5 ification criteria are not met.
No 1 Spe Metl Sou Eva Eva Eva 2 Spe Sou	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod cree luation luation/classification propylidynetrimethanol cies rce	rabbit OECD 405 ECHA non-irritant Based on av	13463-67-7 ailable data, the class	236-675-5 ification criteria are not met.
No 1 Spe Metl Sou Eva Eva Eva 2 Spe Sou	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod rce luation uation/classification propylidynetrimethanol cies rce luation	rabbit OECD 405 ECHA non-irritant Based on av	13463-67-7 ailable data, the class 77-99-6	236-675-5 ification criteria are not met. 201-074-9
No 1 Spe Metl Sou Eval Spe Sou Eval 3	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod rce luation propylidynetrimethanol cies rce luation triethylamine	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant	13463-67-7 ailable data, the class	236-675-5 ification criteria are not met.
No 1 Spe Metl Sou Eval Eval Spe Sou Eva Spe Sou Eva Spe	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod rce luation propylidynetrimethanol cies rce luation triethylamine cies	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant	13463-67-7 ailable data, the class 77-99-6	236-675-5 ification criteria are not met. 201-074-9
No 1 Spe Metl Sou Eval Eval Spe Sou Eval 3 Spe Metl	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod rce luation luation/classification propylidynetrimethanol cies rce luation triethylamine cies nod	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant rabbit OECD 405	13463-67-7 ailable data, the class 77-99-6	236-675-5 ification criteria are not met. 201-074-9
No 1 Spe Metl Sou Eval Eval Spe Sou Eval Spe Metl Sou	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod rce luation luation/classification propylidynetrimethanol cies rce luation triethylamine cies nod rce	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant rabbit OECD 405 ECHA	13463-67-7 ailable data, the class 77-99-6 121-44-8	236-675-5 ification criteria are not met. 201-074-9
No 1 Spe Metl Sou Eval Eval Spe Sou Eval Spe Metl Sou Eval	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod rce luation propylidynetrimethanol cies rce luation triethylamine cies nod rce luation	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant rabbit OECD 405 ECHA strongly irrita	13463-67-7 ailable data, the class 77-99-6 121-44-8 nt	236-675-5 ification criteria are not met. 201-074-9 204-469-4
No 1 Spe Metl Sou Eval Eval Spe Sou Eval Spe Metl Sou Eval	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies nod rce luation luation/classification propylidynetrimethanol cies rce luation triethylamine cies nod rce	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant rabbit OECD 405 ECHA strongly irrita	13463-67-7 ailable data, the class 77-99-6 121-44-8 nt	236-675-5 ification criteria are not met. 201-074-9
No 1 Spe Metl Sou Eval Spe Sou Eval Sou Eval Sou Eval	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies hod rce luation uation/classification propylidynetrimethanol cies rce luation triethylamine cies hod rce luation	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant rabbit OECD 405 ECHA strongly irrita	13463-67-7 ailable data, the class 77-99-6 121-44-8 nt	236-675-5 ification criteria are not met. 201-074-9 204-469-4
No 1 Spe Metl Sou Eval Spe Sou Eval Sou Eval Sou Eval	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies hod rce luation uation/classification propylidynetrimethanol cies rce luation triethylamine cies hod rce luation propulation triethylamine cies hod rce luation propylogan base for the second seco	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant rabbit OECD 405 ECHA strongly irrita	13463-67-7 ailable data, the class 77-99-6 121-44-8 nt	236-675-5 ification criteria are not met. 201-074-9 204-469-4
No 1 Spe Meti Sou Eval Spe Sou Eval Sou Eval Sou Eval Sou Eval Spe Meti Sou Eval Spe Res	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies hod rce luation uation/classification propylidynetrimethanol cies rce luation triethylamine cies hod rce luation propylidynetrimethanol cies rce luation propylidynetrimethanol propylidynetrimethanol cies hod rce luation propylidynetrimethanol cies hod free luation propylidynetrimethanol cies hod free luation propylidynetrimethanol cies hod free luation bibstance name	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant CECD 405 ECHA strongly irrita Based on av	13463-67-7 ailable data, the class 77-99-6 121-44-8 nt ailable data, the class	236-675-5 ification criteria are not met. 201-074-9 204-469-4 ification criteria are met.
No 1 Spe Meti Sou Eval 2 Spe Sou Eval Sou Eval Sou Eval Sou Eval Spe Meti Sou Eval Spe Meti Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Sou Eval Spe Not	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies hod rce luation uation/classification propylidynetrimethanol cies rce luation triethylamine cies hod rce luation propulation triethylamine cies hod rce luation propulation triethylamine cies hod rce luation propulation triethylamine cies	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant CECD 405 ECHA strongly irrita Based on av	13463-67-7 ailable data, the class 77-99-6 121-44-8 nt ailable data, the class CAS no.	236-675-5 ification criteria are not met. 201-074-9 204-469-4 ification criteria are met. EC no.
No 1 Spe Metl Sou Eval Spe Sou Eval Sou Eval Sou Eval Sou Eval Sou Eval Sou Eval Spe Metl Sou Eval Spe Sou Eval Spe No 1 Spe Sou Eval Spe Spe Sou Eval Spe Sou Eval Spe Spe Spe Sou Eval Spe Spe Spe Spe Spe Spe Spe Spe	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies hod rce luation luation/classification propylidynetrimethanol cies rce luation triethylamine cies hod rce luation piratory or skin sensitisation Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant CECD 405 ECHA strongly irrita Based on av	13463-67-7 ailable data, the class 77-99-6 121-44-8 nt ailable data, the class CAS no.	236-675-5 ification criteria are not met. 201-074-9 204-469-4 ification criteria are met. EC no.
No 1 Spe Metl Sou Eval Spe Sou Eval Sou Eval Sou Eval Sou Eval Sou Eval Sou Eval Spe Metl Sou Eval Spe Sou Eval Spe No 1 Spe Sou Eval Spe Spe Sou Eval Spe Sou Eval Spe Spe Spe Sou Eval Spe Spe Spe Spe Spe Spe Spe Spe	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] cies hod rce luation luation/classification propylidynetrimethanol cies rce luation triethylamine cies hod rce luation piratory or skin sensitisation Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm] te of exposure cies	rabbit OECD 405 ECHA non-irritant Based on av rabbit ECHA non-irritant rabbit OECD 405 ECHA strongly irrita Based on av	13463-67-7 ailable data, the class 77-99-6 121-44-8 nt ailable data, the class CAS no.	236-675-5 ification criteria are not met. 201-074-9 204-469-4 ification criteria are met. EC no.

Current version : 5.4.0, issued

Trade name: einzA Aqua-PU seidenmatt, weiß Product no.: 0076088

oduct no.: 0076088		
rrent version : 5.4.0, issued: 21.12.2023	Replaced version: 5.3.0, issued: 07.02.2022	Region:
Source	ECHA	
Evaluation	non-sensitizing	
Evaluation/classification	Based on available data, the classification criteria	are not met.
2 propylidynetrimethanol	77-99-6 201-074	
Route of exposure	Skin	
Species	mouse	
Method	OECD 429	
Source	ECHA	
Evaluation	non-sensitizing	
Germ cell mutagenicity		
our in the agonitory		

No	Substance name	CAS no. EC no.							
1	titanium dioxide; [in powder form containing 1 % or 13463-67-7 236-675-5 more of particles with aerodynamic diameter ≤ 10 μm]								
	of examination	In vitro mammalian cytogenicity							
Meth	nod	OECD 487							
Sour	ce	ECHA							
Eval	uation/classification	Based on available data, the classification criteria are not met.							
Rout	e of exposure	oral							
Туре	e of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte micronucleus							
Spec	cies	rat							
Meth	nod	OECD 474							
Sour	ce	ECHA							
Eval	uation/classification	Based on available data, the classification criteria are not met.							
2	propylidynetrimethanol	77-99-6 201-074-9							
Туре	of examination	in vitro gene mutation study in bacteria							
Spec	cies	Salmonella typhimurium: TA 1535, TA 1537, TA 98, TA 100;							
		Escherichia coli WP2 uvrA							
Meth	nod	OECD 471							
Sour	ce	ECHA							
Eval	uation/classification	Based on available data, the classification criteria are not met.							

Reproduction toxicity No Substance name CAS no. titanium dioxide; [in powder form containing 1 % or 13463-67-7 1 more of particles with aerodynamic diameter ≤ 10

Route of exposure	oral		
NOAEL	>=	1000	mg/kg bw/d
Type of examination	Reproductive studies - c	one generation	
Species	rat		
Method	OECD 443		
Source	ECHA		
Evaluation/classification	Based on available data	, the classification	criteria are not met.
Route of exposure	oral		
NOAEL		1000	mg/kg bw/d
Type of examination	Prenatal Developmental	Toxicity Study	
Species	rat		
Method	OECD 414		
Source	ECHA		
Evaluation/classification	Based on available data	, the classification	criteria are not met.
2 propylidynetrimethanol	77-99-6		201-074-9
Route of exposure	oral		
NOAEL		2200	ppm
Duration of exposure		19	week/s
Species	rats (male/female)		
Method	OECD 443		
Source	ECHA		
Carcinogenicity			



EC no.

236-675-5

GB

Product no.: 0076088

Current version : 5.4.0. issued: 21.12.2023

1 titanium dioxide; [in powder form contain					
more of particles with aerodynamic diam [µm]	neter S 10				
Route of exposure	oral				
NOEL	7500 mg/kg bw/	/d			
Species	mouse				
Source	ECHA				
Evaluation/classification	Based on available data, the classification criteria are not me	et.			
STOT - single exposure					
No data available					
STOT - repeated exposure					
No Substance name	CAS no. EC no.				
1 titanium dioxide; [in powder form contain	ining 1 % or 13463-67-7 236-675-5				
more of particles with aerodynamic diameter ≤ 10					
μm]					
Route of exposure	oral				
NOAEL	> 962 mg/kg bw/	/d			
Species	rat				
Method	OECD 408				
Source	ECHA				
Evaluation/classification	Based on available data, the classification criteria are not met.				
Route of exposure	inhalational				
Species	rat				
Source	ECHA				
Evaluation/classification	Based on available data, the classification criteria are not me	et.			
2 propylidynetrimethanol	77-99-6 201-074-9				
Route of exposure	oral				
NOAEL	67 mg/kg bw/	/d			
Duration of exposure	14 week/s				
Species	rats (male/female)				
Source	ECHA				
Aspiration hazard					
No data available					

Replaced version: 5.3.0, issued: 07.02.2022

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)						
No	Substance name		CAS no.		EC no.	
1	propylidynetrimethanol		77-99-6		201-074-9	
LC50)	>	·	1000	mg/l	
Dura	tion of exposure		Ç	96	h	



Region: GB

Current version : 5.4.0, issued: 21.12.2023

Trade name: einzA Aqua-PU seidenmatt, weiß

Product no.: 0076088

Spee		Alburnus Albu	ırnus			
Sour 2	rce triethylamine	ECHA	121-44-8		204-469-4	
LC5			121-44-0	24		_
	ation of exposure			24 96	h	
Spe		Oryzias latipe	e	30	11	
Meth		OECD 203	.5			
Sou		ECHA				
	uation/classification		ilable data, th	e classificati	on criteria are not me	et.
		124004 01.410				
Toxi	city to fish (chronic) lata available					
	city to Daphnia (acute)					
	Substance name		CAS no.		EC no.	
1	propylidynetrimethanol		77-99-6		201-074-9	
EC5				13000	mg/l	
	ation of exposure			48	h	
Spec Sour		Daphnia mag ECHA	na			
	city to Daphnia (chronic) Substance name		CAS no.		EC no.	
1	propylidynetrimethanol		77-99-6		201-074-9	
NOE		>	11-33-0	1000		
	ation of exposure			21	day(s)	
Spe		Daphnia mag	na	21	uay(s)	
Meth		OECD				
		ECHA				
Sour	rce	ECHA				
Sou						
Toxi	city to algae (acute)		040 ===		F0 ===	
Toxi No	city to algae (acute) Substance name	•	CAS no.		EC no.	
Toxi	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia	aining 1 % or	CAS no. 13463-67-7		EC no. 236-675-5	
Toxi No	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia μm]	aining 1 % or		100		
Toxi No 1 EC5 Dura	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure	aining 1 % or ameter ≤ 10	13463-67-7	100 72	236-675-5	
Toxi No 1 EC5 Dura Spec	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies	aining 1 % or ameter ≤ 10 Raphidocelis	13463-67-7		236-675-5 mg/l	
Toxi No 1 EC5 Dura	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies	aining 1 % or ameter ≤ 10 Raphidocelis OECD 201	13463-67-7		236-675-5 mg/l	
Toxi No 1 EC5 Dura Spec Meth Sour	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod	aining 1 % or ameter ≤ 10 > Raphidocelis OECD 201 ECHA	13463-67-7 subcapitata	72	236-675-5 mg/l h	
Toxi No 1 EC5 Dura Spec Meth Sour Eval	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification	aining 1 % or ameter ≤ 10 > Raphidocelis OECD 201 ECHA	13463-67-7 subcapitata available data	72	236-675-5 mg/l h	: met.
Toxi No 1 EC5 Dura Spec Meth Sour Eval 2	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol	aining 1 % or meter ≤ 10 Raphidocelis OECD 201 ECHA Based on the	13463-67-7 subcapitata	72 I, the classifi	236-675-5 mg/l h cation criteria are not 201-074-9	t met.
Toxi No 1 EC5 Dura Spec Meth Sour Eval 2 EC5	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0	aining 1 % or ameter ≤ 10 > Raphidocelis OECD 201 ECHA	13463-67-7 subcapitata available data	72 a, the classifi 1000	236-675-5 mg/l h <u>cation criteria are not</u> 201-074-9 mg/l	: met.
Toxi No 1 EC5 Dura Spec Metr Sour Eval Eval EC5 Dura	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure	aining 1 % or ameter ≤ 10 Raphidocelis OECD 201 ECHA Based on the	13463-67-7 subcapitata <u>available data</u> 77-99-6	72 a, the classifi 1000 72	236-675-5 mg/l h cation criteria are not 201-074-9	: met.
Toxi No 1 EC5 Dura Spec Meth Sour Eval EC5 Dura Spec	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies	aining 1 % or ameter ≤ 10 Raphidocelis OECD 201 ECHA Based on the > Selenastrum	13463-67-7 subcapitata available data	72 a, the classifi 1000 72	236-675-5 mg/l h <u>cation criteria are not</u> 201-074-9 mg/l	: met.
Toxi No 1 EC5 Dura Spec Meth Sour Eval EC5 Dura Spec Meth	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod	aining 1 % or ameter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD	13463-67-7 subcapitata <u>available data</u> 77-99-6	72 a, the classifi 1000 72	236-675-5 mg/l h <u>cation criteria are not</u> 201-074-9 mg/l	: met.
Toxi No 1 EC5 Dura Spec Eval Eval EC5 Dura Spec Meth Soun	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod cies nod cies nod rce	aining 1 % or ameter ≤ 10 Raphidocelis OECD 201 ECHA Based on the > Selenastrum	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum	72 a, the classifi 1000 72	236-675-5 mg/l h <u>cation criteria are not</u> 201-074-9 mg/l h	: met.
Toxi No 1 EC5 Dura Spec Meth Sour Spec Meth Sour 3	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod rce uation of exposure cies 0 ation of exposure cies nod rce titon of exposure cies nod rce triethylamine	aining 1 % or ameter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD	13463-67-7 subcapitata <u>available data</u> 77-99-6	72 <u>a, the classifi</u> 1000 72	236-675-5 mg/l h <u>cation criteria are not</u> 201-074-9 mg/l h	: met.
Toxi No 1 EC5 Dura Spec Meth Sour Spec Meth Sour 3 EC5	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod rce uation of exposure cies 0 ation of exposure cies nod 0 ation of exposure cies nod rce triethylamine 0	aining 1 % or ameter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum	72 <u>a, the classifi</u> 1000 72 8	236-675-5 mg/l h <u>cation criteria are not</u> 201-074-9 mg/l h	met.
Toxi No 1 EC5 Dura Spec Meth Sour Spec Meth Sour 3 EC5 Dura 3	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod rce uation of exposure cies 0 ation of exposure cies nod 0 ation of exposure cies nod rce triethylamine 0 ation of exposure	aining 1 % or ameter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD ECHA	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum 121-44-8	72 <u>a, the classifi</u> 1000 72 8 72	236-675-5 mg/l h <u>cation criteria are not</u> 201-074-9 mg/l h	: met.
Toxi No 1 EC5 Dura Spec Meth Sour Spec Meth Sour 3 EC5 Dura Spec Spec Spec Spec Spec Spec Spec Spec	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod cies nod 0 ation of exposure cies nod 0 ation of exposure cies nod rce triethylamine 0 ation of exposure cies nod rce triethylamine 0 ation of exposure cies	aining 1 % or meter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD ECHA Pseudokirchn	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum	72 <u>a, the classifi</u> 1000 72 8 72	236-675-5 mg/l h <u>cation criteria are not</u> 201-074-9 mg/l h	: met.
Toxi No 1 EC5 Dura Spec Meth Sour Spec Meth Sour 3 EC5 Dura Spec Meth	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod 0 ation of exposure cies nod 0 ation of exposure cies nod rce triethylamine 0 ation of exposure cies nod o ation of exposure cies nod o ation of exposure cies nod o ation of exposure cies nod	aining 1 % or meter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD ECHA Pseudokirchn OECD 201	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum 121-44-8	72 <u>a, the classifi</u> 1000 72 8 72	236-675-5 mg/l h <u>cation criteria are not</u> 201-074-9 mg/l h	: met.
Toxi No 1 EC5 Dura Spec Meth Sour Spec Meth Sour 3 EC5 Dura Spec Meth Sour Spec Spec Spec Spec Spec Spec Spec Spec	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod cies nod 0 ation of exposure cies nod 0 ation of exposure cies nod rce triethylamine 0 ation of exposure cies nod rce triethylamine od rce	aining 1 % or meter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD ECHA Pseudokirchn OECD 201 ECHA	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum 121-44-8 eriella subcap	72 <u>a, the classifi</u> 1000 72 8 72 itata	236-675-5 mg/l h cation criteria are not 201-074-9 mg/l h	
Toxi No 1 EC5 Dura Spec Mett Sour Spec Mett Sour Spec Spec Mett Sour Spec Spec Spec Spec Spec Spec Spec Spec	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod ce triethylamine 0 ation of exposure cies nod rce uation of exposure cies nod rce uation of exposure cies nod rce uation/classification	aining 1 % or meter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD ECHA Pseudokirchn OECD 201 ECHA	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum 121-44-8 eriella subcap	72 <u>a, the classifi</u> 1000 72 8 72 itata	236-675-5 mg/l h <u>cation criteria are not</u> 201-074-9 mg/l h	
Toxi No 1 EC5 Dura Spec Mett Sour Spec Sour Spec Mett Sour EC5 Dura Spec Mett Sour EC5 Dura Spec Mett Sour EC5 Dura Spec Mett Sour EC5 Dura Spec Mett Sour Spec Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Spec Spec Spec Spec Spec Spec Spec	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod rce uation of exposure cies nod rce triethylamine 0 ation of exposure cies nod rce triethylamine 0 ation of exposure cies nod rce uation/classification city to algae (chronic) lata available	aining 1 % or meter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD ECHA Pseudokirchn OECD 201 ECHA	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum 121-44-8 eriella subcap	72 <u>a, the classifi</u> 1000 72 8 72 itata	236-675-5 mg/l h cation criteria are not 201-074-9 mg/l h	
Toxi No 1 EC5 Dura Spec Mett Soun 2 EC5 Dura Spec Mett Soun EC5 Dura Spec Mett Soun EVal I Toxi No c Bac	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod cce uation/classification propylidynetrimethanol 0 ation of exposure cies nod cce triethylamine 0 ation of exposure cies nod cce uation/classification city to algae (chronic) lata available teria toxicity	aining 1 % or meter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD ECHA Pseudokirchn OECD 201 ECHA	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum 121-44-8 eriella subcap ilable data, th	72 <u>a, the classifi</u> 1000 72 8 72 itata	236-675-5 mg/l h cation criteria are not 201-074-9 mg/l h 204-469-4 mg/l h	
Toxi No 1 EC5 Dura Spee Meth Soun Eval EC5 Dura Spec Meth Soun Eval Toxi No c Bac No	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod rce uation of exposure cies nod rce triethylamine 0 ation of exposure cies nod rce uation/classification cies nod rce uation/classification city to algae (chronic) lata available teria toxicity Substance name	aining 1 % or meter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD ECHA Pseudokirchn OECD 201 ECHA	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum 121-44-8 eriella subcap ilable data, th	72 <u>a, the classifi</u> 1000 72 8 72 itata	236-675-5 mg/l h cation criteria are not 201-074-9 mg/l h 204-469-4 mg/l h	
Toxi No 1 EC5 Dura Spee Mett Soun Eval EC5 Dura Spec Mett Soun Eval Toxi No c Bac No 1	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod cce triethylamine 0 ation of exposure cies nod rce uation/classification o ation of exposure cies nod rce uation/classification city to algae (chronic) ata available teria toxicity Substance name propylidynetrimethanol	aining 1 % or meter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD ECHA Pseudokirchn OECD 201 ECHA Based on ava	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum 121-44-8 eriella subcap ilable data, th	72 a, the classifi 1000 72 8 72 itata e classification	236-675-5 mg/l h cation criteria are not 201-074-9 mg/l h 204-469-4 mg/l h	
Toxi No 1 EC5 Dura Spec Meth Soun EC5 Dura Spec Meth Soun EVal EC5 Dura Spec Meth Soun EVal Toxi No c Bac No 1 EC5 Dura Spec Meth Soun EC5 Dura Spec No C Spec Meth Soun EC5 Spec No C Spec Spec Spec Spec Spec Spec Spec Spec	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod cce triethylamine 0 ation of exposure cies nod cce triethylamine 0 ation of exposure cies nod rce uation/classification city to algae (chronic) lata available teria toxicity Substance name propylidynetrimethanol 0	aining 1 % or meter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD ECHA Pseudokirchn OECD 201 ECHA	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum 121-44-8 eriella subcap ilable data, th	72 a, the classifi 1000 72 8 72 itata e classification 1000	236-675-5 mg/l h 201-074-9 mg/l h 204-469-4 mg/l h on criteria are not me EC no. 201-074-9	
Toxi No 1 EC5 Dura Spec Meth Soun EC5 Dura Spec Meth Soun EVal EC5 Dura Spec Meth Soun EVal Toxi No c Bac No 1 EC5 Dura Spec Meth Soun EC5 Dura Spec No C Spec Meth Soun EC5 Spec No C Spec Spec Spec Spec Spec Spec Spec Spec	city to algae (acute) Substance name titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm] 0 ation of exposure cies nod rce uation/classification propylidynetrimethanol 0 ation of exposure cies nod cce triethylamine 0 ation of exposure cies nod rce uation/classification 0 ation of exposure cies nod rce uation/classification city to algae (chronic) data available teria toxicity Substance name propylidynetrimethanol 0 ation of exposure	aining 1 % or meter ≤ 10 Raphidocelis OECD 201 ECHA Based on the Selenastrum OECD ECHA Pseudokirchn OECD 201 ECHA Based on ava	13463-67-7 subcapitata <u>available data</u> 77-99-6 capricornutum 121-44-8 eriella subcap ilable data, th CAS no. 77-99-6	72 a, the classifi 1000 72 8 72 itata e classification	236-675-5 mg/l h cation criteria are not 201-074-9 mg/l h 204-469-4 mg/l h	

Replaced version: 5.3.0, issued: 07.02.2022



Region: GB

EU safety data sheet

Trade name: einzA Aqua-PU seidenmatt, weiß

Product no.: 0076088

Source

Current version : 5.4.0, issued: 21.12.2023	Replaced version: 5.3.0, issued: 07.02.2022	Region: GB	
Method	EU C.11		

ECHA

12.2 Persistence and degradability

Biod	legradability			
No	Substance name	CAS no	0.	EC no.
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam μm]		67-7	236-675-5
Sou	rce	ECHA		
Eval	uation	Not applicable for ino	rganic substances.	
2	propylidynetrimethanol	77-99-6	6	201-074-9
Valu	e		100	%
Dura	ation		28	day(s)
Meth	nod	OECD 302 B		
Sour	rce	ECHA		
Eval	uation	readily biodegradable	;	
3	triethylamine	121-44	-8	204-469-4
Туре)	aerobic biodegradatic	on	
Valu	e		80.3	%
Dura	ation		29	day(s)
Meth	nod	OECD 301 B		
Sou	rce	ECHA		
Eval	uation	readily biodegradable	;	

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)					
No	Substance name		CAS no.		EC no.
1	propylidynetrimethanol		77-99-6		201-074-9
BCF		<		17	
Spe	cies	Cyprinus carp			
Meth	nod	OECD 305 C			
Sou	rce	ECHA			
2	triethylamine		121-44-8		204-469-4
BCF		<		0.5	
Spe		Cyprinus carp			
Meth		OECD 305 C			
Sou	rce	ECHA			
Part	ition coefficient n-octanol/water (log value	e)			
No	Substance name		CAS no.		EC no.
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam μm]		13463-67-7		236-675-5
Not	applicable				
Sou	rce	ECHA			
2	propylidynetrimethanol		77-99-6		201-074-9
log F	Pow			-0.47	
Refe	erence temperature			26	°C
Meth	nod	OECD			
Sou		ECHA			
3	triethylamine		121-44-8		204-469-4
log F	Pow			1.45	
		pH: 13			
	reference to	pri. 13			

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment



Product no.: 0076088

Current version : 5.4.0, issued: 21.12.2023

Replaced version: 5.3.0, issued: 07.02.2022

Region: GB

vPvB assessment

The components of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not allow to enter drains or water courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste code 08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

Product no.: 0076088

Current version : 5.4.0, issued: 21.12.2023

Region: GB

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	75
2	Limestone	1317-65-3	215-279-6	75
3	pyridine-2-thiol 1-oxide, sodium salt	3811-73-2	223-296-5	75
4	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7	236-675-5	75
5	triethylamine	121-44-8	204-469-4	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)VOC content3.65 %

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE , Cat. : d, type: wb = 130 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 130 g/l

National regulations

Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH070	Toxic by eye contact.
EUH071	Corrosive to the respiratory tract.
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

Trade name: einzA Aqua-PU seidenmatt, weiß Product no.: 0076088

Current version : 5.4.0, issued: 21.12.2023 Replaced version: 5.3.0, issued: 07.02.2022 6

Region: GB

H351i	Suspected of causing cancer by inhalation.
H361fd	Suspected of damaging fertility. Suspected of damaging
	the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Notes relating to the iden Annex VI)	tification, classification and labelling of substances and mixtures ((EC) No 1272/2008,
В	Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
V	If the substance is to be placed on the market as fibres (with diameter < $3 \mu m$, length > 5 μm and aspect ratio $\ge 3:1$) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.
W	It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a
1	criterion for classification according to this Regulation. The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760327