

**Product no.:** 5604022

Current version: 5.1.0, issued: 25.11.2021 Reglaced version: 5.0.0, issued: 10.11.2021 Region: GB

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

#### einzA Holz-Color, sonnengelb

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

decorative paints/finishes

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### Address

einzA Farben GmbH & Co KG

Junkersstraße 13 30179 Hannover

Telephone no. +49 (0)511 67490-0 Fax no. +49 (0)511 67490-20 e-mail info@einzA.com

#### **Advice on Safety Data Sheet**

sdb info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### **Hazard pictograms**

-

#### Signal word

#### Hazard statement(s)

H412 Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one, reaction mass of: 5-

chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1). May

produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

#### Precautionary statement(s)

P501 Dispose of contents/container to a facility in accordance with local and national



Trade name: einzA Holz-Color, sonnengelb

**Product no.:** 5604022

**Current version :** 5.1.0, issued: 25.11.2021 **Replaced version:** 5.0.0, issued: 10.11.2021 **Region:** GB

regulations.

#### 2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

**Hazardous ingredients** 

No	Substance name		Additional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%
	REACH no			,,
1	_	in powder form containing 1 % or more of		
•		dynamic diameter ≤ 10 μm]		
	13463-67-7	Carc. 2; H351i	< 2.50	wt%
	236-675-5	Oaio. 2, 110011	2.50	Wt 70
	022-006-00-2			
	01-2119489379-17			
2	zinc oxide			
	1314-13-2	Aquatic Acute 1; H400	< 0.25	wt%
	215-222-5	Aquatic Chronic 1; H410	0.25	WL 70
	030-013-00-7	Aquatic Chronic 1, 11410		
	01-2119463881-32			
2				
3	pyrithione zinc	Acute Tev 2: 11224	0.40	+0/
	13463-41-7	Acute Tox. 3; H331	< 0.10	wt%
	236-671-3	Acute Tox. 3; H301		
	-	Eye Dam. 1; H318		
	-	Aquatic Acute 1; H400		
		Aquatic Chronic 1; H410		
4	1,2-benzisothiazol-		pls. refer to footnote (1)	
	2634-33-5	Acute Tox. 4*; H302	< 0.05	wt%
	220-120-9	Eye Dam. 1; H318		
	613-088-00-6	Skin Irrit. 2; H315		
	-	Skin Sens. 1; H317		
		Acute Tox. 2; H330		
		Aquatic Acute 1; H400		
		Aquatic Chronic 2; H411		
5	terbutryn			
	886-50-0	Aquatic Acute 1; H400	< 0.025	wt%
	212-950-5	Aquatic Chronic 1; H410		
	-	Acute Tox. 4; H302		
	-	Skin Sens. 1; H317		
6	2-octyl-2H-isothiaz	ol-3-one	pls. refer to footnote (1)	
	26530-20-1	Acute Tox. 3; H311	< 0.05	wt%
	247-761-7	Acute Tox. 3; H331		
	613-112-00-5	Acute Tox. 4; H302		
	-	Aguatic Acute 1; H400		
		Aguatic Chronic 1; H410		
		Skin Corr. 1B; H314		
		Eye Dam. 1; H318		
		Skin Sens. 1A; H317		
7	pyridine-2-thiol 1-c			
	3811-73-2	Acute Tox. 4; H302	< 0.10	wt%
	223-296-5	Acute Tox. 4; H332	0.10	W . 70
		Aquatic Acute 1; H400		
	1-	Aduatio Acute 1, 11400		



Trade name: einzA Holz-Color, sonnengelb

**Product no.:** 5604022

**Current version :** 5.1.0, issued: 25.11.2021 **Replaced version :** 5.0.0, issued: 10.11.2021 **Region :** GB

	-	Aquatic Chronic 2; H411 Eye Dam. 1; H318			
8		5-chloro-2-methyl-4-isothiazolin-3-one and 2-			
	methyl-2H -isothia	zol-3-one (3:1)			
	55965-84-9	Acute Tox. 2; H310	<	0.0015	wt%
	-	Acute Tox. 2; H330			
	613-167-00-5	Acute Tox. 3; H301			
	-	Aquatic Acute 1; H400			
		Aquatic Chronic 1; H410			
		EÜH071			
		Eye Dam. 1; H318			
		Skin Corr. 1C; H314			
		Skin Sens. 1A; H317			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

<sup>(1)</sup> Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	V, W, 10	-	-	-
2	-	-	M = 1	M = 1
3	-	-	M = 100	M = 10
4	-	Skin Sens. 1; H317: C >= 0.05%	-	-
5	-	-	M = 100	M = 100
6	-	Skin Sens. 1A; H317: C >= 0.05%	M = 10	M = 1
7	-	-	M = 100	-
8	В	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06% Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%	M = 100	M = 100

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
1	H351i
	inhalational; -; -

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

#### After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

#### After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

#### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

<sup>(\*,\*\*,\*\*\*,\*\*\*\*)</sup> Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2



Trade name: einzA Holz-Color, sonnengelb

**Product no.:** 5604022

Current version: 5.1.0, issued: 25.11.2021 Reglaced version: 5.0.0, issued: 10.11.2021 Region: GB

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Alcohol resistant foam, CO2, powders, water spray

#### Unsuitable extinguishing media

water jet.

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Toxic pyrolysis products; Exposure to decomposition products may cause a health hazard.

#### 5.3 Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses. Appropriate breathing apparatus may be required.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

#### 6.4 Reference to other sections

No data available.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Due to the organic solvents' content of the mixture: Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

#### General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

#### Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

#### 7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions



Trade name: einzA Holz-Color, sonnengelb

**Product no.:** 5604022

Current version: 5.1.0, issued: 25.11.2021 Reglaced version: 5.0.0, issued: 10.11.2021 Region: GB

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

#### Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

#### Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

#### 7.3 Specific end use(s)

No data available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5
	more of particles with aerodynamic diameter ≤ 10			
	μm]			
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	respirable dust	•	•	
	WEL long-term (8-hr TWA reference period)	4	mg/m³	

#### **DNEL, DMEL and PNEC values**

#### **DNEL** values (worker)

	DNEL values (worker)					
No	Substance name			CAS / EC no		
	Route of exposure	Exposure time	Effect	Value		
1		der form containing 1 % or	more of particles with	13463-67-7		
	aerodynamic diameter ≤ '	10 μm]		236-675-5		
	inhalative	Long term (chronic)	local	10	mg/m³	
2	zinc oxide			1314-13-2		
				215-222-5		
	dermal	Long term (chronic)	systemic	83	mg/kg/day	
	with reference to: Zn					
	Comments: insoluble					
	inhalative	Long term (chronic)	systemic	5	mg/m³	
	with reference to: Zn					
	Comments: insoluble					
	inhalative	Long term (chronic)	local	0.5	mg/m³	
	with reference to: Zn					
	Comments: insoluble					

#### **DNEL** value (consumer)

No	Substance name				
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in pow	13463-67-7			
	aerodynamic diameter ≤ 10 μm]			236-675-5	
	oral	Long term (chronic)	systemic	700	mg/kg/day
2	zinc oxide			1314-13-2	
				215-222-5	
	oral	Long term (chronic)	systemic	0.83	mg/kg/day



Trade name: einzA Holz-Color, sonnengelb

**Product no.:** 5604022

**Current version :** 5.1.0, issued: 25.11.2021 **Replaced version :** 5.0.0, issued: 10.11.2021 **Region :** GB

with reference to: Zn Comments: insoluble				
dermal	Long term (chronic)	systemic	83	mg/kg/day
with reference to: Zn				
Comments: insoluble				
inhalative	Long term (chronic)	systemic	2.5	mg/m³
with reference to: Zn				-
Comments: insoluble				

#### **PNEC values**

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	titanium dioxide; [in powder form contaerodynamic diameter ≤ 10 μm]		13463-67-7 236-675-5	
	water	fresh water	0.127	mg/L
	water	marine water	1	mg/L
	water	Aqua intermittent	0.61	mg/L
	water	fresh water sediment	1000	mg/kg
	with reference to: dry weight			
	water	marine water sediment	100	mg/kg
	with reference to: dry weight			
	soil	-	100	mg/kg
	with reference to: dry weight			
	sewage treatment plant	-	100	mg/L
	secondary poisoning	mammalian	1667	mg/kg
2	zinc oxide		1314-13-2 215-222-5	
	water	fresh water	20.6	μg/L
	with reference to: Zn		,	
	water	marine water	6.1	μg/L
	with reference to: Zn		,	
	water	fresh water sediment	117.8	mg/kg
	water	marine water sediment	56.5	mg/kg
	with reference to: Zn, dry weight			
	soil	-	35.6	mg/kg
	with reference to: Zn, dry weight			
	sewage treatment plant	-	100	μg/L

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

#### Personal protective equipment

#### Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

#### Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid



**Product no.:** 5604022

Current version: 5.1.0, issued: 25.11.2021 Replaced version: 5.0.0, issued: 10.11.2021 Region: GB

permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: nitrile rubber

Material thickness 0.4 Breakthrough time 120 min Appropriate Material In case of prolonged exposure: nitrile rubber Material thickness 0.4 mm Breakthrough time 480 min

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

#### **Environmental exposure controls**

Do not allow to enter drains or water courses.

### **SECTION 9: Physical and chemical properties**

#### 9.

State of aggregation						
liquid						
Form/Colour						
liquid						
according to product name						
Odour						
characteristic						
pH value						
Value		8.2	- 8.5			
Boiling point / boiling range						
Value	appr.		100	°C		
Melting point/freezing point						
No data available						
Decomposition temperature						
No data available						
Flash point						
Not applicable						
Ignition temperature						
No data available						
Oxidising properties						
Not applicable					 	
Flammability						
Not applicable						
Lower explosion limit						
No data available						

## **Upper explosion limit**

No data available

Vapour pressure					
Value	<	100	hPa		
Reference temperature		50	°C		

#### Relative vapour density

No data available

### Relative density No data available

#### Density



**Product no.:** 5604022

Current version: 5.1.0, issued: 25.11.2021 Reglaced version: 5.0.0, issued: 10.11.2021 Region: GB

Value Reference temperature	1.05	-	1.32 20	g/cm³ °C
Method	DIN 51757			

Solubility in water	
Comments	miscible

Solubility
No data available

## Partition coefficient n-octanol/water (log value) No data available

Viscosity						
Value	2500	-	3000	Pa*s		
Reference temperature			20	°C		
Method	DIN 53019					

Solvent separation test	
Not applicable	

Particle characteristics	
No data available	

#### 9.2 Other information

Other information	
No data available.	

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

#### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

#### 10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

#### 10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5
LD5	0	>	2000	mg/kg bodyweight
Spe	cies	rat		
Meth	nod	OECD 401		
Soul	rce	ECHA		
Eval	uation/classification	Based on ava	ailable data, the classification	on criteria are not met.
2	zinc oxide		1314-13-2	215-222-5
LD5	0	>	5000	mg/kg bodyweight
Spe	cies	rat		



Trade name: einzA Holz-Color, sonnengelb

**Product no.:** 5604022

**Current version :** 5.1.0, issued: 25.11.2021 **Replaced version:** 5.0.0, issued: 10.11.2021 **Region:** GB

Method	OECD 401
Source	ECHA

Acu	Acute dermal toxicity						
No	Substance name	CAS	no.	EC no.			
1	zinc oxide	1314	4-13-2	215-222-5			
LD5	0	>	2000	mg/kg bodyweight			
Spe	cies	rat					
Metl	hod	OECD 402					
Sou	rce	ECHA					

Acu	te inhalational toxicity					
No	Substance name		CAS no.		EC no.	
1	titanium dioxide; [in powder form containing 1 % of more of particles with aerodynamic diameter ≤ 10		13463-67-7		236-675-5	
	μm]					
LC5	0	>		6.82	mg/l	
Dura	ation of exposure			4	h	
Stat	State of aggregation					
Spe	cies	rat				
Sou	rce	ECHA				
Eval	uation/classification	Based on available data, the classification criteria are not met.				
2	zinc oxide		1314-13-2		215-222-5	
LC5	0	>		5.7	mg/l	
Dura	ation of exposure			4	h	
Stat	e of aggregation	Dust/mist				
Spe	cies	rat				
Metl	nod	OECD 403				
Sou	rce	ECHA				

_	corrosion/irritation	CAS	FC ===
<u>No</u> 1	Substance name titanium dioxide; [in powder for more of particles with aerodynum]		
Spe	cies	rabbit	
Metl	hod	OECD 404	
Sou	rce	ECHA	
Eval	luation	non-irritant	
Eval	luation/classification	Based on available da	ta, the classification criteria are not met.
2	zinc oxide	1314-13	-2 215-222-5
Spe	cies	rabbit	
Metl	hod	OECD 404	
Sou	rce	ECHA	
Eval	luation	non-irritant	

Seri	ous eye damage/irritation			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5
Spe	cies	rabbit		
Met	hod	OECD 405		
Sou	rce	ECHA		
Eva	luation	non-irritant		
Eva	luation/classification	Based on available data, the classification criteria are not met.		
2	zinc oxide		1314-13-2	215-222-5
Spe	cies	rabbit		
Met	hod	OECD 405		
Sou	rce	ECHA		
Eva	luation	non-irritant		

### Respiratory or skin sensitisation



Trade name: einzA Holz-Color, sonnengelb

**Product no.:** 5604022

**Current version :** 5.1.0, issued: 25.11.2021 **Replaced version:** 5.0.0, issued: 10.11.2021 **Region:** GB

No	Substance name	CAS no. EC no.				
_		2.10.110.				
1	titanium dioxide; [in powder form conta					
	more of particles with aerodynamic diar	meter ≤ 10				
	μm]					
Rou	te of exposure	Skin				
Spe	cies	mouse				
Met	hod	OECD 429				
Sou	rce	ECHA				
Eva	luation	non-sensitizing				
Eva	luation/classification	Based on available data, the classification criteria are not met.				
2	zinc oxide	1314-13-2 215-222-5				
Rou	te of exposure	respiratory tract				
Sou	rce	ECHA				
Eva	luation	non-sensitizing				
Eva	luation/classification	Based on available data, the classification criteria are not met.				
Rou	te of exposure	Skin				
Spe	cies	Guinea pig				
Met	hod	OECD 406				
Sou	rce	ECHA				
Eva	luation	non-sensitizing				
Eva	luation/classification	Based on available data, the classification criteria are not met.				

Ger	Germ cell mutagenicity							
No	Substance name		CAS no.	EC no.				
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar $\mu$ m]		13463-67-7	236-675-5				
Туре	e of examination	In vitro mam	malian cytogenicity					
Metl	nod	OECD 487						
Sou	rce	ECHA						
Eval	uation/classification	Based on av	ailable data, the class	sification criteria are not met.				

Rep	Reproduction toxicity						
No	Substance name	CAS no.	EC no.				
1	titanium dioxide; [in powder form conta	ning 1 % or 13463-67-7	236-675-5				
	more of particles with aerodynamic diar	neter ≤ 10					
	μm]						
Rout	te of exposure	oral					
NOA	AEL	>= 1	000 mg/kg bw/d				
Турє	e of examination	Reproductive studies - one gen-	eration				
Spec	cies	rat					
Meth	nod	OECD 443					
Sour	rce	ECHA					
Eval	uation/classification	Based on available data, the classification criteria are not met.					
Rout	te of exposure	oral					
NOA	AEL	1	000 mg/kg bw/d				
Турє	e of examination	Prenatal Developmental Toxicity	y Study				
Spec	cies	rat					
Meth	nod	OECD 414					
Sou	rce rce	ECHA					
Eval	uation/classification	Based on available data, the cla	assification criteria are not met.				

Card	Carcinogenicity						
No	Substance name		CAS no.	EC no.			
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5			
Rou	te of exposure	oral					
NOE	L		750	00 mg/kg bw/d			
Spec	cies	mouse					
Source		ECHA					
Eval	uation/classification	Based on ava	ailable data, the clas	sification criteria are not met.			



**Product no.:** 5604022

Current version: 5.1.0, issued: 25.11.2021 Reglaced version: 5.0.0, issued: 10.11.2021 Region: GB

STOT - single exposure	
No data available	

STO	STOT - repeated exposure							
No	Substance name		CAS no.	EC no.				
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar um]		13463-67-7	236-675-5				
Rou	Route of exposure oral							
NOA	\EL	>	96	2 mg/kg bw/d				
Spe	cies	rat						
Meth	Method							
Soul	Source							
Eval	uation/classification	Based on ava	ailable data, the cla	ssification criteria are not met.				

### Aspiration hazard

No data available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### 11.2 Information on other hazards

**Endocrine disrupting properties** 

No data available.

Other information

No data available.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish (acute)	
No data available	

# Toxicity to fish (chronic) No data available

## Toxicity to Daphnia (acute) No data available

Toxi	Toxicity to Daphnia (chronic)							
No	Substance name	CAS no.		EC no.				
1	zinc oxide	1314-13-2		215-222-5				
NOE	EC		82	μg/l				
Dura	ation of exposure		7	day(s)				
Spe	cies	Daphnia magna						
with	reference to	pH 6.0						
Soul	rce	CSR						

Toxi	Toxicity to algae (acute)							
No	Substance name		CAS no.		EC no.			
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam µm]		13463-67-7		236-675-5			
EC5	50	>		100	mg/l			



Trade name: einzA Holz-Color, sonnengelb

**Product no.:** 5604022

Current version: 5.1.0, issued: 25.11.2021 Reglaced version: 5.0.0, issued: 10.11.2021 Region: GB

Duration of exposure	72 h	
Species	Pseudokirchneriella subcapitata	
Method	OECD 201	
Source	ECHA	

Toxi	Toxicity to algae (chronic)							
No	Substance name	CAS no.	EC no.					
1	zinc oxide	1314-13-2	215-222-5					
NOE	EC	19	μg/l					
Duration of exposure		7	day(s)					
Spe	cies	Pseudokirchneriella subcapitata						
with	reference to	pH 8.0	pH 8.0					
Sou	rce	CSR						

Bac	Bacteria toxicity						
No	Substance name	C	AS no.		EC no.		
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		3463-67-7		236-675-5		
EC5	0	>		1000			
Dura	ation of exposure			3	h		
Species		activated sludge	е				
Meth	nod	OECD 209					
Sou	rce	ECHA					

#### 12.2 Persistence and degradability

No data available.

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment		
PBT assessment	The components of this product are not considered to be a PBT.	
vPvB assessment	The components of this product are not considered to be a vPvB.	

#### 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

Other information	
Do not allow to enter drains or water courses.	

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste code 08 01 11\* waste paint and varnish containing organic solvents or other hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

#### **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.



**Product no.:** 5604022

Current version: 5.1.0, issued: 25.11.2021 Reglaced version: 5.0.0, issued: 10.11.2021 Region: GB

#### **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

## Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6	55

## Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)			
VOC content	1.67 %		

## Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE , Cat. : d, type: wb = 130 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 130 g/l

#### **National regulations**

#### Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

#### 15.2 Chemical safety assessment



**Product no.:** 5604022

Current version: 5.1.0, issued: 25.11.2021 Replaced version: 5.0.0, issued: 10.11.2021 Region: GB

A chemical safety assessment has not been carried out for this mixture.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

## Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled. H331 Toxic if inhaled. H332 Harmful if inhaled.

H351i Suspected of causing cancer by inhalation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

## Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

3

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a

weight/weight basis.

V If the substance is to be placed on the market as fibres (with diameter < 3  $\mu$ m, length > 5

µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be

applied.

W It has been observed that the carcinogenic hazard of this substance arises when

respirable dust is inhaled in quantities leading to significant impairment of particle

clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a

criterion for classification according to this Regulation.

1 The concentration stated or, in the absence of such concentrations, the generic

concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated

with reference to the total weight of the mixture.

#### Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid



Trade name: einzA Holz-Color, sonnengelb

**Product no.:** 5604022

Current version: 5.1.0, issued: 25.11.2021 Region: 5.0.0, issued: 10.11.2021 Region: GB

contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO

GmbH.

Prod-ID 653761