

Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Replaced version: 3.1.0, issued: 24.04.2023 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

einzA Novasol HW Lasur und Farbe, weiß deckend

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

decorative paints/finishes

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

einzA Farben GmbH & Co KG

Junkersstraße 13 30179 Hannover

Telephone no. +49 (0)511 67490-0 Fax no. +49 (0)511 67490-20 e-mail info@einzA.com

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

.

Signal word

...

Hazard statement(s)

H412 Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH208 Contains 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4 -triazole.

May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

Precautionary statement(s)



Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Reglaced version: 3.1.0, issued: 24.04.2023 Region: GB

P501

Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additi	onal information	า	
-110	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)		entration		%
	REACH no					,,,
1	titanium dioxide: [ii	n powder form containing 1 % or more of				
	particles with aerodynamic diameter ≤ 10 µm]					
	13463-67-7	Carc. 2; H351i	>=	10.00 - <	25.00	wt%
	236-675-5					
	022-006-00-2					
	01-2119489379-17					
2	Hydrocarbons, C10	-C13, n-alkanes, isoalkanes, cyclics, <2%				
	aromatics					
	-	Asp. Tox. 1; H304	>=	10.00 - <	25.00	wt%
	918-481-9	EUH066				
	-					
	01-2119457273-39					
3		henyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-				
	1,2,4 -triazole					
	60207-90-1	Acute Tox. 4; H302	<	0.50		wt%
	262-104-4	Aquatic Acute 1; H400				
	613-205-00-0	Aquatic Chronic 1; H410				
	-	Repr. 1B; H360D				
		Skin Sens. 1; H317				
4	propylidynetrimeth					
	77-99-6	Repr. 2; H361fd	<	0.50		wt%
	201-074-9					
	-					
	01-2119486799-10					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	V, W, 10	-	-	-
3	-	-	M = 1	M = 1

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
1	H351i
	inhalational; -; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information



Trade name: einzA Novasol HW Lasur und Farbe, weiß deckend

Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Reglaced version: 3.1.0, issued: 24.04.2023 Region: GB

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam, CO2, powders, water spray

Unsuitable extinguishing media

water iet.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Toxic pyrolysis products; Exposure to decomposition products may cause a health hazard.

5.3 Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses. Appropriate breathing apparatus may be required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling



Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Replaced version: 3.1.0, issued: 24.04.2023 Region: GB

Due to the organic solvents' content of the mixture: Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.		
1	titanium dioxide; [in powder form containing 1 % or 13463-67-7 236-675-5					
	more of particles with aerodynamic diameter ≤ 10					
	µm]					
	List of approved workplace exposure limits (WELs) / EH40					
	Titanium dioxide					
	total inhalable dust					
	WEL long-term (8-hr TWA reference period) 10 mg/m³					
	List of approved workplace exposure limits (WELs) / EH40					
	Titanium dioxide					
	respirable dust		•			
	WEL long-term (8-hr TWA reference period)	4	mg/m³			

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	CAS / EC no			
	Route of exposure	Value			
1	titanium dioxide; [in powo	13463-67-7			
	aerodynamic diameter ≤ 1	236-675-5			
	inhalative	Long term (chronic)	local	1.25	mg/m³
2	propylidynetrimethanol				
		201-074-9			
	dermal	Long term (chronic)	systemic	0.94	mg/kg/day
	inhalative	Long term (chronic)	systemic	3.30	mg/m³

DNEL value (consumer)

NO I Substance name	No	Substance name	CAS / EC no
---------------------	----	----------------	-------------



Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Replaced version: 3.1.0, issued: 24.04.2023 Region: GB

	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in powo aerodynamic diameter ≤ 1	13463-67-7 236-675-5			
	,		Γ		
	inhalative	Long term (chronic)	local	210	μg/m³
2	propylidynetrimethanol			77-99-6	
	, ,			201-074-9	
	oral	Long term (chronic)	systemic	0.34	mg/kg/day
	dermal	Long term (chronic)	systemic	0.34	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.58	mg/m³

8.2 Exposure controls

Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: nitrile rubber

Material thickness>0.4mmBreakthrough time>120minAppropriate MaterialIn case of prolonged exposure: nitrile rubberMaterial thickness>0.4mmBreakthrough time>480min

Other

State of aggregation

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

Environmental exposure controls

Do not allow to enter drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

liquid	
F	
Form	
liquid	
Colour	

Colour	
according to product name	
according to product name	

Odour	
characteristic	

4 propylidynetrimethanol



Trade name: einzA Novasol HW Lasur und Farbe, weiß deckend

Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Replaced version: 3.1.0, issued: 24.04.2023 Region: GB

Boil Valu	ing point / boiling range	appr	100	°C		
		appr.	100	U		
	ing point/freezing point					
No c	ata available					
	omposition temperature					
No c	ata available					
Flas	h point					
Valu		>=	62	°C		
Meth	nod	closed cup				
Igni	ion temperature					
	ata available					
Oxio	lising properties					
	applicable					
Elan	makilih.					
	nmability applicable					
	er explosion limit					
No c	ata available					
Upp	er explosion limit					
No c	ata available					
Vap	our pressure					
Valu	=	<	100	hPa		
Refe	rence temperature		50	°C		
Rela	tive vapour density					
No c	ata available					
Rela	tive density					
	ata available					
Den	sitv					
Valu		appr.	1.34	g/cm³		
Refe	rence temperature		20	°C		
Meth	nod	DIN 51757				
Solu	bility in water					
	ments	immiscible				
Soli	bility					
	ata available					
		٥)				
No	ition coefficient n-octanol/water (log valu Substance name	<u>e) </u>	CAS no.		EC no.	
1	titanium dioxide; [in powder form contai	ning 1 % or	13463-67-7		236-675-5	
	more of particles with aerodynamic dian					
Not	applicable					
Soul		ECHA				
2	Hydrocarbons, C10-C13, n-alkanes, isoa	lkanes,	-		918-481-9	
	cyclics, <2% aromatics			7.00		
log F Meth		3.17 QSAR	-	7.22		
Soul		ECHA				
3	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-d		60207-90-1		262-104-4	
	yl]methyl]-1H-1,2,4 -triazole					
log F		0505 435		3.72		
Meth Soul		OECD 107				
	propylidynetrimethanol	supplier	77-99-6		201-074-9	

77-99-6

201-074-9



Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Replaced version: 3.1.0, issued: 24.04.2023 Region: GB

log Pow		-0.47	
Reference temperature		26	°C
Method	OECD		
Source	ECHA		

Kinematic viscosity				
Value	1100	-	1200	mPa*s
Reference temperature			20	°C
Method	DIN 53019			

Solvent separation test	
Not applicable	

Particle characteristics	
No data available	

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam μm]		13463-67-7	236-675-5
LD5	0	>	2000	mg/kg bodyweight
Spec	cies	rat		
Meth	nod	OECD 401		
Soul	rce	ECHA		
Eval	uation/classification	Based on ava	ailable data, the classificatior	n criteria are not met.
2	Hydrocarbons, C10-C13, n-alkanes, isoal cyclics, <2% aromatics	lkanes,	-	918-481-9
LD5	0	>	15000	mg/kg bodyweight
Spec	cies	rat		
Meth	nod	OECD 401		
Soul	rce	ECHA		
Eval	uation/classification	Based on ava	ailable data, the classificatior	n criteria are not met.
3	propylidynetrimethanol		77-99-6	201-074-9
LD5	0		14700	mg/kg bodyweight
Spec	cies	rat		-
Soul	rce	ECHA		



Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Replaced version: 3.1.0, issued: 24.04.2023 Region: GB

Acu	Acute dermal toxicity					
No	Substance name		CAS no.		EC no.	
1	propylidynetrimethanol		77-99-6		201-074-9	
LD5	0	>		10000	mg/kg bodyweight	
Spe		rabbit				
Soul	rce	ECHA				

Acu	Acute inhalational toxicity					
No	Substance name		CAS no.		EC no.	
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam		13463-67-7		236-675-5	
	μm]					
LC5	0			5.09	mg/l	
Dura	ation of exposure			4	h	
State	e of aggregation	Dust				
Spec	cies	rat				
Meth	nod	OECD 403				
Sour	rce	ECHA				
Eval	uation/classification	Based on av	ailable data, the	e classificati	on criteria are not met.	

Skir	corrosion/irritation			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm]		13463-67-7	236-675-5
Spe	cies	rabbit		
Meth	nod	OECD 404		
Soul	rce	ECHA		
Eval	luation	non-irritant		
Eval	luation/classification	Based on av	ailable data, the cla	ssification criteria are not met.
2	propylidynetrimethanol		77-99-6	201-074-9
Spe	cies	rabbit		
Soul	rce	ECHA		
Eval	luation	non-irritant		

Seri	ous eye damage/irritation			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]		13463-67-7	236-675-5
Spe		rabbit		
Meth	nod	OECD 405		
Soul	rce	ECHA		
Eval	luation	non-irritant		
Eval	luation/classification	Based on av	ailable data, the c	lassification criteria are not met.
2	propylidynetrimethanol		77-99-6	201-074-9
Spe	cies	rabbit		
Soul	rce	ECHA		
Eval	luation	non-irritant		

Res	piratory or skin sensitisation		
No	Substance name	CAS no.	EC no.
1	titanium dioxide; [in powder form contai	ning 1 % or 13463-67-7	236-675-5
	more of particles with aerodynamic diam	eter ≤ 10	
	μm]		
Rou	te of exposure	Skin	
Spe	cies	mouse	
Meth	nod	OECD 429	
Soul	ce	ECHA	
Eval	uation	non-sensitizing	
Eval	uation/classification	Based on available data, the classification	n criteria are not met.
2	propylidynetrimethanol	77-99-6	201-074-9
Rou	te of exposure	Skin	



Trade name: einzA Novasol HW Lasur und Farbe, weiß deckend

Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Replaced version: 3.1.0, issued: 24.04.2023 Region: GB

Species	mouse
Method	OECD 429
Source	ECHA
Evaluation	non-sensitizing

Ger	m cell mutagenicity				
No	Substance name	CAS no. EC no.			
1	titanium dioxide; [in powder form contai	ning 1 % or 13463-67-7 236-675-5			
	more of particles with aerodynamic dian	neter ≤ 10			
	μm]				
	e of examination	In vitro mammalian cytogenicity			
Met		OECD 487			
Sou		ECHA			
	luation/classification	Based on available data, the classification criteria are not met.			
	te of exposure	oral			
Тур	e of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte			
		micronucleus			
Spe		rat			
Met		OECD 474			
Sou		ECHA			
	luation/classification	Based on available data, the classification criteria are not met.			
2	Hydrocarbons, C10-C13, n-alkanes, isoa cyclics, <2% aromatics	Ikanes, - 918-481-9			
Type	e of examination	in vitro gene mutation study in bacteria			
Spe		S. typhimurium TA 1535, TA 1537, TA 98 and TA 100S. typhimurium			
ОРО	0.00	TA 1535, TA 1537, TA 98, TA 100, TA 102			
Met	hod	OECD 471			
Sou		ECHA			
Eva	luation/classification	Based on available data, the classification criteria are not met.			
Rou	te of exposure	oral			
	e of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte			
′'		micronucleus			
Spe	cies	mouse			
Met	hod	OECD 474			
Sou	rce	ECHA			
Eva	luation/classification	Based on available data, the classification criteria are not met.			
3	propylidynetrimethanol	77-99-6 201-074-9			
	e of examination	in vitro gene mutation study in bacteria			
Species		Salmonella typhimurium: TA 1535, TA 1537, TA 98, TA 100;			
		Escherichia coli WP2 uvrA			
Met		OECD 471			
Sou		ECHA			
Evaluation/classification E		Based on available data, the classification criteria are not met.			

D					
	roduction toxicity				
No	Substance name	CAS no. EC no.			
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam µm]				
Rout	te of exposure	oral			
NOA	ÆL	>= 1000 mg/kg bw/	'd		
Type of examination		Reproductive studies - one generation			
Spec	cies	rat			
Meth	nod	OECD 443			
Sour	ce	ECHA			
Eval	uation/classification	Based on available data, the classification criteria are not met.			
Rout	te of exposure	oral			
NOA	EL	1000 mg/kg bw/	d'		
Туре	e of examination	Prenatal Developmental Toxicity Study			
Species		rat			
Meth	nod	OECD 414			
Source		ECHA			
Eval	uation/classification	Based on available data, the classification criteria are not me	et.		



Trade name: einzA Novasol HW Lasur und Farbe, weiß deckend

Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Replaced version: 3.1.0, issued: 24.04.2023 Region: GB

2 propylidynetrimethanol	77-99-6		201-074-9
Route of exposure	oral		
NOAEL		2200	ppm
Duration of exposure		19	week/s
Species	rats (male/female)		
Method	OECD 443		
Source	ECHA		

Card	Carcinogenicity					
No	Substance name		CAS no.	EC no.		
1	titanium dioxide; [in powder form containmore of particles with aerodynamic diamum]		13463-67-7	236-675-5		
Rout	e of exposure	oral				
NOE	L		75	00 mg/kg bw/d		
Species		mouse				
Source		ECHA				
Eval	uation/classification	Based on av	ailable data, the clas	ssification criteria are not met.		

STOT - single exposure No data available

STOT - repeated exposure				
No Substance name	C	CAS no.	EC no.	
1 titanium dioxide; [in powder form contai		3463-67-7	236-675-5	
more of particles with aerodynamic dian	neter ≤ 10			
μm]				
Route of exposure	oral			
NOAEL	>	962	mg/kg bw/d	
Species	rat			
Method	OECD 408			
Source	ECHA			
Evaluation/classification		able data, the classification	criteria are not met.	
Route of exposure	inhalational			
Species	rat			
Source	ECHA			
Evaluation/classification		able data, the classification	criteria are not met.	
2 Hydrocarbons, C10-C13, n-alkanes, isoa	Ikanes, -		918-481-9	
cyclics, <2% aromatics				
Route of exposure	oral			
NOAEL	>=	500	mg/kg bw/d	
Species	rat			
Method	OECD 408			
Source	ECHA			
Evaluation/classification		able data, the classification		
3 propylidynetrimethanol	7	7-99-6	201-074-9	
Route of exposure	oral			
NOAEL		67	mg/kg bw/d	
Duration of exposure		14	week/s	
Species	rats (male/fema	ale)		
Source	ECHA			

Aspiration hazard	
Aspiration nazard	
No data available	
NO data available	

Delayed and immediate effects as well as chronic effects from short and long-term exposure



Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Reglaced version: 3.1.0, issued: 24.04.2023 Region: GB

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)					
No	Substance name	CAS no.		EC no.		
1	propylidynetrimethanol	77-99-6		201-074-9		
LC5	0	>	1000	mg/l		
Dura	ation of exposure		96	h		
Species		Alburnus Alburnus				
Soul	rce	ECHA				

Toxicity to fish (chronic)	
No data available	

Toxi	Toxicity to Daphnia (acute)					
No	Substance name	CAS no.		EC no.		
1	propylidynetrimethanol	77-99-6		201-074-9		
EC5	0		13000	mg/l		
Dura	ation of exposure		48	h		
Species		Daphnia magna				
Sour	rce	ECHA				

Toxi	Toxicity to Daphnia (chronic)					
No	Substance name	CAS no.		EC no.		
1	propylidynetrimethanol	77-99-6		201-074-9		
NOE	EC .	>	1000	mg/l		
Dura	ation of exposure		21	day(s)		
Spe	cies	Daphnia magna		• • •		
Method		OECD				
Soul	rce	ECHA				

Toxi	Toxicity to algae (acute)				
No	Substance name		CAS no.		EC no.
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam [µm]		13463-67-7		236-675-5
EC5	0	>		100	mg/l
Dura	ation of exposure			72	h
Spe	cies	Raphidocelis	subcapitata		
Meth	nod	OECD 201			
Soul	rce	ECHA			
Eval	uation/classification	Based on the	available data,	the classifi	cation criteria are not met.
2	propylidynetrimethanol		77-99-6		201-074-9
EC5	0	>		1000	mg/l
Duration of exposure				72	h
Species		Selenastrum	capricornutum		



Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Replaced version: 3.1.0, issued: 24.04.2023 Region: GB

Method	OECD
Source	ECHA

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity				
No Substance name	CAS no.		EC no.	
1 propylidynetrimethanol	77-99-6		201-074-9	
EC50	>	1000		
Duration of exposure		3	h	
Species	activated sludge			
Method	EU C.11			
Source	ECHA			

12.2 Persistence and degradability

- <u></u>	crossence and degradability				
Biod	legradability				
No	Substance name		CAS no.	EC no.	
1	titanium dioxide; [in powder form contain	ning 1 % or	13463-67-7	236-675-5	
	more of particles with aerodynamic diam				
	um]				
Sour	rce	ECHA			
Eval	uation	Not applicable	for inorganic substa	nces.	
2	propylidynetrimethanol		77-99-6	201-074-9	
Valu	e		100	%	
Dura	ation		28	day(s)	
Meth	nod	OECD 302 B		• ,	
Sour	rce	ECHA			
Eval	uation	readily biodeg	radable		

12.3 Bioaccumulative potential

Biod	Bioconcentration factor (BCF)			
No	Substance name	CAS no.	EC no.	
1	propylidynetrimethanol	77-99-6	201-074-9	
BCF		<	17	
Spe	cies	Cyprinus carpio		
Method		OECD 305 C		
Soul	rce	ECHA		

Part	Partition coefficient n-octanol/water (log value)				
No	Substance name		CAS no.		EC no.
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam μm]		13463-67-7		236-675-5
Not a	applicable				
Soul	rce	ECHA			
2	Hydrocarbons, C10-C13, n-alkanes, isoal cyclics, <2% aromatics	kanes,	-		918-481-9
log F	Pow	3.17	-	7.22	
Meth	nod	QSAR			
Soul	rce	ECHA			
3	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-di yl]methyl]-1H-1,2,4 -triazole	oxolan-2-	60207-90-1		262-104-4
log F	Pow			3.72	
Meth	nod	OECD 107			
Soul	rce	supplier			
4	propylidynetrimethanol		77-99-6		201-074-9
log F	Pow			-0.47	
Refe	erence temperature			26	°C
Meth	nod	OECD			
Sour	rce	ECHA			

12.4 Mobility in soil



Product no.: 0074874

Current version: 3.1.1. issued: 21.12.2023 Replaced version: 3.1.0. issued: 24.04.2023 Region: GB

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not allow to enter drains or water courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste code 08 01 11*

waste paint and varnish containing organic solvents or other hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)



Trade name: einzA Novasol HW Lasur und Farbe, weiß deckend

Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Reglaced version: 3.1.0, issued: 24.04.2023 Region: GB

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4 -triazole	60207-90-1	262-104-4	30, 75
2	2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6	75
3	2-methylpentane-2,4-diol	107-41-5	203-489-0	75
4	Calcium carbonate	471-34-1	207-439-9	75
5	Limestone	1317-65-3	215-279-6	75
6	neodecanoic acid, zirconium salt	39049-04-2	254-259-1	75
7	propylene carbonate	108-32-7	203-572-1	75
8	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7	236-675-5	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Directive 2010/75/EU on industrial emissions	(integrated pollution prevention and control)
VOC content	13.62 %

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE, Cat.: d, type: lb = 300 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 300 g/l

National regulations

Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.
H351i Suspected of causing cancer by inhalation.

H360D May damage the unborn child.



Product no.: 0074874

Current version: 3.1.1, issued: 21.12.2023 Reglaced version: 3.1.0, issued: 24.04.2023 Region: GB

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008,

Annex VI)

W

If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5 μm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or

and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle

clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a

criterion for classification according to this Regulation.

1 The concentration stated or, in the absence of such concentrations, the generic

concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated

with reference to the total weight of the mixture.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 754040