

Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Reglaced version: 2.1.0, issued: 25.10.2022 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

einzA Renothix, weiss

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

decorative paints/finishes

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

einzA Farben GmbH & Co KG

Junkersstraße 13 30179 Hannover

Telephone no. +49 (0)511 67490-0 Fax no. +49 (0)511 67490-20 e-mail info@einzA.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Flam. Liq. 3; H226

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Warning

Hazard statement(s)

H226 Flammable liquid and vapour.

H412 Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.



Trade name: einzA Renothix, weiss

Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Reglaced version: 2.1.0, issued: 25.10.2022 Region: GB

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

Precautionary statement(s)

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P370+P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to

extinguish.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additi	onal information	n	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1		n powder form containing 1 % or more of				
	particles with aeroo	dynamic diameter ≤ 10 μm]				
	13463-67-7	Carc. 2; H351i	>=	10.00 - <	25.00	wt%
	236-675-5					
	022-006-00-2					
	01-2119489379-17					
2	2,2,4,6,6-pentameth	nylheptane				
	13475-82-6	Flam. Liq. 3; H226	>=	10.00 - <	25.00	wt%
	236-757-0	Asp. Tox. 1; H304				
	-	Aquatic Chronic 4; H413				
	01-2119490725-29	EUH066				
3	Hydrocarbons, C11	-C12, isoalkanes, < 2% aromatics				
	-	Asp. Tox. 1; H304	>=	10.00 - <	25.00	wt%
	918-167-1	EUH066				
	-	Flam. Liq. 3; H226				
	01-2119472146-39					
4	zinc oxide					
	1314-13-2	Aquatic Acute 1; H400	>=	0.25 - <	2.50	wt%
	215-222-5	Aquatic Chronic 1; H410				
	030-013-00-7					
	01-2119463881-32					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor	M-factor
			(acute)	(chronic)
1	V, W, 10	-	-	-
4	-	-	M = 1	M = 1

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
1	H351i
	inhalational; -; -



Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Reglaced version: 2.1.0, issued: 25.10.2022 Region: GB

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

After indestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam, CO2, powders, water spray

Unsuitable extinguishing media

water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Toxic pyrolysis products; Exposure to decomposition products may cause a health hazard.

5.3 Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses. Appropriate breathing apparatus may be required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 Reference to other sections

No data available.



Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Reglaced version: 2.1.0, issued: 25.10.2022 Region: GB

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5
	more of particles with aerodynamic diameter ≤ 10			
	μm]			
	List of approved workplace exposure limits (WELs) / I	EH40		
	Titanium dioxide			
	total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	List of approved workplace exposure limits (WELs) / I	EH40		
	Titanium dioxide			
	respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m³	

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in powo	ler form containing 1 % or	more of particles with	13463-67-7	
	aerodynamic diameter ≤ 1	0 μm]	-	236-675-5	
	inhalative	Long term (chronic)	local	1.25	mg/m³



Trade name: einzA Renothix, weiss

Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Reglaced version: 2.1.0, issued: 25.10.2022 Region: GB

2	zinc oxide			1314-13- 215-222-	_
	dermal	Long term (chronic)	systemic	83	mg/kg/day
	with reference to: Zn Comments: insoluble				
	inhalative	Long term (chronic)	systemic	5	mg/m³
	with reference to: Zn Comments: insoluble				
	inhalative	Long term (chronic)	local	0.5	mg/m³
	with reference to: Zn Comments: insoluble				

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in powe aerodynamic diameter ≤ 1	der form containing 1 % or lo µm]	more of particles with	13463-67-7 236-675-5	
	inhalative	Long term (chronic)	local	210	μg/m³
2	zinc oxide			1314-13-2 215-222-5	· -
	oral	Long term (chronic)	systemic	0.83	mg/kg/day
	with reference to: Zn Comments: insoluble		•		
	dermal	Long term (chronic)	systemic	83	mg/kg/day
	with reference to: Zn Comments: insoluble		•	•	
	inhalative	Long term (chronic)	systemic	2.5	mg/m³
	with reference to: Zn Comments: insoluble			•	-

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	zinc oxide		1314-13-2 215-222-5	
	water	fresh water	20.6	μg/L
	with reference to: Zn			
	water	marine water	6.1	μg/L
	with reference to: Zn			
	water	fresh water sediment	117.8	mg/kg
	water	marine water sediment	56.5	mg/kg
	with reference to: Zn, dry weight			
	soil	-	35.6	mg/kg
	with reference to: Zn, dry weight			
	sewage treatment plant	-	100	μg/L

8.2 Exposure controls

Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)



Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Reglaced version: 2.1.0, issued: 25.10.2022 Region: GB

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: nitrile rubber

Material thickness>0.4mmBreakthrough time>120minAppropriate MaterialIn case of prolonged exposure: nitrile rubberMaterial thickness>0.4mmBreakthrough time>480min

Other

Upper explosion limit

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

Environmental exposure controls

Do not allow to enter drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form			
liquid			
Colour			
according to product name			
Odour			
like solvents			
pH value			
No data available			
Boiling point / boiling range			
Value	>	120	°C
Reference substance	solvent mixture		
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Value	>=	56	°C
Method	closed cup		
Ignition temperature			
Value	>	200	°C
Reference substance	solvent mixture		
Oxidising properties			
Not applicable			
Flammability			
Not applicable			
Lower explosion limit			
Value	>	0.6	% vol
Reference substance	solvent mixture		



Trade name: einzA Renothix, weiss

Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Replaced version: 2.1.0, issued: 25.10.2022 Region: GB

Value	<	7.5	% vol	
Reference substance	solvent mixtu	ire		
Vapour pressure				
Value Reference temperature	<	100 50	hPa °C	

Value	<	100	hPa
Reference temperature		50	°C
Reference substance	solvent mixture		

	Relative vapour density
Ī	No data available

Relative density No data available

Density			
Value	appr.	1.50	g/cm³
Reference temperature		20	°C
Method	DIN 51757		

Solubility in water	
Comments	immiscible

Solubility No data available

Part	Partition coefficient n-octanol/water (log value)						
No	Substance name	CAS no.	EC no.				
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diame µm]		236-675-5				
Not a	Not applicable						
Soul	rce	ECHA					

Kinematic viscosity					
Value	4000	-	4400	mPa*s	
Reference temperature			20	°C	
Method	DIN 53019				

Solvent separation test			
Value	<	3	%
Reference temperature		20	°C

Particle cha	aracteristics
No data ava	ilable

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products



Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Replaced version: 2.1.0, issued: 25.10.2022 Region: GB

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam µm]		13463-67-7		236-675-5		
LD5	0	>		2000	mg/kg bodyweight		
Spec Meth Sour	nod rce	rat OECD 401 ECHA					
	uation/classification	Based on ava		classification	criteria are not met.		
2	2,2,4,6,6-pentamethylheptane	T .	13475-82-6	5000	236-757-0		
LD5		>		5000	mg/kg bodyweight		
Spec Meth Sour	nod	rat OECD 401 ECHA					
3	Hydrocarbons, C11-C12, isoalkanes, < 29	% aromatics	-		918-167-1		
LD5	0	>		5000	mg/kg bodyweight		
Spec Meth Sour	nod	rat OECD 401 ECHA					
4	zinc oxide		1314-13-2		215-222-5		
LD5	0	>		5000	mg/kg bodyweight		
Spec	cies	rat					
Meth	nod	OECD 401					
Soul	rce	ECHA					

_					
Acu	te dermal toxicity				
No	Substance name		CAS no.		EC no.
1	2,2,4,6,6-pentamethylheptane		13475-82-6		236-757-0
LD5	0	2200	-	2500	mg/kg bodyweight
Spe	cies	rabbit			
Soul	rce	ECHA			
2	Hydrocarbons, C11-C12, isoalkanes, < 29	% aromatics	-		918-167-1
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 402			
Soul	rce	ECHA			
3	zinc oxide		1314-13-2		215-222-5
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 402			
Soul	rce	ECHA			

Acu	te inhalational toxicity				
No	Substance name		CAS no.		EC no.
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam μm]		13463-67-7		236-675-5
LC5				5.09	mg/l
	ation of exposure			4	h
State	e of aggregation	Dust			
Spec	cies	rat			
Meth	nod	OECD 403			
Soul	rce	ECHA			
Eval	uation/classification	Based on ava	ailable data, the	classification	r criteria are not met.
2	2,2,4,6,6-pentamethylheptane		13475-82-6		236-757-0
LC5	0	>		5.6	mg/l



Trade name: einzA Renothix, weiss

Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Replaced version: 2.1.0, issued: 25.10.2022 Region: GB

State of aggregation Species Method Source	Dust/mist rat OECD 403 ECHA				
3 zinc oxide		1314-13-2		215-222-	5
LC50	>		5.7	m	ıg/l
Duration of exposure			4	h	
State of aggregation	Dust/mist				
Species	rat				
Method	OECD 403				
Source	ECHA				

Skir	Skin corrosion/irritation						
No	Substance name		CAS no.	EC no.			
1	titanium dioxide; [in powder form contai		13463-67-7	236-675-5			
	more of particles with aerodynamic diam	eter ≤ 10					
	μm]						
Spe		rabbit					
Meth	nod	OECD 404					
Soul	rce	ECHA					
Eval	uation	non-irritant					
Eval	uation/classification	Based on ava	ailable data, the classification	criteria are not met.			
2	2,2,4,6,6-pentamethylheptane		13475-82-6	236-757-0			
Spe	cies	rabbit					
Meth	nod	OECD 404					
Soul	rce	ECHA					
Eval	uation	non-irritant					
3	Hydrocarbons, C11-C12, isoalkanes, < 29	% aromatics	-	918-167-1			
Spe	cies	rabbit					
Meth	nod	OECD 404					
Soul	rce	ECHA					
Eval	uation	non-irritant					
4	zinc oxide		1314-13-2	215-222-5			
Spe	cies	rabbit					
Meth	nod	OECD 404					
Soul	rce	ECHA					
Eval	uation	non-irritant					

Seri	ous eye damage/irritation			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form contai		13463-67-7	236-675-5
	more of particles with aerodynamic dian	neter ≤ 10		
	μm]			
Spe	cies	rabbit		
Meth	nod	OECD 405		
Sou	rce	ECHA		
Eval	uation	non-irritant		
Eval	uation/classification	Based on ava	ailable data, the classif	ication criteria are not met.
2	2,2,4,6,6-pentamethylheptane		13475-82-6	236-757-0
Spe	cies	rabbit		
Meth	nod	OECD 405		
Sou	rce	ECHA		
Eval	uation	non-irritant		
3	Hydrocarbons, C11-C12, isoalkanes, < 2	% aromatics	-	918-167-1
Spe	cies	rabbit		
Meth	nod	OECD 405		
Sou	rce	ECHA		
Eval	uation	non-irritant		
4	zinc oxide		1314-13-2	215-222-5
Spe	cies	rabbit		
Meth	nod	OECD 405		
Sou	rce	ECHA		
Eval	uation	non-irritant		



Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Replaced version: 2.1.0, issued: 25.10.2022 Region: GB

1
l.
ļ
ļ
ļ
ļ
ļ
ļ
ļ
ļ
ļ
ļ
ļ

Ger	m cell mutagenicity				
No	Substance name	CAS no. EC no.			
1	titanium dioxide; [in powder form contai	ining 1 % or 13463-67-7 236-675-5			
	more of particles with aerodynamic dian	neter ≤ 10			
	μm]				
Туре	e of examination	In vitro mammalian cytogenicity			
Meth	nod	OECD 487			
Sou	rce	ECHA			
Eval	luation/classification	Based on available data, the classification criteria are not met.			
Rou	te of exposure	oral			
Туре	e of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte			
		micronucleus			
Spe		rat			
Meth	nod	OECD 474			
Sou		ECHA			
Eval	uation/classification	Based on available data, the classification criteria are not met.			
2	2,2,4,6,6-pentamethylheptane	13475-82-6 236-757-0			
Meth	nod	OECD 478			
Sou		ECHA			
Eval	uation/classification	Based on available data, the classification criteria are not met.			
3	Hydrocarbons, C11-C12, isoalkanes, < 26	2% aromatics - 918-167-1			
Sou		ECHA			
Eval	luation/classification	Based on available data, the classification criteria are not met.			

Rep	oduction toxicity			
No	Substance name	CAS no.	EC no.	



Trade name: einzA Renothix, weiss

Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Replaced version: 2.1.0, issued: 25.10.2022 Region: GB

1 titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm]				
Route of exposure	oral			
NOAEL	>= 1000 mg/kg bw/d			
Type of examination	Reproductive studies - one generation			
Species	rat			
Method	OECD 443			
Source	ECHA			
Evaluation/classification	Based on available data, the classification criteria are not met.			
Route of exposure	oral			
NOAEL	1000 mg/kg bw/d			
Type of examination	Prenatal Developmental Toxicity Study			
Species	rat			
Method	OECD 414			
Source	ECHA			
Evaluation/classification	Based on available data, the classification criteria are not met.			
2 Hydrocarbons, C11-C12, isoalkanes, < 2°	% aromatics - 918-167-1			
Source	ECHA			
Evaluation/classification	Based on available data, the classification criteria are not met.			

Carcinogenicity			
No Substance name		CAS no.	EC no.
titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm]		13463-67-7	236-675-5
Route of exposure	oral		
NOEL		75	00 mg/kg bw/d
Species	mouse		
Source	ECHA		
Evaluation/classification	Based on av	ailable data, the clas	sification criteria are not met.
2 Hydrocarbons, C11-C12, isoalkanes, < 2	2% aromatics	-	918-167-1
Source	ECHA		
Evaluation/classification	Based on av	ailable data, the clas	sification criteria are not met.

STOT - single exposure	
No data available	

STO	T - repeated exposure				
No	Substance name		CAS no.	EC	C no.
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam µm]		13463-67-7	23	6-675-5
Rou	te of exposure	oral			
NOA	AEL	>	96	62	mg/kg bw/d
Spe	nod	rat OECD 408			
Soul		ECHA	211 11 11 11		
	uation/classification	Based on available data, the classification criteria are not met.			
	te of exposure	inhalational			
Spe		rat			
Soul	·	ECHA			
Eval	uation/classification	Based on ava	ailable data, the cla	ssification cri	teria are not met.
2	2,2,4,6,6-pentamethylheptane		13475-82-6	23	6-757-0
Rou	te of exposure	oral			
Spe	cies	rat			
Meth	nod	OECD 408			
Soul	rce	ECHA			
Eval	uation/classification	Based on ava	ailable data, the cla	ssification cri	teria are not met.
Rou	te of exposure	inhalational			
Spe		rat			
Meth	nod	OECD 413			
Soul	rce	ECHA			



Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Reglaced version: 2.1.0, issued: 25.10.2022 Region: GB

Evaluation/classification

Based on available data, the classification criteria are not met.

Aspiration hazard
No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)					
No	Substance name	C	CAS no.	EC no.		
1	2,2,4,6,6-pentamethylheptane	1	3475-82-6	236-757-0		
LC5	0	>	1.2	mg/l		
Dura	ation of exposure		96	h		
Species		Oncorhynchus	mykiss			
Soul	rce	ECHA				

Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)					
No	Substance name	CASı	10.	EC no.		
1	2,2,4,6,6-pentamethylheptane	13475	5-82-6	236-757-0		
EC5	0	>	1.3	mg/l		
Dura	ation of exposure		48	h		
Species		Daphnia magna				
Soul	rce	ECHA				

Toxicity to Daphnia (chronic)

No data available

Toxi	Toxicity to algae (acute)						
No	Substance name	C	AS no.		EC no.		
1	titanium dioxide; [in powder form contain	ning 1 % or 1	3463-67-7		236-675-5		
	more of particles with aerodynamic diam	neter ≤ 10					
	μm]						
EC5	50	>		100	mg/l		
Dura	ation of exposure			72	h		
Spe	cies	Raphidocelis subcapitata					
Meth	nod	OECD 201					
Soul	rce	ECHA					
Evaluation/classification Based on the available data, the classification criteria are not responsible.				net.			

Toxicity to algae (chronic)

No data available

Bacteria toxicity	
No data available	



Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Replaced version: 2.1.0, issued: 25.10.2022 Region: GB

12.2 Persistence and degradability

in a resistence and degradability					
Biod	Biodegradability				
No	Substance name	CAS no.		EC no.	
1	titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm]			236-675-5	
Soul	rce	ECHA			
Eval	uation	Not applicable for inorganic sub	ostances.		
2	2,2,4,6,6-pentamethylheptane	13475-82-6		236-757-0	
Туре		aerobic biodegradation			
Valu	e	8	30	%	
Dura	ation	2	28	day(s)	
Method		OECD 301 F			
Soul	rce	ECHA			
Eval	uation	readily biodegradable			

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.	
1	titanium dioxide; [in powder form containing more of particles with aerodynamic diameter μm]		236-675-5	
Not a	Not applicable			
Soul	rce ECH	IA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment				
PBT assessment	The components of this product are not considered to be a PBT.			
vPvB assessment	The components of this product are not considered to be a vPvB.			

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information	
Do not allow to enter drains or water courses.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste code 08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN



Trade name: einzA Renothix, weiss

Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Replaced version: 2.1.0, issued: 25.10.2022 Region: GB

Class 3
Classification code F1
Packing group III
Hazard identification no. 30
UN number UN1263
Proper shipping name PAINT
Tunnel restriction code D/E
Label 3

Comments Containers with a capacity <= 450 ltrs are not subject to ADR-regulations (refer to

2.2.3.1.5.)

14.2 Transport IMDG

Class 3
Packing group III
UN number UN1263
Proper shipping name PAINT
EmS F-E+S-E

Label 3

Comments Containers with a capacity <= 450 ltrs are not subjected to IMDG regulations,

chapter 4.1, 5.2 and 6.1 (see IMDG-Code 2.3.2.5)

14.3 Transport ICAO-TI / IATA

Class 3
Packing group III
UN number UN1263
Proper shipping name Paint
Label 3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

G	5,7,7,7,11.			
No	Substance name	CAS no.	EC no.	No
1	(R)-p-mentha-1,8-diene	5989-27-5	227-813-5	75
2	Calcium carbonate	471-34-1	207-439-9	75



Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Region: 2.1.0, issued: 25.10.2022 Region: GB

3	citral	5392-40-5	226-394-6	75	
4	Limestone	1317-65-3	215-279-6	75	
5	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7	236-675-5	75	

Directive 2012/18/EU on the control of major-accident hazards involving dangerous s	ubstances
This product is subject to Part I of Annex I, risk category:	P5c

Directive 2010/75/EU on industrial emissions	(integrated pollution prevention and control)
VOC content	25.29 %

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE, Cat.: g, type: lb = 350 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 350 g/l

National regulations

Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H304 May be fatal if swallowed and enters airways.
H351i Suspected of causing cancer by inhalation.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.
 May cause long lasting harmful effects to aquatic life.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5 μm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc.

1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied. It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle

clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a

criterion for classification according to this Regulation.

The concentration stated or, in the absence of such concentrations, the generic

concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated

with reference to the total weight of the mixture.

Creation of the safety data sheet

UMCO GmbH

W

Georg-Wilhelm-Str. 187, D-21107 Hamburg



Trade name: einzA Renothix, weiss

Product no.: 0030842

Current version: 2.2.0, issued: 03.01.2024 Reglaced version: 2.1.0, issued: 25.10.2022 Region: GB

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 758329