

Product no.: 0071351

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier** 1 1

Trade name

## einzA mix Superior RS 1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

coating material

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### Address

einzA Farben GmbH & Co KG

Junkersstraße 13 30179 Hannover

Telephone no. +49 (0)511 67490-0 +49 (0)511 67490-20 Fax no e-mail info@einzA.com

#### **Advice on Safety Data Sheet**

sdb info@umco.de

#### **Emergency telephone number**

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms

#### Signal word

## Hazard statement(s)

Hazard statements (EU) **EUH208** Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-

3-one and 2-methyl-2H -isothiazol-3-one (3:1), 2-methyl-2H-isothiazol-3-one. May produce

an allergic reaction.

**EUH210** Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

#### Precautionary statement(s)



**Product no.: 0071351** 

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

## Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

#### 2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### **Chemical characterization**

Aqueous coating based on a polymer emulsion

**Hazardous ingredients** 

| No | Substance name                 |  | Additional information     |     |
|----|--------------------------------|--|----------------------------|-----|
|    | CAS / EC / Index /<br>REACH no | Classification (EC) 1272/2008 (CLP)              | Concentration              | %   |
| 1  |                                | n powder form containing 1 % or more of          |                            |     |
|    | particles with aeroo           | dynamic diameter ≤ 10 μm]                        |                            |     |
|    | 13463-67-7                     | Carc. 2; H351i                                   | >= 5.00 - < 10.00          | wt% |
|    | 236-675-5                      |  |                            |     |
|    | 022-006-00-2                   |  |                            |     |
|    | 01-2119489379-17               |  |                            |     |
| 2  | bronopol                       |  |                            |     |
|    | 52-51-7                        | Acute Tox. 4; H302                               | < 0.10                     | wt% |
|    | 200-143-0                      | Acute Tox. 4; H312                               |                            |     |
|    | 603-085-00-8                   | Eye Dam. 1; H318                                 |                            |     |
|    | 01-2119980938-15               | Skin Irrit. 2; H315                              |                            |     |
|    |                                | STOT SE 3; H335                                  |                            |     |
|    |                                | Aquatic Acute 1; H400                            |                            |     |
| _  |                                | Aquatic Chronic 2; H411                          |                            |     |
| 3  | 1,2-benzisothiazol-            |  | pls. refer to footnote (1) | 101 |
|    | 2634-33-5                      | Acute Tox. 4*; H302                              | < 0.05                     | wt% |
|    | 220-120-9                      | Eye Dam. 1; H318                                 |                            |     |
|    | 613-088-00-6                   | Skin Irrit. 2; H315                              |                            |     |
|    | -                              | Skin Sens. 1; H317                               |                            |     |
|    |                                | Acute Tox. 2; H330                               |                            |     |
|    |                                | Aquatic Acute 1; H400                            |                            |     |
| _  |                                | Aquatic Chronic 2; H411                          |                            |     |
| 4  |                                | -chloro-2-methyl-4-isothiazolin-3-one and 2-     |                            |     |
|    | methyl-2H -isothiaz            | , ,  | < 0.0015                   | 40/ |
|    | 55965-84-9                     | Acute Tox. 2; H310                               | < 0.0015                   | wt% |
|    | -<br>613-167-00-5              | Acute Tox. 2; H330<br>Acute Tox. 3; H301         |                            |     |
|    | 013-107-00-3                   | Aguatic Acute 1; H400                            |                            |     |
|    | -                              | Aquatic Acute 1, H400<br>Aquatic Chronic 1; H410 |                            |     |
|    |                                | EUH071   |                            |     |
|    |                                | Eye Dam. 1; H318                                 |                            |     |
|    |                                | Skin Corr. 1C; H314                              |                            |     |
|    |                                | Skin Sens. 1A; H317                              |                            |     |
| 5  | 2-methyl-2H-isothia            |  |                            |     |
|    |                                |  |                            |     |



Trade name: einzA mix Superior RS 1

Product no.: 0071351

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

| 2682-20-4    | Acute Tox. 2; H330      | < | 0.10 | wt% |
|--------------|-------------------------|---|------|-----|
| 220-239-6    | Acute Tox. 3; H301      |   |      |     |
| 613-326-00-9 | Acute Tox. 3; H311      |   |      |     |
| -            | Aquatic Acute 1; H400   |   |      |     |
|              | Aquatic Chronic 1; H410 |   |      |     |
|              | EÚH071                  |   |      |     |
|              | Eye Dam. 1; H318        |   |      |     |
|              | Skin Corr. 1B; H314     |   |      |     |
|              | Skin Sens. 1A; H317     |   |      |     |

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*,\*\*,\*\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

| No | Note     | Specific concentration limits   | M-factor<br>(acute) | M-factor<br>(chronic) |
|----|----------|---|---------------------|-----------------------|
| 1  | V, W, 10 | -   | -                   | -                     |
| 2  | -        | -   | M = 10              | -                     |
| 3  | -        | Skin Sens. 1; H317: C >= 0.05%  | -                   | -                     |
| 4  | В        | Skin Sens. 1A; H317: C >= 0.0015%<br>Eye Irrit. 2; H319: C >= 0.06%<br>Skin Irrit. 2; H315: C >= 0.06%<br>Skin Corr. 1C; H314: C >= 0.6%<br>Eye Dam. 1; H318: C >= 0.6% | M = 100             | M = 100               |
| 5  | -        | Skin Sens. 1A; H317: C >= 0.0015%   | M = 10              | M = 1                 |

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

| N | 0 | Route, target organ, concrete effect |
|---|---|--------------------------------------|
| 1 |   | H351i                                |
|   |   | inhalational; -; -                   |

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

#### After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

#### After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

#### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Not combustible under normal conditions. Extinguishing measures to suit surroundings.



Product no.: 0071351

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

#### Unsuitable extinguishing media

No data available.

#### 5.2 Special hazards arising from the substance or mixture

None known.

#### 5.3 Advice for firefighters

Do not allow run-off from fire fighting to enter drains or water courses.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

#### 6.4 Reference to other sections

No data available.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Avoid inhalation of dust from sanding. For personal protection see section 8.

#### General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

#### Advice on protection against fire and explosion

No special measures necessary.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access, No smoking, Keep from freezing,

#### Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

#### Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

#### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Occupational exposure limit values

| No   Substance name | CAS no. | EC no. |
|---------------------|---------|--------|
|---------------------|---------|--------|



Product no.: 0071351

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

| 1 | titanium dioxide; [in powder form containing 1 % or<br>more of particles with aerodynamic diameter ≤ 10<br>μm] | 13463-67-7 | 236-675-5 |
|---|--|------------|-----------|
|   | List of approved workplace exposure limits (WELs) / E  | H40        |           |
|   | Titanium dioxide   |            |           |
|   | total inhalable dust   |            |           |
|   | WEL long-term (8-hr TWA reference period)  | 10         | mg/m³     |
|   | List of approved workplace exposure limits (WELs) / E  | H40        |           |
|   | Titanium dioxide   |            |           |
|   | respirable dust  |            |           |
|   | WEL long-term (8-hr TWA reference period)  | 4          | mg/m³     |

### **DNEL, DMEL and PNEC values**

#### **DNEL** values (worker)

|    | SHEE Values (Worker)   |                     |       |             |       |  |
|----|--|---------------------|-------|-------------|-------|--|
| No | Substance name   |                     |       | CAS / EC no |       |  |
|    | Route of exposure  |                     |       | Value       |       |  |
| 1  | titanium dioxide; [in powder form containing 1 % or more of particles with |                     |       | 13463-67-7  |       |  |
|    | aerodynamic diameter ≤ 10 μm]  |                     |       | 236-675-5   |       |  |
|    | inhalative   | Long term (chronic) | local | 1.25        | mg/m³ |  |

#### **DNEL value (consumer)**

| No | Substance name   |                     |        | CAS / EC no |       |
|----|--|---------------------|--------|-------------|-------|
|    | Route of exposure  | Exposure time       | Effect | Value       |       |
| 1  | titanium dioxide; [in powder form containing 1 % or more of particles with |                     |        | 13463-67-7  |       |
|    | aerodynamic diameter ≤ 10 µm]  |                     |        | 236-675-5   |       |
|    | inhalative   | Long term (chronic) | local  | 210         | μg/m³ |

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

#### Personal protective equipment

#### Respiratory protection

Not necessary. When applied by spraying: Filter A2P2 (DIN EN 14387)

#### Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: nitrile rubber

Material thickness > 0.4mm Breakthrough time 120 min Appropriate Material In case of prolonged exposure: nitrile rubber Material thickness 0.4mm Breakthrough time > 480 min

#### Other

Light protective clothing

#### **Environmental exposure controls**

Do not allow to enter drains or water courses.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### State of aggregation



Trade name: einzA mix Superior RS 1

**Product no.: 0071351** 

μm]
Not applicable
Source

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

| ,                   |   |             |            |       |           |  |
|---------------------|---|-------------|------------|-------|-----------|--|
| liquid              | 1   |             |            |       |           |  |
| Forr                | n   |             |            |       |           |  |
| liqui               |   |             |            |       |           |  |
| Cold                |   |             |            |       |           |  |
| acco                | rding to product name                                       |             |            |       |           |  |
| Odo                 |   |             |            |       |           |  |
|                     | acteristic  |             |            |       |           |  |
| <b>pH v</b><br>Valu | ralue   | 7.0         | - 9.0      |       |           |  |
|                     |   | 7.0         | - 0.0      |       |           |  |
| Valu                | ng point / boiling range                                    |             | 100        | °C    |           |  |
| Melt                | ing point/freezing point                                    | -           |            |       |           |  |
|                     | ata available   |             |            |       |           |  |
| Dec                 | omposition temperature                                      |             |            |       |           |  |
| No c                | ata available   |             |            |       |           |  |
|                     | h point   |             |            |       |           |  |
|                     | applicable  |             |            |       |           |  |
|                     | ion temperature<br>ata available                            |             |            |       |           |  |
|                     |   |             |            |       |           |  |
|                     | lising properties applicable                                |             |            |       |           |  |
|                     | nmability   |             |            |       |           |  |
|                     | applicable  |             |            |       |           |  |
| Low                 | er explosion limit  |             |            |       |           |  |
| No c                | ata available   |             |            |       |           |  |
| Upp                 | er explosion limit  |             |            |       |           |  |
|                     | ata available   |             |            |       |           |  |
| <b>Vapo</b><br>Valu | our pressure  |             | 100        | hPa   |           |  |
|                     | rence temperature   | `           | 50         | °C    |           |  |
| Rela                | tive vapour density   |             |            |       |           |  |
|                     | ata available   |             |            |       |           |  |
|                     | tive density  |             |            |       |           |  |
|                     | ata available   |             |            |       |           |  |
| <b>Den</b><br>Valu  |   | 1.30        | - 1.70     | g/cm³ |           |  |
|                     | rence temperature   | 1.30        | 25         | °C    |           |  |
| Meth                |   | DIN 51757   |            |       |           |  |
|                     | bility in water   | 1           |            |       |           |  |
|                     | ments   | miscible    |            |       |           |  |
| Solu                | bility ata available  |             |            |       |           |  |
|                     |   | la\         |            |       |           |  |
|                     | ition coefficient n-octanol/water (log va<br>Substance name | iue)        | CAS no.    |       | EC no.    |  |
| 1                   | titanium dioxide; [in powder form cont                      |             | 13463-67-7 |       | 236-675-5 |  |
|                     | more of particles with aerodynamic dia                      | ameter ≤ 10 |            |       |           |  |

ECHA



Product no.: 0071351

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

| Kinematic viscosity   |                    |
|-----------------------|--------------------|
| Value                 | 5000 - 15000 mPa*s |
| Reference temperature | 25 °C              |
| Method                | DIN 53019          |

| Solvent separation test |  |
|-------------------------|--|
| Not applicable          |  |

| Particle characteristics |  |
|--------------------------|--|
| No data available        |  |

#### 9.2 Other information

| Other information  |  |
|--------------------|--|
| No data available. |  |

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

#### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

#### 10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

### 10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Acu  | Acute oral toxicity                       |              |                   |                |                         |  |
|------|---|--------------|-------------------|----------------|-------------------------|--|
| No   | Substance name                            |              | CAS no.           |                | EC no.                  |  |
| 1    | titanium dioxide; [in powder form contail | ning 1 % or  | 13463-67-7        |                | 236-675-5               |  |
|      | more of particles with aerodynamic diam   | neter ≤ 10   |                   |                |                         |  |
|      | μm]                                       |              |                   |                |                         |  |
| LD5  | 0   | >            |                   | 2000           | mg/kg bodyweight        |  |
| Spec | cies                                      | rat          |                   |                |                         |  |
| Meth | nod                                       | OECD 401     |                   |                |                         |  |
| Sour | rce                                       | ECHA         |                   |                |                         |  |
| Eval | uation/classification                     | Based on ava | ailable data, the | classification | n criteria are not met. |  |

# Acute dermal toxicity No data available

| Acute inhalational toxicity |   |             |                  |               |                           |  |
|-----------------------------|---|-------------|------------------|---------------|---------------------------|--|
| No                          | Substance name  |             | CAS no.          |               | EC no.                    |  |
| 1                           | titanium dioxide; [in powder form cont more of particles with aerodynamic dia |             | 13463-67-7       |               | 236-675-5                 |  |
|                             | μm]   |             |                  |               |                           |  |
| LC5                         | 0   |             |                  | 5.09          | mg/l                      |  |
| Dura                        | ation of exposure   |             |                  | 4             | h                         |  |
| State                       | e of aggregation  | Dust        |                  |               |                           |  |
| Spec                        | cies  | rat         |                  |               |                           |  |
| Meth                        | nod   | OECD 403    |                  |               |                           |  |
| Source                      |   | ECHA        |                  |               |                           |  |
| Eval                        | uation/classification   | Based on av | ailable data, th | e classificat | ion criteria are not met. |  |



**Product no.:** 0071351

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

| Skir | n corrosion/irritation                   |             |                        |                                   |
|------|--|-------------|------------------------|-----------------------------------|
| No   | Substance name                           |             | CAS no.                | EC no.                            |
| 1    | titanium dioxide; [in powder form contai | ning 1 % or | 13463-67-7             | 236-675-5                         |
|      | more of particles with aerodynamic dian  |             |                        |                                   |
|      | μm]                                      |             |                        |                                   |
| Spe  | cies                                     | rabbit      |                        |                                   |
| Meth | nod                                      | OECD 404    |                        |                                   |
| Soul | Source                                   |             |                        |                                   |
| Eval | Evaluation                               |             |                        |                                   |
| Eval | Evaluation/classification                |             | ailable data, the clas | ssification criteria are not met. |

| Seri   | Serious eye damage/irritation   |              |                        |                                   |  |  |  |
|--------|---|--------------|------------------------|-----------------------------------|--|--|--|
| No     | Substance name  |              | CAS no.                | EC no.                            |  |  |  |
| 1      | titanium dioxide; [in powder form contain more of particles with aerodynamic diam |              | 13463-67-7             | 236-675-5                         |  |  |  |
|        | μm]   | •            |                        |                                   |  |  |  |
| Spec   | cies  | rabbit       |                        |                                   |  |  |  |
| Meth   | nod   | OECD 405     |                        |                                   |  |  |  |
| Source |   | ECHA         |                        |                                   |  |  |  |
| Eval   | Evaluation  |              |                        |                                   |  |  |  |
| Eval   | uation/classification   | Based on ava | ailable data, the clas | ssification criteria are not met. |  |  |  |

| Res  | Respiratory or skin sensitisation   |   |                   |  |  |  |  |
|------|---|---|-------------------|--|--|--|--|
| No   | Substance name  | CAS no. EC  | no.               |  |  |  |  |
| 1    | titanium dioxide; [in powder form contain<br>more of particles with aerodynamic diam<br>µm] |   | -675-5            |  |  |  |  |
| Rou  | te of exposure  | Skin  |                   |  |  |  |  |
| Spec | cies  | mouse   |                   |  |  |  |  |
| Meth | nod   | OECD 429  |                   |  |  |  |  |
| Soul | rce   | ECHA  |                   |  |  |  |  |
| Eval | uation  | non-sensitizing                                   |                   |  |  |  |  |
| Eval | uation/classification   | Based on available data, the classification crite | eria are not met. |  |  |  |  |

| Germ cell mutagenicity  |   |  |  |  |
|---|---|--|--|--|
| No Substance name   | CAS no. EC no.  |  |  |  |
| 1 titanium dioxide; [in powder form conta more of particles with aerodynamic diameters] |   |  |  |  |
| μm]   |   |  |  |  |
| Type of examination   | In vitro mammalian cytogenicity                                   |  |  |  |
| Method  | OECD 487  |  |  |  |
| Source  | ECHA  |  |  |  |
| Evaluation/classification   | Based on available data, the classification criteria are not met. |  |  |  |
| Route of exposure   | oral  |  |  |  |
| Type of examination   | In vivo mammalian somatic cell study: cytogenicity / erythrocyte  |  |  |  |
|   | micronucleus  |  |  |  |
| Species   | rat   |  |  |  |
| Method  | OECD 474  |  |  |  |
| Source  | ECHA  |  |  |  |
| Evaluation/classification   | Based on available data, the classification criteria are not met. |  |  |  |

| Rep    | Reproduction toxicity  |                                       |                     |               |                       |  |
|--------|--|---------------------------------------|---------------------|---------------|-----------------------|--|
| No     | Substance name   |                                       | CAS no.             |               | EC no.                |  |
| 1      | titanium dioxide; [in powder form contain more of particles with aerodynamic diam [μm] |                                       | 13463-67-7          |               | 236-675-5             |  |
| Rout   | te of exposure   | oral                                  |                     |               |                       |  |
| NOA    | AEL .  | >=                                    |                     | 1000          | mg/kg bw/d            |  |
| Туре   | e of examination   | Reproductive studies - one generation |                     |               |                       |  |
| Spec   | cies   | rat                                   |                     |               |                       |  |
| Method |  | OECD 443                              |                     |               |                       |  |
| Soul   | rce  | ECHA                                  |                     |               |                       |  |
| Eval   | uation/classification  | Based on av                           | ailable data, the c | lassification | criteria are not met. |  |



**Product no.: 0071351** 

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

| Route of exposure         | oral  |
|---------------------------|---|
| NOAEL                     | 1000 mg/kg bw/d   |
| Type of examination       | Prenatal Developmental Toxicity Study                             |
| Species                   | rat   |
| Method                    | OECD 414  |
| Source                    | ECHA  |
| Evaluation/classification | Based on available data, the classification criteria are not met. |

| Card | Carcinogenicity   |             |                         |                                 |  |  |
|------|---|-------------|-------------------------|---------------------------------|--|--|
| No   | Substance name  |             | CAS no.                 | EC no.                          |  |  |
| 1    | titanium dioxide; [in powder form contain<br>more of particles with aerodynamic diam<br>um] |             | 13463-67-7              | 236-675-5                       |  |  |
| D    |   |             |                         |                                 |  |  |
| Rou  | te of exposure  | oral        |                         |                                 |  |  |
| NOE  | iL  |             | 750                     | 0 mg/kg bw/d                    |  |  |
| Spec | cies  | mouse       |                         |                                 |  |  |
| Sour | rce   | ECHA        |                         |                                 |  |  |
| Eval | uation/classification   | Based on av | ailable data, the class | ification criteria are not met. |  |  |

## STOT - single exposure No data available

| STO  | T - repeated exposure  |   |                         |                                 |
|------|--|---|-------------------------|---------------------------------|
| No   | Substance name   |   | CAS no.                 | EC no.                          |
| 1    | titanium dioxide; [in powder form contai<br>more of particles with aerodynamic dian<br>μm] |   | 13463-67-7              | 236-675-5                       |
| Rou  | te of exposure   | oral  |                         |                                 |
| NOA  | <b>NEL</b>   | >   | 962                     | mg/kg bw/d                      |
| Spe  | cies   | rat   |                         |                                 |
| Meth | nod  | OECD 408  |                         |                                 |
| Soul | rce  | ECHA  |                         |                                 |
| Eval | uation/classification  | Based on available data, the classification criteria are not met. |                         |                                 |
| Rou  | te of exposure   | inhalational  |                         |                                 |
| Spe  | cies   | rat   |                         |                                 |
| Soul | rce  | ECHA  |                         |                                 |
| Eval | uation/classification  | Based on av   | ailable data, the class | ification criteria are not met. |

# Aspiration hazard No data available

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

The liquid splashed in the eyes may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### 11.2 Information on other hazards

## **Endocrine disrupting properties**

No data available.

#### Other information

No data available.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

| •                        |  |
|--------------------------|--|
| Toxicity to fish (acute) |  |
| No data available        |  |

| Toxicity to fish (chronic) |  |
|----------------------------|--|
| No data available          |  |

# Toxicity to Daphnia (acute) No data available



**Product no.: 0071351** 

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

Toxicity to Daphnia (chronic)

No data available

| Toxi    | Toxicity to algae (acute)  |                          |            |           |        |  |
|---------|--|--------------------------|------------|-----------|--------|--|
| No      | Substance name   |                          | CAS no.    | EC no.    | EC no. |  |
| 1       | titanium dioxide; [in powder form contain<br>more of particles with aerodynamic diam<br>µm]    |                          | 13463-67-7 | 236-675-5 |        |  |
| EC50    |  | >                        | 100        | mg/l      |        |  |
| Dura    | ation of exposure  |                          | 72         | h         |        |  |
| Species |  | Raphidocelis subcapitata |            |           |        |  |
| Method  |  | OECD 201                 |            |           |        |  |
| Source  |  | ECHA                     |            |           |        |  |
| Eval    | Evaluation/classification Based on the available data, the classification criteria are not met |                          |            | net.      |        |  |

Toxicity to algae (chronic)

No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability

| Biod       | Biodegradability  |  |        |  |
|------------|---|--|--------|--|
| No         | Substance name  | CAS no.                                  | EC no. |  |
| 1          | titanium dioxide; [in powder form containing 1 % or 13463-67-7 236-675-5 more of particles with aerodynamic diameter ≤ 10 μm] |  |        |  |
| Source     |   | ECHA                                     |        |  |
| Evaluation |   | Not applicable for inorganic substances. |        |  |

12.3 Bioaccumulative potential

| Part        | artition coefficient n-octanol/water (log value)   |       |         |          |  |
|-------------|--|-------|---------|----------|--|
| No          | Substance name   | CAS r | io. E   | C no.    |  |
| 1           | 1 titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] |       | -67-7 2 | 36-675-5 |  |
| Not         | Not applicable   |       |         |          |  |
| Source ECHA |  | ECHA  |         |          |  |

#### 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

| _ |                                    |   |  |  |
|---|------------------------------------|---|--|--|
|   | Results of PBT and vPvB assessment |   |  |  |
|   | PBT assessment                     | The components of this product are not considered to be a PBT.  |  |  |
|   | vPvB assessment                    | The components of this product are not considered to be a vPvB. |  |  |

## 12.6 Endocrine disrupting properties

No data available.

### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

| Other information                              |  |  |  |
|--|--|--|--|
| Do not allow to enter drains or water courses. |  |  |  |

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### **Product**

Waste code 08 01 12 waste paint and varnish other than those mentioned in 08 01 11 The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.



Product no.: 0071351

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

#### **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

## **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

## 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

## Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006

| dillox XVII. |  |            |           |    |
|--------------|--|------------|-----------|----|
| No           | Substance name   | CAS no.    | EC no.    | No |
| 1            | 1,2-benzisothiazol-3(2H)-one   | 2634-33-5  | 220-120-9 | 75 |
| 2            | bronopol   | 52-51-7    | 200-143-0 | 75 |
| 3            | Calcium carbonate  | 471-34-1   | 207-439-9 | 75 |
| 4            | Chlorite-group minerals  | 1318-59-8  | 215-285-9 | 75 |
| 5            | Limestone  | 1317-65-3  | 215-279-6 | 75 |
| 6            | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)               | 55965-84-9 | -         | 75 |
| 7            | titanium dioxide; [in powder form containing 1 % or<br>more of particles with aerodynamic diameter ≤ 10<br>μm] | 13463-67-7 | 236-675-5 | 75 |

## Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.



Trade name: einzA mix Superior RS 1

Product no.: 0071351

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE, Cat.: a, type: lb = 30 g/l

Max. VOC content (limit value) of the product in its ready for use condition = < 30 g/l

#### **National regulations**

#### Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

## Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

W

H335 May cause respiratory irritation.

H351i Suspected of causing cancer by inhalation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

## Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at

various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight

basis.

V If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5

µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle

clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a

criterion for classification according to this Regulation.

Page 12 of 13



Trade name: einzA mix Superior RS 1

**Product no.: 0071351** 

Current version: 6.1.0, issued: 08.08.2023 Replaced version: 6.0.0, issued: 23.08.2021 Region: GB

1

The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.

#### Creation of the safety data sheet

**UMCO GmbH** 

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 655334