

**Trade name:** einzA Wischpflege Elastic**Product no.:** 0027188**Current version:** 1.0.1, Revision: 25.02.2026**Replaced version:** 1.0.0, Revision: 28.01.2026**Region:**  
GER**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****einzA Wischpflege Elastic****UFI:**

JYK6-51MU-J00M-RK51

**1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

processing aids

**Uses advised against**

No data available.

**1.3 Details of the supplier of the safety data sheet****Address**

einzA Farben GmbH &amp; Co KG

Junkersstraße 13

30179 Hannover

Telephone no. +49 (0)511 67490-0

Fax no. +49 (0)511 67490-20

e-mail info@einza.com

**Information provided by / telephone**

In emergencies, the country-specific emergency number can be found in the corresponding country-specific safety data sheets.

**Advice on Safety Data Sheet**

sdb\_info@umco.de

**1.4 Emergency telephone number**

+49 (0)40 0511 - 674 90-0

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Dam. 1; H318

Skin Sens. 1; H317

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05



GHS07

**Signal word**

Danger

**Hazardous component(s) to be indicated on label:**

Trade name: einZA Wischpflege Elastic

Product no.: 0027188

Current version: 1.0.1, Revision: 25.02.2026

Replaced version: 1.0.0, Revision: 28.01.2026

Region:  
GER

D-Glucopyranose, oligomeric, decyl octyl glycosides  
Oxirane, 2-phenyl-, polymer with oxirane, mono-C12-14-alkyl ethers, phosphates

**Hazard statement(s)**

H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.

**Precautionary statement(s)**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P501 Dispose of contents/container to a facility in accordance with local and national regulations.

**UFI:**

JYK6-51MU-J00M-RK51

**Supplemental label elements**

Regulation (EC) No 648/2004 on detergents (Annex VII):  
5-15% non-ionic surfactants  
Perfumings

**2.3 Other hazards**

The product does not contain any components > 0.1% that meet the criteria for PBT and vPvB according to Regulation (EC) No. 1907/2006, Annex XIII, or that have been included in the list compiled in accordance with Article 59(1). This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	<b>sodium carbonate</b>		
	497-19-8 207-838-8 011-005-00-2 01-2119485498-19	Eye Irrit. 2; H319	< 5,00 wt%
2	<b>D-Glucopyranose, oligomeric, decyl octyl glycosides</b>		
	68515-73-1 500-220-1 - 01-2119488530-36	Eye Dam. 1; H318	< 5,00 wt%
3	<b>Citric acid</b>		
	77-92-9 201-069-1 607-750-00-3 01-2119457026-42	Eye Irrit. 2; H319 STOT SE 3; H335	< 2,50 wt%
4	<b>Oxirane, 2-phenyl-, polymer with oxirane, mono-C12-14-alkyl ethers, phosphates</b>		
	1437065-34-3 - - -	Skin Sens. 1B; H317	< 2,50 wt%

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

**Trade name:** einZA Wischpflege Elastic

**Product no.:** 0027188

**Current version:** 1.0.1, Revision: 25.02.2026

**Replaced version:** 1.0.0, Revision: 28.01.2026

**Region:**  
GER

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

#### After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

#### After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

#### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Not combustible under normal conditions. Extinguishing measures to suit surroundings.

#### Unsuitable extinguishing media

No data available.

### 5.2 Special hazards arising from the substance or mixture

None known.

### 5.3 Advice for firefighters

Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

### 6.2 Environmental precautions

If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

### 6.4 Reference to other sections

No data available.

## SECTION 7: Handling and storage

Trade name: einza Wischpflege Elastic

Product no.: 0027188

Current version: 1.0.1, Revision: 25.02.2026

Replaced version: 1.0.0, Revision: 28.01.2026

Region:  
GER

**7.1 Precautions for safe handling**

**Advice on safe handling**

Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Avoid inhalation of dust from sanding. For personal protection see section 8.

**General protective and hygiene measures**

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

**Advice on protection against fire and explosion**

No special measures necessary.

**7.2 Conditions for safe storage, including any incompatibilities**

**Technical measures and storage conditions**

Comply with legal health and safety regulations; Storage in accordance with the Ordinance on Industrial Safety and Health. Prevent unauthorised access. No smoking. Keep from freezing.

**Requirements for storage rooms and vessels**

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

**Incompatible products**

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

**Storage Class according TRGS 510**

12 Non-combustible liquids that cannot be assigned to any of the above LGKs.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	Citric acid	77-92-9	201-069-1
	<b>TRGS 900</b>		
	Zitronensäure		
	WEL long-term (8-hr TWA reference period)	2 E	mg/m <sup>3</sup>
	Ceiling Limit	2 (I)	
	Notes	Y	

**DNEL, DMEL and PNEC values**

**DNEL values (worker)**

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	sodium carbonate			497-19-8 207-838-8
	inhalative	Long term (chronic)	local	10 mg/m <sup>3</sup>
2	D-Glucopyranose, oligomeric, decyl octyl glycosides			68515-73-1 500-220-1
	dermal	Long term (chronic)	systemic	595000 mg/kg/day
	inhalative	Long term (chronic)	systemic	420 mg/m <sup>3</sup>

**DNEL value (consumer)**

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	sodium carbonate			497-19-8 207-838-8
	inhalative	Long term (chronic)	local	5 mg/m <sup>3</sup>

**Trade name:** einZA Wischpflege Elastic

**Product no.:** 0027188

**Current version:** 1.0.1, Revision: 25.02.2026

**Replaced version:** 1.0.0, Revision: 28.01.2026

**Region:**  
GER

2	<b>D-Glucopyranose, oligomeric, decyl octyl glycosides</b>			<b>68515-73-1</b> <b>500-220-1</b>
	oral	Long term (chronic)	systemic	35,7 mg/kg/day
	dermal	Long term (chronic)	systemic	357000 mg/kg/day
	inhalative	Long term (chronic)	systemic	124 mg/m <sup>3</sup>

**PNEC values**

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	<b>D-Glucopyranose, oligomeric, decyl octyl glycosides</b>		<b>68515-73-1</b> <b>500-220-1</b>
	water	fresh water	0,176 mg/L
	water	marine water	0,0176 mg/L
	water	fresh water sediment	1,516 mg/kg dry weight
	water	marine water sediment	0,152 mg/kg dry weight
	soil	-	0,654 mg/kg dry weight
	sewage treatment plant	-	560 mg/L
	secondary poisoning	-	111,11 mg/kg food

## 8.2 Exposure controls

**Appropriate engineering controls**

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

**Personal protective equipment**

**Respiratory protection**

Not necessary. When applied by spraying: Filter A2P2 (DIN EN 14387)

**Eye / face protection**

Wear safety goggles to protect against splashes. Safety glasses with side protection shield (EN 166)

**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: nitrile rubber

Material thickness > 0,4 mm

Breakthrough time > 120 min

Appropriate Material In case of prolonged exposure: nitrile rubber

Material thickness > 0,4 mm

Breakthrough time > 480 min

**Other**

Light protective clothing

**Environmental exposure controls**

Do not allow to enter drains or water courses.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>State of aggregation</b>	liquid
<b>Form</b>	liquid
<b>Colour</b>	

**Trade name:** einzA Wischpflege Elastic

**Product no.:** 0027188

**Current version:** 1.0.1, Revision: 25.02.2026

**Replaced version:** 1.0.0, Revision: 28.01.2026

**Region:**  
GER

according to product name

**Odour**  
characteristic

**pH value**  
Value 11,0 - 11,5

**Boiling point / boiling range**  
Value 100 °C

**Melting point/freezing point**  
No data available

**Decomposition temperature**  
No data available

**Flash point**  
Not applicable

**Ignition temperature**  
No data available

**Oxidising properties**  
Not applicable

**Flammability**  
Not applicable

**Lower explosion limit**  
No data available

**Upper explosion limit**  
No data available

**Vapour pressure**  
Value < 100 hPa  
Reference temperature 50 °C

**Relative vapour density**  
No data available

**Relative density**  
No data available

**Density**  
Value 1,00 - 1,10 g/cm<sup>3</sup>  
Reference temperature 20 °C  
Method DIN 51757

**Solubility in water**  
Comments miscible

**Solubility**  
No data available

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	Citric acid	77-92-9	201-069-1
log Pow		-1,6	- -1,8
Source		ECHA	

**Kinematic viscosity**  
Value 10 - 13 sec  
Reference temperature 20 °C  
Method DIN EN 2431 (4 mm)

**Solvent separation test**

Trade name: einZA Wischpflege Elastic

Product no.: 0027188

Current version: 1.0.1, Revision: 25.02.2026

Replaced version: 1.0.0, Revision: 28.01.2026

Region:  
GER

Not applicable

**Particle characteristics**

No data available

**9.2 Other information****Other information**

No data available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Stable under recommended storage and handling conditions (See section 7).

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

**10.4 Conditions to avoid**

Heat, naked flames and other ignition sources.

**10.5 Incompatible materials**

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

**10.6 Hazardous decomposition products**

None if stored, handled and transported properly. In case of fire: see section 5.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	sodium carbonate	497-19-8	207-838-8
LD50		2800	mg/kg bodyweight
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	500-220-1
LD50		> 2000	mg/kg bodyweight
Species	rat		
Method	OECD 423		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	Citric acid	77-92-9	201-069-1
LD50		5400	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	sodium carbonate	497-19-8	207-838-8
LD50		> 2000	mg/kg bodyweight
Species	rabbit		
Method	EPA 16 CFR 1500.40		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	500-220-1
LD50		> 2000	mg/kg bodyweight
Species	rabbit		

Trade name: einzA Wischpflege Elastic

Product no.: 0027188

Current version: 1.0.1, Revision: 25.02.2026

Replaced version: 1.0.0, Revision: 28.01.2026

Region:  
GER

Method	OECD 402
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
<b>3</b>	<b>Citric acid</b> <b>77-92-9</b> <b>201-069-1</b>
LD50	> 2000 mg/kg bodyweight
Species	rabbit
Method	OECD 402
Source	ECHA

<b>Acute inhalational toxicity</b>
No data available

<b>Skin corrosion/irritation</b>			
<b>No</b>	<b>Substance name</b>	<b>CAS no.</b>	<b>EC no.</b>
<b>1</b>	<b>sodium carbonate</b>	<b>497-19-8</b>	<b>207-838-8</b>
Duration of exposure		4	h
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>2</b>	<b>Citric acid</b>	<b>77-92-9</b>	<b>201-069-1</b>
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		

<b>Serious eye damage/irritation</b>			
<b>No</b>	<b>Substance name</b>	<b>CAS no.</b>	<b>EC no.</b>
<b>1</b>	<b>sodium carbonate</b>	<b>497-19-8</b>	<b>207-838-8</b>
Duration of exposure		72	h
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
Evaluation/classification	Based on available data, the classification criteria are met.		
<b>2</b>	<b>D-Glucopyranose, oligomeric, decyl octyl glycosides</b>	<b>68515-73-1</b>	<b>500-220-1</b>
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	Irreversible effects on the eye		
Evaluation/classification	Based on available data, the classification criteria are met.		
<b>3</b>	<b>Citric acid</b>	<b>77-92-9</b>	<b>201-069-1</b>
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	Irritating to eyes		

<b>Respiratory or skin sensitisation</b>			
<b>No</b>	<b>Substance name</b>	<b>CAS no.</b>	<b>EC no.</b>
<b>1</b>	<b>D-Glucopyranose, oligomeric, decyl octyl glycosides</b>	<b>68515-73-1</b>	<b>500-220-1</b>
Route of exposure	Skin		
Species	guinea pig		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		

<b>Germ cell mutagenicity</b>			
<b>No</b>	<b>Substance name</b>	<b>CAS no.</b>	<b>EC no.</b>
<b>1</b>	<b>sodium carbonate</b>	<b>497-19-8</b>	<b>207-838-8</b>
Type of examination	Bacterial Reverse Mutation Test		
Species	S.typhimurium, TA97, TA102		
Method	OECD 471		

Trade name: einZA Wischpflege Elastic

Product no.: 0027188

Current version: 1.0.1, Revision: 25.02.2026

Replaced version: 1.0.0, Revision: 28.01.2026

Region:  
GER

Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	500-220-1
NOAEL			
Species		rat	
Method		OECD 421	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity
No data available

STOT - single exposure
No data available

STOT - repeated exposure
No data available

Aspiration hazard
No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure
The liquid splashed in the eyes may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

## 11.2 Information on other hazards

Endocrine disrupting properties
No data available

**Other information**  
No data available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	sodium carbonate	497-19-8	207-838-8
LC50		300	mg/l
Duration of exposure		96	h
Species		Lepomis macrochirus	
Source		ECHA	
2	D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	500-220-1
LC50		126	mg/l
Duration of exposure		96	h
Species		Danio rerio	
Method		OECD 203	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Toxicity to fish (chronic)			
No	Substance name	CAS no.	EC no.
1	D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	500-220-1
NOEC		1,8	mg/l
Duration of exposure		28	day(s)
Species		Brachydanio rerio	
Method		OECD 204	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Trade name: einzA Wischpflege Elastic

Product no.: 0027188

Current version: 1.0.1, Revision: 25.02.2026

Replaced version: 1.0.0, Revision: 28.01.2026

Region:  
GER

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	sodium carbonate	497-19-8	207-838-8
EC50		200 - 227	mg/l
Duration of exposure		48	h
Species	Ceriodaphnia spec		
Source	ECHA		
2	D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	500-220-1
EC50		> 100	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	Citric acid	77-92-9	201-069-1
EC50		1535	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	500-220-1
NOEC		1	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	OECD 202		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	500-220-1
EC50		27,22	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	Citric acid	77-92-9	201-069-1
NOEC		425	mg/l
Duration of exposure		8	day(s)
Species	Scenedesmus quadricauda		
Source	ECHA		

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	500-220-1
EC50		> 560	mg/l
Duration of exposure		6	h
Species	Pseudomonas putida		
Method	Bringmann and Kuehn (1977)		
Source	ECHA		

## 12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	500-220-1
Type	DOC decrease		
Value		100	%

**Trade name:** einZA Wischpflege Elastic

**Product no.:** 0027188

**Current version:** 1.0.1, Revision: 25.02.2026

**Replaced version:** 1.0.0, Revision: 28.01.2026

**Region:**  
GER

Duration	28	day(s)
Method	OECD 301 E	
Source	ECHA	
Evaluation	readily biodegradable	

## 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	Citric acid	77-92-9	201-069-1
log Pow	-1,6	-	-1,8
Source	ECHA		

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

No data available.

## 12.6 Endocrine disrupting properties

No data available.

## 12.7 Other adverse effects

No data available.

## 12.8 Other information

Other information
Do not allow to enter drains or water courses.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste code 08 01 12 waste paint and varnish other than those mentioned in 08 01 11  
The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

## SECTION 14: Transport information

### 14.1 UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

### 14.2 UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

### 14.3 Transport hazard class(es)

Not classified as dangerous in the meaning of transport regulations.

### 14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

### 14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

### 14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Trade name: einza Wischpflege Elastic

Product no.: 0027188

Current version: 1.0.1, Revision: 25.02.2026

Replaced version: 1.0.0, Revision: 28.01.2026

Region:  
GER**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	citral	5392-40-5	226-394-6	75
2	Citric acid	77-92-9	201-069-1	75
3	phosphoric acid	7664-38-2	231-633-2	75
4	sodium carbonate	497-19-8	207-838-8	75

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**National regulations****Water Hazard Class (Germany)**

Class

1

Source

Classification according to AwSV (Regulation on facilities for handling substances that are hazardous to water).

**Other regulations**

The surfactants contained in this product comply with the DetVO 648/2004/EC.

GISCODE GU73 Maintenance cleaner, solvent free, irritant (including severe eye damage)

**Other national regulations**

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment. For example, TRGS (Technical Rules for Hazardous Substances) and the DGUV (German Social Accident Insurance) rules.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H319

Causes serious eye irritation.

**Trade name:** einZA Wischpflege Elastic

**Product no.:** 0027188

**Current version:** 1.0.1, Revision: 25.02.2026

**Replaced version:** 1.0.0, Revision: 28.01.2026

**Region:**  
GER

H335 May cause respiratory irritation.

### Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

This document is an English translation of the legally compliant safety data sheet of the region Germany. This document, including UFI and emergency telephone number, may only be used for placing on the market in the region Germany.

Copyright-protected document. Any changes or reproductions require the express consent of UMCO GmbH.

Prod-ID 796840