

**Product no.:** 0071578

Current version: 7.3.0. issued: 21.12.2023 Replaced version: 7.2.1, issued: 14.03.2023 Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier** 1 1

Trade name

#### einzA mix Aquamatt Sprayfiller, Basis 1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

decorative paints/finishes

#### Uses advised against

No data available

#### 1.3 Details of the supplier of the safety data sheet

#### Address

einzA Farben GmbH & Co KG

Junkersstraße 13 30179 Hannover

Telephone no. +49 (0)511 67490-0 +49 (0)511 67490-20 Fax no e-mail info@einzA.com

#### **Advice on Safety Data Sheet**

sdb info@umco.de

#### **Emergency telephone number**

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms

#### Signal word

## Hazard statement(s)

#### Hazard statements (EU)

**EUH208** Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-

3-one and 2-methyl-2H -isothiazol-3-one (3:1). May produce an allergic reaction.

**EUH210** Safety data sheet available on request.

**EUH211** Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

#### Precautionary statement(s)

#### Labelling information



Trade name: einzA mix Aquamatt Sprayfiller, Basis 1

**Product no.: 0071578** 

Current version: 7.3.0, issued: 21.12.2023 Reglaced version: 7.2.1, issued: 14.03.2023 Region: GB

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

#### 2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

**Hazardous ingredients** 

No					
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Conce	entration	%
1		n powder form containing 1 % or more of			
		dynamic diameter ≤ 10 μm]			
	13463-67-7	Carc. 2; H351i	>=	10.00 - < 25.00	wt%
	236-675-5				
	022-006-00-2				
	01-2119489379-17				
2		YLETHOXY)PROPANOL		0.70	101
	34590-94-8	-	<	2.50	wt%
	252-104-2				
	-				
_	01-2119450011-60				
3	Quartz (SiO2)			0.70	101
	14808-60-7	-	<	2.50	wt%
	238-878-4				
	-				
	-				
4	propylidynetrimeth				
	77-99-6	Repr. 2; H361fd	<	0.50	wt%
	201-074-9				
	-				
	01-2119486799-10		_		
5	1,2-benzisothiazol-			efer to footnote (1)	
	2634-33-5	Acute Tox. 4*; H302	<	0.05	wt%
	220-120-9	Eye Dam. 1; H318			
	613-088-00-6	Skin Irrit. 2; H315			
	-	Skin Sens. 1; H317			
		Acute Tox. 2; H330			
		Aquatic Acute 1; H400			
^		Aquatic Chronic 2; H411			
6	pyridine-2-thiol 1-o		_	0.40	10/
	3811-73-2	EUH070	<	0.10	wt%
	223-296-5	Acute Tox. 4; H302			
	613-344-00-7	Acute Tox. 3; H311			
	-	Acute Tox. 3; H331			
		Skin Irrit. 2; H315			
		Skin Sens. 1; H317			
		Eye Irrit. 2; H319			
		STOT RE 1; H372			
		Aquatic Acute 1; H400			
		Aquatic Chronic 2; H411			
7		-chloro-2-methyl-4-isothiazolin-3-one and 2-			
	methyl-2H -isothiaz	201-3-one (3:1)			



Trade name: einzA mix Aquamatt Sprayfiller, Basis 1

**Product no.: 0071578** 

Current version: 7.3.0, issued: 21.12.2023 Region: 7.2.1, issued: 14.03.2023 Region: GB

55965-84-9	Acute Tox. 2; H310	<	0.0015	wt%
-	Acute Tox. 2; H330			
613-167-00-5	Acute Tox. 3; H301			
-	Aquatic Acute 1; H400			
	Aquatic Chronic 1; H410			
	EÚH071			
	Eye Dam. 1; H318			
	Skin Corr. 1C; H314			
	Skin Sens. 1A; H317			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*,\*\*,\*\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	V, W, 10	-	-	-
5	-	Skin Sens. 1; H317: C >= 0.05%	-	-
6	-	-	M = 100	-
7	В	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06% Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%	M = 100	M = 100

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
1	H351i
	inhalational; -; -
6	H372
	-: nervous system: -

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

#### After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

#### After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

#### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media



Trade name: einzA mix Aquamatt Sprayfiller, Basis 1

**Product no.:** 0071578

Current version: 7.3.0, issued: 21.12.2023 Reglaced version: 7.2.1, issued: 14.03.2023 Region: GB

Alcohol resistant foam, CO2, powders, water spray

#### Unsuitable extinguishing media

water jet.

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Toxic pyrolysis products; Exposure to decomposition products may cause a health hazard.

#### 5.3 Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses. Appropriate breathing apparatus may be required.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

#### 6.4 Reference to other sections

No data available.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Due to the organic solvents' content of the mixture: Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

#### General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

#### Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

#### Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

#### Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.



**Product no.: 0071578** 

Current version: 7.3.0, issued: 21.12.2023 Reglaced version: 7.2.1, issued: 14.03.2023 Region: GB

#### 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5	
	more of particles with aerodynamic diameter ≤ 10				
	μm]				
	List of approved workplace exposure limits (WELs) /	EH40			
	Titanium dioxide				
	total inhalable dust				
	WEL long-term (8-hr TWA reference period)	10	mg/m³		
	List of approved workplace exposure limits (WELs) /	EH40			
	Titanium dioxide				
	respirable dust	1			
	WEL long-term (8-hr TWA reference period)	4	mg/m³		
2	(2-METHOXYMETHYLETHOXY)PROPANOL	34590-94-8		252-104-2	
	2000/39/EC				
	(2-Methoxymethylethoxy)-propanol	1			
	WEL long-term (8-hr TWA reference period)	308	mg/m³	50	ppm
	Skin resorption / sensibilisation	Skin			
	List of approved workplace exposure limits (WELs) /	EH40			
	(2-Methoxymethylethoxy) propanol	1			
	WEL long-term (8-hr TWA reference period)	308	mg/m³	50	ppm
	Comments	Sk			
3	Quartz (SiO2)	14808-60-7		238-878-4	
	2004/37/EC				
	Respirable crystalline silica dust	1			
	WEL long-term (8-hr TWA reference period)	0,1 (9 )	mg/m³		

#### **DNEL, DMEL and PNEC values**

#### **DNEL values (worker)**

No	Substance name	CAS / EC no			
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in powo	ler form containing 1 % or	more of particles with	13463-67-7	
	aerodynamic diameter ≤ 10 µm]				
	inhalative	Long term (chronic)	local	1.25	mg/m³
2	propylidynetrimethanol			77-99-6	
				201-074-9	
	dermal	Long term (chronic)	systemic	0.94	mg/kg/day
	inhalative	Long term (chronic)	systemic	3.30	mg/m³

#### **DNEL value (consumer)**

No	Substance name	CAS / EC no			
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in powo	ler form containing 1 % or	more of particles with	13463-67-7	
	aerodynamic diameter ≤ 1	0 μm]		236-675-5	
	inhalative	Long term (chronic)	local	210	μg/m³
2	propylidynetrimethanol			77-99-6	
				201-074-9	
	oral	Long term (chronic)	systemic	0.34	mg/kg/day
	dermal	Long term (chronic)	systemic	0.34	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.58	mg/m³

### 8.2 Exposure controls



**Product no.:** 0071578

Current version: 7.3.0, issued: 21.12.2023 Reglaced version: 7.2.1, issued: 14.03.2023 Region: GB

#### Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

#### Personal protective equipment

#### Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

#### Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: nitrile rubber

Material thickness>0.4mmBreakthrough time>120minAppropriate MaterialIn case of prolonged exposure: nitrile rubberMaterial thickness>0.4mmBreakthrough time>480min

#### Other

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

#### **Environmental exposure controls**

Do not allow to enter drains or water courses.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

State of aggregation					
liquid					
Form					
liquid					
Colour					
according to product name					
Odour					
characteristic					
pH value					
Value	9.0	- 9.5			
Boiling point / boiling range					
Value	appr.	100	°C		
Melting point/freezing point					
No data available					
Decomposition temperature					
No data available					
Flash point					
Not applicable				 	
Tiot applicable					



**Product no.: 0071578** 

Current version: 7.3.0, issued: 21.12.2023 Reglaced version: 7.2.1, issued: 14.03.2023 Region: GB

Ignition temperature	
No data available	

## Oxidising properties

Not applicable

## Flammability

Not applicable

### Lower explosion limit

No data available

#### **Upper explosion limit**

No data available

Vapour pressure					
Value	<	100	hPa		
Reference temperature		50	°C		

#### Relative vapour density

No data available

## Relative density

No data available

Density	
Value	1.34 - 1.36 g/cm³
Reference temperature	20 °C
Method	DIN 51757

## Solubility in water

Comments miscible

#### Solubility

No data available

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10		13463-67-7		236-675-5	
	μm]					
Not a	applicable					
Soul		ECHA				
2	propylidynetrimethanol		77-99-6		201-074-9	
log F	Pow			-0.47		
Refe	rence temperature			26	°C	
Method		OECD				
Sou	ce	ECHA				

Kinematic viscosity					
Value	2500 - 3500	mPa*s			
Reference temperature	20	°C			
Method	DIN 53019				

Solvent separation test	
Not applicable	

Particle characteristics	
No data available	

#### 9.2 Other information

Other information	
No data available.	

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity



**Product no.:** 0071578

Current version: 7.3.0, issued: 21.12.2023 Reglaced version: 7.2.1, issued: 14.03.2023 Region: GB

Stable under recommended storage and handling conditions (See section 7).

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

#### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

#### 10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

#### 10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm]		13463-67-7		236-675-5
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 401			
Sou	rce	ECHA			
Eval	luation/classification	Based on av	ailable data, the o	classification	criteria are not met.
2	propylidynetrimethanol		77-99-6		201-074-9
LD5	0			14700	mg/kg bodyweight
Spe		rat ECHA			

Acu	Acute dermal toxicity					
No	Substance name		CAS no.	EC no.		
1	propylidynetrimethanol		77-99-6	201-074-9		
LD5	0	>	1000	0 mg/kg bodyweight		
Spec	cies	rabbit				
Sour	rce	ECHA				

Acu	Acute inhalational toxicity					
No	Substance name		CAS no.		EC no.	
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam		13463-67-7		236-675-5	
	μm]					
LC5	0			5.09	mg/l	
Dura	ation of exposure			4	h	
State	e of aggregation	Dust				
Spec	cies	rat				
Meth	nod	OECD 403				
Soul	rce	ECHA				
Eval	uation/classification	Based on av	ailable data, the	classificatio	n criteria are not met.	

Skir	Skin corrosion/irritation					
No	Substance name		CAS no.	EC no.		
1	titanium dioxide; [in powder form contai more of particles with aerodynamic dian um]		13463-67-7	236-675-5		
Spe Metl		rabbit OECD 404				
Sou Eval	rce luation	ECHA non-irritant				



Trade name: einzA mix Aquamatt Sprayfiller, Basis 1

**Product no.: 0071578** 

Current version: 7.3.0, issued: 21.12.2023 Replaced version: 7.2.1, issued: 14.03.2023 Region: GB

Evaluation/classification		Based on available data, the classification criteria are not met.		
2	propylidynetrimethanol	77-99-6	201-074-9	
Spec	cies	rabbit		
Sour	ce	ECHA		
Evaluation		non-irritant		

Seri	ous eye damage/irritation			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam µm]		13463-67-7	236-675-5
Spe	cies	rabbit		
Meth	nod	OECD 405		
Soul	rce	ECHA		
Eval	luation	non-irritant		
Eval	luation/classification	Based on ava	ailable data, the clas	sification criteria are not met.
2	propylidynetrimethanol		77-99-6	201-074-9
Spe	cies	rabbit		
Soul	rce	ECHA		
Eval	luation	non-irritant		

Pos	piratory or skin sensitisation				
No	Substance name	CAS no.	EC no.		
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam		236-675-5		
	μm]				
Rou	te of exposure	Skin			
Spe	cies	mouse			
Meth	nod	OECD 429			
Sou	rce	ECHA			
Eval	uation	non-sensitizing			
Eval	uation/classification	Based on available data, the classification criteria are not met.			
2	propylidynetrimethanol	77-99-6	201-074-9		
Rou	te of exposure	Skin			
Spe	cies	mouse			
Meth	nod	OECD 429			
Sou	rce	ECHA			
Eval	uation	non-sensitizing			

Geri	Germ cell mutagenicity						
No	Substance name		CAS no.	EC no.			
1	titanium dioxide; [in powder form containing 1 % or 13463-67-7 236-675-5 more of particles with aerodynamic diameter ≤ 10						
Tuna	µm]	In vitro mono	nalian autogonioitu				
Meth	e of examination	OECD 487	nalian cytogenicity				
Soul		ECHA					
	uation/classification		silable data the alea	sification criteria are not met.			
			iliable data, trie cias	Silication criteria are not met.			
Route of exposure oral							
Туре	e of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte micronucleus					
Spe	cies	rat					
Meth	nod	OECD 474					
Soul	rce	ECHA					
Eval	uation/classification	Based on ava	ailable data, the clas	sification criteria are not met.			
2	propylidynetrimethanol		77-99-6	201-074-9			
Туре	e of examination	in vitro gene i	mutation study in ba	cteria			
Spe	cies	Salmonella typhimurium: TA 1535, TA 1537, TA 98, TA 100;					
•		Escherichia coli WP2 uvrA					
Meth	Method OECD 471						
Source ECHA							
Eval	uation/classification	Based on ava	ailable data, the clas	sification criteria are not met.			



**Product no.: 0071578** 

Current version: 7.3.0, issued: 21.12.2023 Replaced version: 7.2.1, issued: 14.03.2023 Region: GB

Reproduction toxicity					
No Substance name		CAS no.		EC no.	
1 titanium dioxide; [in powder form contain	ning 1 % or	13463-67-7		236-675-5	
more of particles with aerodynamic dian	neter ≤ 10				
μm]					
Route of exposure	oral				
NOAEL	>=	<b>'</b>	1000	mg/kg bw/d	
Type of examination	Reproductive	studies - one ger	eration		
Species	rat				
Method	OECD 443				
Source	ECHA				
Evaluation/classification Based on available data, the classification criteria are			criteria are not met.		
Route of exposure	oral				
NOAEL			1000	mg/kg bw/d	
Type of examination	Prenatal Dev	elopmental Toxicit	y Study		
Species	rat				
Method	OECD 414				
Source	ECHA				
Evaluation/classification	Based on ava	·	assification	criteria are not met.	
2 propylidynetrimethanol		77-99-6		201-074-9	
Route of exposure	oral				
NOAEL		2	2200	ppm	
Duration of exposure			19	week/s	
Species	rats (male/fer	male)			
Method	OECD 443				
Source	ECHA				

Carcinogenicity						
No	Substance name		CAS no.	EC no.		
1	titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm]		13463-67-7	236-675-5		
Rou	te of exposure	oral				
NOE	L		7	500 mg/kg bw/d	t	
Spe	cies	mouse				
Sou	rce	ECHA				
Evaluation/classification Based on available data, the classification criteria are no			assification criteria are not met	t		

# STOT - single exposure No data available

STOT - repeated exposure					
	Substance name		CAS no.	EC no.	
1 t	itanium dioxide; [in powder form contain	ning 1 % or	13463-67-7	236-675-5	
n	more of particles with aerodynamic diam	eter ≤ 10			
	um]				
Route	of exposure	oral			
NOAE	L	>	962	mg/kg bw/d	
Specie	es	rat			
Metho	od	OECD 408			
Source	e	ECHA			
Evalua	ation/classification	Based on av	ailable data, the classifica	tion criteria are not met.	
Route	of exposure	inhalational			
Specie		rat			
Source	e	ECHA			
Evalua	ation/classification	Based on av	ailable data, the classifica	tion criteria are not met.	
2 p	propylidynetrimethanol		77-99-6	201-074-9	
Route	of exposure	oral			
NOAE	L		67	mg/kg bw/d	
Duration	on of exposure		14	week/s	
Specie	es	rats (male/fe	male)		
Source	e	ECHA			



**Product no.:** 0071578

Current version: 7.3.0, issued: 21.12.2023 Reglaced version: 7.2.1, issued: 14.03.2023 Region: GB

#### **Aspiration hazard**

No data available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### 11.2 Information on other hazards

**Endocrine disrupting properties** 

No data available.

Other information

No data available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxi	Toxicity to fish (acute)						
No	Substance name	CAS no.		EC no.			
1	propylidynetrimethanol	77-99-6		201-074-9			
LC5	0	>	1000	mg/l			
Dura	ation of exposure		96	h			
Spe	ies Alburnus Alburnus						
Soul	rce	ECHA					

## Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)					
No	Substance name	CAS no.		EC no.		
1	propylidynetrimethanol	77-99-6		201-074-9		
EC5	0		13000	mg/l		
Dura	ation of exposure		48	h		
Spec	cies	Daphnia magna				
Soul	rce	ECHA				

Toxi	Toxicity to Daphnia (chronic)					
No	Substance name	CAS no.		EC no.		
1	propylidynetrimethanol	77-99-6		201-074-9		
NOE	EC .	>	1000	mg/l		
Dura	ation of exposure		21	day(s)		
Spe	cies	Daphnia magna				
Meth	nod	OECD				
Soul	rce	ECHA				

Tox	Toxicity to algae (acute)						
No	Substance name	CAS r	10.	EC no.			
1	titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm]		-67-7	236-675-5			
EC5	0	>	100	mg/l			
Dura	ation of exposure		72	h			
Spe	cies	Raphidocelis subcap	itata				
Metl	nod	OECD 201					
Sou	rce	ECHA					
Eval	Evaluation/classification Based on the available data, the classification criteria are not me				et.		



**Product no.: 0071578** 

Current version: 7.3.0, issued: 21.12.2023 Replaced version: 7.2.1, issued: 14.03.2023 Region: GB

2 propylidynetrimethanol	77-99-6		201-074-9
EC50	>	1000	mg/l
Duration of exposure		72	h
Species	Selenastrum capricornutum		
Method	OECD		
Source	ECHA		

Toxicity to algae (chronic)	
No data available	

Bac	Bacteria toxicity					
No	Substance name	CAS no.		EC no.		
1	propylidynetrimethanol	77-99-6		201-074-9		
EC5	0	>	1000			
Dura	ation of exposure		3	h		
Spe	cies	activated sludge				
Meth	nod	EU C.11				
Soul	rce	ECHA				

12.2 Persistence and degradability

	oronous and anglustaning			
Biod	degradability			
No	Substance name	CAS no.		EC no.
1	titanium dioxide; [in powder form contain	ning 1 % or 13463-67-7	7	236-675-5
	more of particles with aerodynamic diam			
	um1			
Soui		ECHA		
Eval	uation	Not applicable for inorganic substances.		
2	propylidynetrimethanol	77-99-6		201-074-9
Valu	e		100	%
Dura	ation		28	day(s)
Meth	nod	OECD 302 B		• , ,
Sour	rce	ECHA		
Eval	uation	readily biodegradable		

12.3 Bioaccumulative potential

Biod	Bioconcentration factor (BCF)					
No	Substance name	CAS no.		EC no.		
1	propylidynetrimethanol	77-99-6		201-074-9		
BCF		<	17			
Spe	cies	Cyprinus carpio				
Meth	nod	OECD 305 C				
Soul	rce	ECHA				

Part	Partition coefficient n-octanol/water (log value)							
No	Substance name		CAS no.		EC no.			
1	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um]				236-675-5			
Not	Not applicable							
		ECHA						
2	propylidynetrimethanol		77-99-6		201-074-9			
log Pow				-0.47				
Reference temperature				26	°C			
Method		OECD						
Source		ECHA						

### 12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

esults of PBT and vPvB assessment			
PBT assessment	The components of this product are not considered to be a PBT.		
vPvB assessment	The components of this product are not considered to be a vPvB.		



Trade name: einzA mix Aquamatt Sprayfiller, Basis 1

**Product no.:** 0071578

Current version: 7.3.0, issued: 21.12.2023 Reglaced version: 7.2.1, issued: 14.03.2023 Region: GB

#### 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available

#### 12.8 Other information

#### Other information

Do not allow to enter drains or water courses.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Waste code

08 01 11\*

waste paint and varnish containing organic solvents or other hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

#### **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

## **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.



**Product no.:** 0071578

Current version: 7.3.0, issued: 21.12.2023 Reglaced version: 7.2.1, issued: 14.03.2023 Region: GB

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII

ann	ex Avii.			
No	Substance name	CAS no.	EC no.	No
1	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	75
2	2-amino-2-methylpropanol	124-68-5	204-709-8	75
3	barium-hydrogenorthophosphate	10048-98-3	233-159-1	75
4	dipotassium bis[mu-[tartrato(4-)-O-{1}-,O-{2}-:O-{3}-,O-{4}]]diantimonate(2-), stereoisomer	11071-15-1	234-293-3	75
5	pyridine-2-thiol 1-oxide, sodium salt	3811-73-2	223-296-5	75
6	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um]	13463-67-7	236-675-5	75

# Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Directive 2010/75/EU on industrial emissions	integrated pollution prevention and control)		
VOC content	1.17 %		

# Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE , Cat. : d, type: wb = 130 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 130 g/l

#### **National regulations**

#### Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

## Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH070 Toxic by eye contact.

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H330 Fatal if inhaled. H331 Toxic if inhaled.

H351i Suspected of causing cancer by inhalation.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.



Trade name: einzA mix Aquamatt Sprayfiller, Basis 1

**Product no.:** 0071578

Current version: 7.3.0, issued: 21.12.2023 Reglaced version: 7.2.1, issued: 14.03.2023 Region: GB

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008,

Annex VI)

W

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight

basis.

V If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5

µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

It has been observed that the carcinogenic hazard of this substance arises when

respirable dust is inhaled in quantities leading to significant impairment of particle

clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a

criterion for classification according to this Regulation.

1 The concentration stated or, in the absence of such concentrations, the generic

concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated

with reference to the total weight of the mixture.

#### Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 653599