

**Product no.: 0079871** 

Current version: 1.0.1, issued: 25.11.2021 Region: 1.0.0, issued: 07.07.2021 Region: GB

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

## einzA mix Vorlack neue Qualität, Basis 1 / weiss

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

decorative paints/finishes

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### Address

einzA Farben GmbH & Co KG

Junkersstraße 13 30179 Hannover

Telephone no. +49 (0)511 67490-0 Fax no. +49 (0)511 67490-20 e-mail info@einzA.com

#### **Advice on Safety Data Sheet**

sdb info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms

-

## Signal word

-

#### Hazard statement(s)

\_

#### Hazard statements (EU)

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

#### Precautionary statement(s)

-

#### Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).



Trade name: einzA mix Vorlack neue Qualität, Basis 1 / weiss

**Product no.: 0079871** 

Current version: 1.0.1, issued: 25.11.2021 Reglaced version: 1.0.0, issued: 07.07.2021 Region: GB

#### 2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

**Hazardous ingredients** 

No	Substance name		Additi	onal info	rmation	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no	, , , , ,				
1	titanium dioxide; [i	n powder form containing 1 % or more of				
	particles with aero	dynamic diameter ≤ 10 μm]				
	13463-67-7	Carc. 2; H351i	>=	10.00 -	< 25.00	wt%
	236-675-5					
	022-006-00-2					
	01-2119489379-17					
2	Hydrocarbons, C10	-C13, n-alkanes, isoalkanes, cyclics, <2%				
	aromatics					
	-	Asp. Tox. 1; H304	>=	10.00 -	< 25.00	wt%
	918-481-9	EUH066				
	-					
	01-2119457273-39					
3	propylidynetrimeth	anol				
	77-99-6	Repr. 2; H361fd	<	0.50		wt%
	201-074-9					
	-					
	01-2119486799-10					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

I	No	Note	Specific concentration limits	M-factor	M-factor
				(acute)	(chronic)
	1	V, W, 10	-	1	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
1	H351i
	inhalational; -; -

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

#### After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

#### After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes



Trade name: einzA mix Vorlack neue Qualität, Basis 1 / weiss

**Product no.: 0079871** 

Current version: 1.0.1, issued: 25.11.2021 Reglaced version: 1.0.0, issued: 07.07.2021 Region: GB

and seek immediate medical advice.

#### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Alcohol resistant foam, CO2, powders, water spray

#### Unsuitable extinguishing media

water jet.

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Toxic pyrolysis products; Exposure to decomposition products may cause a health hazard.

#### 5.3 Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses. Appropriate breathing apparatus may be required.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

#### 6.4 Reference to other sections

No data available.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Due to the organic solvents' content of the mixture: Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

#### General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.



**Product no.: 0079871** 

**Current version :** 1.0.1, issued: 25.11.2021 **Replaced version :** 1.0.0, issued: 07.07.2021 **Region :** GB

#### Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

#### Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

#### Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

#### 7.3 Specific end use(s)

No data available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5
	more of particles with aerodynamic diameter ≤ 10			
	μm]			
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m³	

#### **DNEL, DMEL and PNEC values**

#### **DNEL** values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in pow	der form containing 1 % or	more of particles with	13463-67-7	
	aerodynamic diameter ≤ '	10 μm]		236-675-5	
	inhalative	Long term (chronic)	local	10	mg/m³
2	propylidynetrimethanol			77-99-6	
				201-074-9	
	dermal	Long term (chronic)	systemic	0.94	mg/kg/day
	inhalative	Long term (chronic)	systemic	3.30	mg/m³

#### **DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in pow	der form containing 1 % or	more of particles with	13463-67-7	
	aerodynamic diameter ≤ '	10 μm]		236-675-5	
	oral	Long term (chronic)	systemic	700	mg/kg/day
2	propylidynetrimethanol			77-99-6	
				201-074-9	
	oral	Long term (chronic)	systemic	0.34	mg/kg/day



**Product no.:** 0079871

Current version: 1.0.1, issued: 25.11.2021 Replaced version: 1.0.0, issued: 07.07.2021 Region: GB

dermal	Long term (chronic)	systemic	0.34	mg/kg/day
inhalative	Long term (chronic)	systemic	0.58	mg/m³

#### **PNEC values**

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	titanium dioxide; [in powder form cont aerodynamic diameter ≤ 10 µm]	·	13463-67-7 236-675-5	
	water	fresh water	0.127	mg/L
	water	marine water	1	mg/L
	water	Aqua intermittent	0.61	mg/L
	water	fresh water sediment	1000	mg/kg
	with reference to: dry weight			
	water	marine water sediment	100	mg/kg
	with reference to: dry weight			
	soil	-	100	mg/kg
	with reference to: dry weight			
	sewage treatment plant	-	100	mg/L
	secondary poisoning	mammalian	1667	mg/kg

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

#### Personal protective equipment

#### Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

#### Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: nitrile rubber

Material thickness>0.4mmBreakthrough time>120minAppropriate MaterialIn case of prolonged exposure: nitrile rubberMaterial thickness>0.4mmBreakthrough time>480min

#### Other

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

#### **Environmental exposure controls**

Do not allow to enter drains or water courses.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	



Trade name: einzA mix Vorlack neue Qualität, Basis 1 / weiss

**Product no.:** 0079871

**Current version : 1.0.1, issued: 25.11.2021 Replaced version: 1.0.0, issued: 07.07.2021 Region: GB** 

Form/Colour				
liquid				
according to product name				
Odour				
characteristic				
pH value				
No data available				
Boiling point / boiling range				
Value	appr.	100	°C	
Melting point/freezing point				
No data available				
Decomposition temperature				
No data available				
Flash point				
Value	>=	62	°C	
Method	closed cup			
Ignition temperature				
No data available				
Oxidising properties				
Not applicable				
Flammability				
Not applicable				
Lower explosion limit				
No data available				
Upper explosion limit				
No data available				
Vapour pressure				
Value Reference temperature	<	100 50	hPa °C	

Relative vapour density	
No data available	

Relative density
No data available

Density	
Value	1.40 - 1.50 g/cm³
Reference temperature	20 °C
Method	DIN 51757

Solubility in water	
Comments	immiscible

Solu	ıbility			
No c	lata available			
Part	ition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.	

No	Substance name		CAS no.			EC no.	
1	Hydrocarbons, C10-C13, n-alkanes, isoa	lkanes,	-			918-481-9	
	cyclics, <2% aromatics						
log F	Pow	3.17		-	7.22		
Meth	nod	QSAR					
Soul	rce	ECHA					
2	propylidynetrimethanol		77-99-6			201-074-9	
log F	Pow				-0.47		



Trade name: einzA mix Vorlack neue Qualität, Basis 1 / weiss

**Product no.: 0079871** 

Current version: 1.0.1, issued: 25.11.2021 Reglaced version: 1.0.0, issued: 07.07.2021 Region: GB

Reference temperature		26	°C
Method	OECD		
Source	ECHA		

Viscosity	
Value	1050 - 1100 mPa*s
Reference temperature	20
Method	DIN EN 2431 (6 mm)

Solvent separation test	
Not applicable	

Particle characteristics	
No data available	

#### 9.2 Other information

Other information	
No data available.	

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

## 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

#### 10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

#### 10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

#### **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity					
No Substance name		CAS no.	EC no.		
1 titanium dioxide; [in powder form cont more of particles with aerodynamic dia µm]		13463-67-7	236-675-5		
LD50	>	2000	mg/kg bodyweight		
Species	rat				
Method	OECD 401				
Source	ECHA				
Evaluation/classification	Based on available data, the classification criteria are not met.				
2 Hydrocarbons, C10-C13, n-alkanes, iso cyclics, <2% aromatics	alkanes,	-	918-481-9		
LD50	>	15000	mg/kg bodyweight		
Species	rat				
Method	OECD 401				
Source	ECHA				
Evaluation/classification	Based on av	ailable data, the classific	cation criteria are not met.		
3 propylidynetrimethanol		77-99-6	201-074-9		
LD50		14700	mg/kg bodyweight		
Species	rat				
Source	ECHA				



**Product no.:** 0079871

**Current version :** 1.0.1, issued: 25.11.2021 **Replaced version:** 1.0.0, issued: 07.07.2021 **Region:** GB

Acu	Acute dermal toxicity						
No	Substance name		CAS no.		EC no.		
1	propylidynetrimethanol		77-99-6		201-074-9		
LD5	0	>		10000	mg/kg bodyweight		
Spe	cies	rabbit					
Soul	rce	ECHA					

Acu	te inhalational toxicity				
No	Substance name		CAS no.	EC no.	
1	titanium dioxide; [in powder form contamore of particles with aerodynamic dia $\mu$ m]		13463-67-7	236-67	5-5
LC5	0	>	6.8	32	mg/l
Dura	tion of exposure		4		h
State	e of aggregation	Dust			
Spec	cies	rat			
Sour	ce	ECHA			
Eval	uation/classification	Based on av	ailable data, the clas	ssification criteria	are not met.
2	propylidynetrimethanol		77-99-6	201-074	1-9
LC5	0	>	3.0	35	mg/l
Dura	ation of exposure		4		h
State	e of aggregation	Dust/mist			
Spec	cies	rat			
Sour	ce	ECHA			
Eval	uation/classification	Based on av	ailable data, the clas	ssification criteria	are not met.

Skir	corrosion/irritation			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5
Spe	cies	rabbit		
Meth	nod	OECD 404		
Soul	rce	ECHA		
Eval	uation	non-irritant		
Eval	uation/classification	Based on ava	ailable data, the o	classification criteria are not met.
2	propylidynetrimethanol		77-99-6	201-074-9
Spe	cies	rabbit		
Soul	rce	ECHA		
Eval	uation	non-irritant		

Serio	ous eye damage/irritation			
No	Substance name		CAS no.	EC no.
	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5
Spec	cies	rabbit		
Meth	nod	OECD 405		
Sour	ce	ECHA		
Evalu	uation	non-irritant		
Evalu	uation/classification	Based on ava	ailable data, the cla	ssification criteria are not met.
2	propylidynetrimethanol		77-99-6	201-074-9
Spec	cies	rabbit		
Sour	ce	ECHA		
Evalu	uation	non-irritant		

Res	Respiratory or skin sensitisation						
No	Substance name	CAS	S no.	EC no.			
	titanium dioxide; [in powder form containing 1 % or 13463-67-7 236-675-5 more of particles with aerodynamic diameter ≤ 10 μm]						
Rou	Route of exposure Skin						



Trade name: einzA mix Vorlack neue Qualität, Basis 1 / weiss

**Product no.:** 0079871

**Current version :** 1.0.1, issued: 25.11.2021 **Replaced version:** 1.0.0, issued: 07.07.2021 **Region:** GB

Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2 propylidynetrimethanol	77-99-6 201-074-9		
Route of exposure	Skin		
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	non-sensitizing		

Ger	m cell mutagenicity					
No	Substance name	CAS no.	EC no.			
1	titanium dioxide; [in powder form conta		236-675-5			
	more of particles with aerodynamic diar	neter ≤ 10				
	μm]					
	e of examination	In vitro mammalian cytogenicity				
Met		OECD 487				
Sou		ECHA				
	uation/classification	Based on available data, the classifi				
2	Hydrocarbons, C10-C13, n-alkanes, isoa	Ikanes, -	918-481-9			
	cyclics, <2% aromatics					
	e of examination	in vitro gene mutation study in bacte				
Spe	cies	S. typhimurium TA 1535, TA 1537, T	• • • • • • • • • • • • • • • • • • • •			
		TA 1535, TA 1537, TA 98, TA 100, T	A 102			
Met		OECD 471				
Sou		ECHA				
	uation/classification	Based on available data, the classification criteria are not met.				
	te of exposure	oral				
Тур	e of examination	In vivo mammalian somatic cell stud	y: cytogenicity / erythrocyte			
		micronucleus				
Spe		mouse				
Met		OECD 474				
Sou		ECHA				
Eva	uation/classification	Based on available data, the classifi				
3	propylidynetrimethanol	77-99-6	201-074-9			
Туре	e of examination	in vitro gene mutation study in bacte				
Spe	cies	Salmonella typhimurium: TA 1535, T	A 1537, TA 98, TA 100;			
		Escherichia coli WP2 uvrA				
Met		OECD 471				
Sou	·	ECHA				
Eva	uation/classification	Based on available data, the classification	cation criteria are not met.			

Don	raduation taxiaity			
•	roduction toxicity			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form conta	ining 1 % or	13463-67-7	236-675-5
	more of particles with aerodynamic diag	meter ≤ 10		
	μm]			
Rou	te of exposure	oral		
NOA	\EL	>=	1000	mg/kg bw/d
Туре	e of examination	Reproductive	studies - one generation	
Spe	cies	rat		
Metl	nod	OECD 443		
Sou	rce	ECHA		
Eval	uation/classification	Based on ava	ilable data, the classificat	ion criteria are not met.
Rou	te of exposure	oral		
NOA	\EL		1000	mg/kg bw/d
Туре	e of examination	Prenatal Deve	lopmental Toxicity Study	
Spe	cies	rat		
Metl	nod	OECD 414		
Sou	rce	ECHA		



Trade name: einzA mix Vorlack neue Qualität, Basis 1 / weiss

**Product no.: 0079871** 

Current version: 1.0.1, issued: 25.11.2021 Replaced version: 1.0.0, issued: 07.07.2021 Region: GB

Evaluation/classification	Based on available data, the classification criteria are not met.		
2 propylidynetrimethanol	77-99-6		201-074-9
Route of exposure	oral		
NOAEL		2200	ppm
Duration of exposure		19	week/s
Species	rats (male/female)		
Method	OECD 443		
Source	ECHA		

Card	Carcinogenicity						
No	Substance name		CAS no.	EC no.			
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5			
Rou	te of exposure	oral					
NOE	L		75	00 mg/kg bw/d			
Spe	cies	mouse					
Soul	rce	ECHA					
Eval	luation/classification	Based on av	ailable data, the clas	ssification criteria are not met.			

# STOT - single exposure No data available

STOT - repeated exposure							
No Substance name		CAS no.	I	EC no.			
1 titanium dioxide; [in powder form containing 1 % or 13463-67-7 236-675-5 more of particles with aerodynamic diameter ≤ 10 μm]							
Route of exposure	oral						
NOAEL	>	(	962	mg/kg bw/d			
Species	rat						
Method	OECD 408						
Source	ECHA						
Evaluation/classification	Based on ava	ailable data, the c	lassification	criteria are not met.			
2 Hydrocarbons, C10-C13, n-alkanes, isoa cyclics, <2% aromatics	alkanes,	-	Ç	918-481-9			
Route of exposure	oral						
NOAEL	>=	;	500	mg/kg bw/d			
Species	rat						
Method	OECD 408						
Source	ECHA						
Evaluation/classification	Based on ava	ailable data, the c	lassification	criteria are not met.			
3 propylidynetrimethanol		77-99-6	2	201-074-9			
Route of exposure	oral						
NOAEL		(	67	mg/kg bw/d			
Duration of exposure			14	week/s			
Species	rats (male/fer	male)					
Source	ECHA	•					

Aspiration hazard	
No data available	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.



**Product no.: 0079871** 

**Current version :** 1.0.1, issued: 25.11.2021 **Replaced version:** 1.0.0, issued: 07.07.2021 **Region:** GB

#### 11.2 Information on other hazards

**Endocrine disrupting properties** 

No data available. **Other information**No data available.

## SECTION 12: Ecological information

## 12.1 Toxicity

Toxi	Toxicity to fish (acute)						
No	Substance name	CAS no.		EC no.			
1	propylidynetrimethanol	77-99-6		201-074-9			
LC5	0	>	1000	mg/l			
Dura	ation of exposure		96	h			
Spe	cies	Alburnus Alburnus					
Sou	purce ECHA						

# Toxicity to fish (chronic) No data available

Toxi	icity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	propylidynetrimethanol	77-99-6		201-074-9	
EC5	0		13000	mg/l	
Dura	ation of exposure		48	h	
Spe	cies	Daphnia magna			
Soul	rce	ECHA			

Toxi	Toxicity to Daphnia (chronic)					
No	Substance name	CAS no.		EC no.		
1	propylidynetrimethanol	77-99-6		201-074-9		
NOE	C	>	1000	mg/l		
Duration of exposure			21	day(s)		
Species		Daphnia magna				
Method		OECD				
Source		ECHA				

Toxi	Toxicity to algae (acute)				
No	Substance name	CAS no.		EC no.	
1	titanium dioxide; [in powder form conta			236-675-5	
	more of particles with aerodynamic diar	neter ≤ 10			
	μm]				
EC5		>	100	mg/l	
Dura	ation of exposure		72	h	
Spec	cies	Pseudokirchneriella subcapitata			
Meth	nod	OECD 201			
Sour	rce	ECHA			
2	propylidynetrimethanol	77-99-6		201-074-9	
EC5	0	>	1000	mg/l	
Dura	ation of exposure		72	h	
Spec	cies	Selenastrum capricornutum			
Meth	nod	OECD			
Soul	rce	ECHA			

Toxicity to algae (chronic)	
No data available	

Bac	Bacteria toxicity		
No	Substance name	CAS no.	EC no.
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7	236-675-5
	more of particles with aerodynamic diameter ≤ 10		



**Product no.: 0079871** 

**Current version :** 1.0.1, issued: 25.11.2021 **Replaced version:** 1.0.0, issued: 07.07.2021 **Region:** GB

μm]			
EC50	>	1000	
Duration of exposure		3	h
Species	activated sludge		
Method	OECD 209		
Source	ECHA		
2 propylidynetrimethanol	77-99-6		201-074-9
2 propylidynetrimethanol EC50	77-99-6	1000	201-074-9
		1000	<b>201-074-9</b> h
EC50			
EC50 Duration of exposure	>		

12.2 Persistence and degradability

Biod	Biodegradability				
No	Substance name	CAS no.		EC no.	
1	propylidynetrimethanol	77-99-6		201-074-9	
Valu	e		100	%	
Duration			28	day(s)	
Method		OECD 302 B			
Source		ECHA			
Evaluation		readily biodegradable			

12.3 Bioaccumulative potential

Biod	concentration factor (BCF)			
No	Substance name	CAS no.		EC no.
1	propylidynetrimethanol	77-99-6		201-074-9
BCF		<	17	
Species		Cyprinus carpio		
Method		OECD 305 C		
Source		ECHA		

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	Hydrocarbons, C10-C13, n-alkanes, isoa	lkanes,	-		918-481-9	
	cyclics, <2% aromatics					
log F	Pow	3.17		- 7.22		
Meth	nod	QSAR				
Soul	rce	ECHA				
2	propylidynetrimethanol		77-99-6		201-074-9	
log F	Pow			-0.47		
Refe	erence temperature			26	°C	
Meth	nod	OECD				
Soul	rce	ECHA				

#### 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

## 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

Other information
Do not allow to enter drains or water courses.



Trade name: einzA mix Vorlack neue Qualität, Basis 1 / weiss

**Product no.: 0079871** 

Current version: 1.0.1, issued: 25.11.2021 Replaced version: 1.0.0, issued: 07.07.2021 Region: GB

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste code 08 01 11\* waste paint and varnish containing organic solvents or other hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

#### **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

#### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)



Trade name: einzA mix Vorlack neue Qualität, Basis 1 / weiss

**Product no.: 0079871** 

Current version: 1.0.1, issued: 25.11.2021 Reglaced version: 1.0.0, issued: 07.07.2021 Region: GB

VOC content 13.57 %

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE, Cat.: d, type: lb = 300 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 300 g/l

#### **National regulations**

#### Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case. Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

## Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH066 Repeated exposure may cause skin dryness or cracking.

H304 May be fatal if swallowed and enters airways. H351i Suspected of causing cancer by inhalation.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

# Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

/ If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5

µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be

applied.

W It has been observed that the carcinogenic hazard of this substance arises when

respirable dust is inhaled in quantities leading to significant impairment of particle

clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a

criterion for classification according to this Regulation.

1 The concentration stated or, in the absence of such concentrations, the generic

concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated

with reference to the total weight of the mixture.

#### Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.



Trade name: einzA mix Vorlack neue Qualität, Basis 1 / weiss

**Product no.: 0079871** 

Current version: 1.0.1, issued: 25.11.2021 Region: 1.0.0, issued: 07.07.2021 Region: GB

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO

GmbH.

Prod-ID 777910