EU safety data sheet

Trade name: einzA mix HydroAlkyd Seidenglanz, Basis 2 Product no.: 0171657 Replaced version: 3.2.0, issued: 14.03.2023

Current version : 3.2.1, issued: 07.08.2023

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Trade name

einzA mix HydroAlkyd Seidenglanz, Basis 2

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses of the substance or mixture decorative paints/finishes

Uses advised against No data available

1.3 Details of the supplier of the safety data sheet

Address

einzA Farben GmbH & Co KG Junkersstraße 13 30179 Hannover

+49 (0)511 67490-0 Telephone no. +49 (0)511 67490-20 Fax no e-mail info@einzA.com

Advice on Safety Data Sheet sdb info@umco.de

1.4 **Emergency telephone number**

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

Signal word

Hazard statement(s)

-	
Hazard statements (EU)	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-
	3-one and 2-methyl-2H -isothiazol-3-one (3:1), 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Processionary statement/s	

Precautionary statement(s)



Product no.: 0171657

Replaced version: 3.2.0, issued: 14.03.2023

Region: GB

e

Labelling information

Current version : 3.2.1, issued: 07.08.2023

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

	Hazardous ingrediei	11.5		
No	Substance name		Additional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%
	REACH no			
1		n powder form containing 1 % or more of		
		dynamic diameter ≤ 10 μm]		
	13463-67-7	Carc. 2; H351i	>= 25.00 - < 50.00	wt%
	236-675-5			
	022-006-00-2			
	01-2119489379-17			
2	propylidynetrimeth	anol		
	77-99-6	Repr. 2; H361fd	< 0.50	wt%
	201-074-9			
	-			
	01-2119486799-10			
3	1,2-benzisothiazol-	3(2H)-one	pls. refer to footnote (1)	
	2634-33-5	Acute Tox. 4*; H302	< 0.05	wt%
	220-120-9	Eye Dam. 1; H318		
	613-088-00-6	Skin Irrit. 2; H315		
	-	Skin Sens. 1; H317		
		Acute Tox. 2; H330		
		Aquatic Acute 1; H400		
		Aquatic Chronic 2; H411		
4	pyridine-2-thiol 1-o			
	3811-73-2	Acute Tox. 4; H302	< 0.10	wt%
	223-296-5	Acute Tox. 4; H332	0.10	
	-	Aquatic Acute 1; H400		
	_	Aquatic Chronic 2; H411		
		Eye Dam. 1; H318		
5	reaction mass of: 5	-chloro-2-methyl-4-isothiazolin-3-one and 2-		
0	methyl-2H -isothiaz			
	55965-84-9	Acute Tox. 2; H310	< 0.0015	wt%
	-	Acute Tox. 2; H330	0.0010	
	613-167-00-5	Acute Tox. 3; H301		
	-	Aquatic Acute 1; H400		
	-	Aquatic Chronic 1; H410		
		EUH071		
		Eye Dam. 1; H318		
		Skin Corr. 1C; H314		
6	0 mothed 011 is attain	Skin Sens. 1A; H317		
6	2-methyl-2H-isothia	izoi-3-one		

Product no.: 0171657

Current version ·	321	issued: 07.08.2023
ourrent version.	0.2.1,	133000.07.00.2020

Replaced version: 3.2.0, issued: 14.03.2023

Region: GB

2682-20-4	Acute Tox. 2; H330	<	0.10	wt%
220-239-6	Acute Tox. 3; H301			
613-326-00-9	Acute Tox. 3; H311			
-	Aquatic Acute 1; H400			
	Aquatic Chronic 1; H410			
	EUH071			
	Eye Dam. 1; H318			
	Skin Corr. 1B; H314			
	Skin Sens. 1A; H317			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,***,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	V, W, 10	-	-	-
3	-	Skin Sens. 1; H317: C >= 0.05%	-	-
4	-	-	M = 100	-
5	В	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06% Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%	M = 100	M = 100
6	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 10	M = 1

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
1	H351i
	inhalational; -; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam, CO2, powders, water spray

Special hazards arising from the substance or mixture

courses. Appropriate breathing apparatus may be required.

products; Exposure to decomposition products may cause a health hazard.

Personal precautions, protective equipment and emergency procedures

Product no.: 0171657

water jet.

5.2

5.3

6.1

Current version : 3.2.1, issued: 07.08.2023

Advice for firefighters

Unsuitable extinguishing media

SECTION 6: Accidental release measures

Replaced version: 3.2.0, issued: 14.03.2023

For non-emergency personnel Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

In the event of fire, the following can be released: Carbon monoxide (CO): Carbon dioxide (CO2): Toxic pyrolysis

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 **Reference to other sections**

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Due to the organic solvents' content of the mixture: Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

Region: GB



Replaced version: 3.2.0, issued: 14.03.2023

Region: GB

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7	236-675-5
	more of particles with aerodynamic diameter ≤ 10		
	μm]		
	List of approved workplace exposure limits (WELs) / I	EH40	
	Titanium dioxide		
	total inhalable dust		
	WEL long-term (8-hr TWA reference period)	10	mg/m³
	List of approved workplace exposure limits (WELs) /	EH40	
	Titanium dioxide		
	respirable dust		
	WEL long-term (8-hr TWA reference period)	4	mg/m³

DNEL, DMEL and PNEC values

	DNEL values (worker)				
No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in powder form containing 1 % or more of particles with			13463-67-7	
	aerodynamic diameter ≤ 1	0 μm]		236-675-5	
	inhalative	Long term (chronic)	local	1.25	mg/m³
2	propylidynetrimethanol			77-99-6	
				201-074-9	
	dermal	Long term (chronic)	systemic	0.94	mg/kg/day
	inhalative	Long term (chronic)	systemic	3.30	mg/m³

DNEL value (consumer)

No	Substance name	Substance name			
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in powder form containing 1 % or more of particles with			13463-67-7	
	aerodynamic diameter ≤ 1	0 μm]		236-675-5	
	inhalative	Long term (chronic)	local	210	µg/m³
2	propylidynetrimethanol			77-99-6	
				201-074-9	
	oral	Long term (chronic)	systemic	0.34	mg/kg/day
	dermal	Long term (chronic)	systemic	0.34	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.58	mg/m³

8.2 Exposure controls

Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

Product no.: 0171657

Current version : 3.2.1, issued: 07.08.2023

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Replaced version: 3.2.0, issued: 14.03.2023

Appropriate Material	In case of short-term	contact / spla	ash protection: nitrile rubber
Material thickness	>	0.4	mm
Breakthrough time	>	120	min
Appropriate Material	In case of prolonged	exposure: nit	rile rubber
Material thickness	>	0.4	mm
Breakthrough time	>	480	min

Other

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

Environmental exposure controls

Do not allow to enter drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation				
liquid				
Form				
liquid				
Colour				
according to product name				
Odour				
characteristic				
pH value Value	1	6.5 -	7.5	
		0.0 -	1.5	
Boiling point / boiling range	1		400	°0
Value	appr.		100	°C
Melting point/freezing point				
No data available				
Decomposition temperature				
No data available				
Flash point				
Not applicable				
Ignition temperature				
No data available				
Oxidising properties				
Not applicable				
Flammability Not applicable				
	_			
Lower explosion limit No data available				
Upper explosion limit				
No data available				



Product no.: 0171657

Current version : 3.2.1, issued: 07.08.2023

Vapour pressure						
Value	<		100	hPa		
Reference temperature			50	°C		
Relative vapour density						
No data available						
Relative density						
No data available		_				
Density			4.00	1 3		
Value Reference temperature	1.34	-	1.36 20	g/cm³ °C		
Method	DIN 51757		20	C		
	Din STI ST					
Solubility in water						
Comments	miscible					
Solubility						
No data available						
Partition coefficient n-octanol/water (le	og value)	CAS			EC no.	
No Substance name 1 titanium dioxide; [in powder form	containing 1 % or		3-67-7		236-675-5	
more of particles with aerodynam	nic diameter ≤ 10					
Not applicable						
Source	ECHA					
2 propylidynetrimethanol		77-99	9-6		201-074-9	
log Pow				-0.47	20	
Reference temperature	0500			26	°C	
Method Source	OECD ECHA					
Source						
Kinematic viscosity						
Value	1900	-	2200	mPa*s		
Reference temperature			20	°C		
Method	DIN 53019					
Solvent separation test						
Not applicable						
Particle characteristics						
Not applicable Particle characteristics No data available						
Particle characteristics						
Particle characteristics No data available						

Replaced version: 3.2.0, issued: 14.03.2023

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

EU safety data sheet

Trade name: einzA mix HydroAlkyd Seidenglanz, Basis 2 **Product no.:** 0171657

Product no.: 0171657 Current version : 3.2.1, issued: 07.08.2023

None if stored, handled and transported properly. In case of fire: see section 5.

Replaced version: 3.2.0, issued: 14.03.2023

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity				
	Substance name		CAS no.	EC no.	
1	titanium dioxide; [in powder form	containing 1 % or	13463-67-7	236-675-5	
•	more of particles with aerodynam			200 010 0	
LD5		>	2	000 mg/kg bodywe	eiah
	cies	rat	_		orgri
Vetl		OECD 401			
Sou		ECHA			
	luation/classification	-	ailable data, the cla	ssification criteria are not met.	
2	propylidynetrimethanol		77-99-6	201-074-9	
_ _D5				4700 mg/kg bodywe	eiah
-	cies	rat			- 3
Sou		ECHA			
Acu	te dermal toxicity				
	Substance name		CAS no.	EC no.	
	propylidynetrimethanol		77-99-6	201-074-9	
_D5		>	1	0000 mg/kg bodywe	eigł
	cies	rabbit			
Sou	rce	ECHA			
Acu	te inhalational toxicity				
	Substance name		CAS no.	EC no.	
1	titanium dioxide; [in powder form	containing 1 % or	13463-67-7	236-675-5	
	more of particles with aerodynam µm]				
_C5	0		5	.09 mg/l	
	ation of exposure		4	h	
	e of aggregation	Dust			
	cies	rat			
Metl		OECD 403			
Sou		ECHA		···· ·· · · ·	
	luation/classification	Based on av	allable data, the cla	ssification criteria are not met.	_
<u>Skir</u> No	n corrosion/irritation Substance name		CAS no.	EC no.	
1	titanium dioxide; [in powder form	containing 1 % or	13463-67-7	236-675-5	
	more of particles with aerodynam µm]		13403-01-1	230-013-3	
Spe	cies	rabbit			
	hod	OECD 404			
Sou		ECHA			
	luation	non-irritant			
Eval	luation/classification		ailable data, the cla	ssification criteria are not met.	
2	propylidynetrimethanol		77-99-6	201-074-9	
Spe	cies	rabbit			
Sou	rce	ECHA			
Eva	luation	non-irritant			
Seri	ous eye damage/irritation				
No	Substance name		CAS no.	EC no.	
1	titanium dioxide; [in powder form more of particles with aerodynam		13463-67-7	236-675-5	
	[µm] cies	rabbit			

Region: GB

Product no.: 0171657

Method	OECD 405	
Source	ECHA	
Evaluation	non-irritant	
Evaluation/classification	Based on available data, the cla	
2 propylidynetrimethanol	77-99-6	201-074-9
Species	rabbit	
Source	ECHA	
Evaluation	non-irritant	
Respiratory or skin sensitisation		
No Substance name	CAS no.	EC no.
 titanium dioxide; [in powder form more of particles with aerodynan μm] 		236-675-5
Route of exposure	Skin	
Species	mouse	
Method	OECD 429	
Source	ECHA	
Evaluation	non-sensitizing	position oritoria are not mot
Evaluation/classification 2 propylidynetrimethanol	Based on available data, the cla 77-99-6	201-074-9
Route of exposure	77-99-6	201-0/4-3
Species	mouse	
Method	OECD 429	
Source	ECHA	
Evaluation	non-sensitizing	
Germ cell mutagenicity		
No Substance name	CAS no.	EC no.
 titanium dioxide; [in powder form more of particles with aerodynan μm] 		236-675-5
Type of examination	In vitro mammalian cytogenicity	
Method	OECD 487	
Source Evaluation/classification	ECHA	
Evaluation/classification	I Based on available data the cla	assification criteria are not met.
Route of exposure	oral	study: cytogenicity / crythrocyto
Route of exposure	oral In vivo mammalian somatic cell	study: cytogenicity / erythrocyte
Route of exposure Type of examination	oral	study: cytogenicity / erythrocyte
Route of exposure Type of examination Species	oral In vivo mammalian somatic cell micronucleus	study: cytogenicity / erythrocyte
Route of exposure Type of examination Species Method Source	oral In vivo mammalian somatic cell micronucleus rat	study: cytogenicity / erythrocyte
Route of exposure Type of examination Species Method Source Evaluation/classification	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla	assification criteria are not met.
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6	assification criteria are not met.
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in b Salmonella typhimurium: TA 155	assification criteria are not met. 201-074-9 bacteria
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination Species	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in b	assification criteria are not met. 201-074-9 bacteria
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination Species	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in t Salmonella typhimurium: TA 150 Escherichia coli WP2 uvrA	assification criteria are not met. 201-074-9 bacteria
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination Species Method Species	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in t Salmonella typhimurium: TA 150 Escherichia coli WP2 uvrA OECD 471	assification criteria are not met. 201-074-9 pacteria 35, TA 1537, TA 98, TA 100;
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination Species Method Species Method Species Method Source Evaluation/classification	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in t Salmonella typhimurium: TA 15 Escherichia coli WP2 uvrA OECD 471 ECHA	assification criteria are not met. 201-074-9 pacteria 35, TA 1537, TA 98, TA 100;
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination Species Method Species Method Species Method Source Evaluation/classification Reproduction toxicity	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in t Salmonella typhimurium: TA 15 Escherichia coli WP2 uvrA OECD 471 ECHA	assification criteria are not met. 201-074-9 pacteria 35, TA 1537, TA 98, TA 100;
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination Species Method Species Method Source Evaluation/classification Reproduction toxicity No Substance name	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in t Salmonella typhimurium: TA 15 Escherichia coli WP2 uvrA OECD 471 ECHA Based on available data, the cla CAS no. 1 containing 1 % or 13463-67-7	assification criteria are not met. 201-074-9 pacteria 35, TA 1537, TA 98, TA 100; assification criteria are not met.
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination Species Method Source Evaluation/classification Species Method Source Evaluation/classification Reproduction toxicity No Substance name 1 titanium dioxide; [in powder form more of particles with aerodynan µm] Route of exposure	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in t Salmonella typhimurium: TA 15 Escherichia coli WP2 uvrA OECD 471 ECHA Based on available data, the cla CAS no. 1 containing 1 % or 13463-67-7	assification criteria are not met. 201-074-9 pacteria 35, TA 1537, TA 98, TA 100; assification criteria are not met. EC no.
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination Species Method Source Evaluation/classification Species Method Source Evaluation/classification Reproduction toxicity No Substance name 1 titanium dioxide; [in powder form more of particles with aerodynan µm] Route of exposure NOAEL	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in b Salmonella typhimurium: TA 15: Escherichia coli WP2 uvrA OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla CAS no. n containing 1 % or 13463-67-7 nic diameter ≤ 10 oral >= 1	assification criteria are not met. 201-074-9 pacteria 35, TA 1537, TA 98, TA 100; assification criteria are not met. EC no. 236-675-5 000 mg/kg bw/d
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination Species Method Source Evaluation/classification Species Method Source Evaluation/classification Reproduction toxicity No Substance name 1 titanium dioxide; [in powder form more of particles with aerodynan µm] Route of exposure NOAEL Type of examination	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in b Salmonella typhimurium: TA 15: Escherichia coli WP2 uvrA OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla oral >= 0ral >= 1 Reproductive studies - one gen	assification criteria are not met. 201-074-9 pacteria 35, TA 1537, TA 98, TA 100; assification criteria are not met. EC no. 236-675-5 000 mg/kg bw/d
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination Species Method Source Evaluation/classification Species Method Source Evaluation/classification Reproduction toxicity No Substance name 1 titanium dioxide; [in powder form more of particles with aerodynan µm] Route of exposure NOAEL Type of examination Species	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in the Salmonella typhimurium: TA 150 Escherichia coli WP2 uvrA OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla CAS no. n containing 1 % or 13463-67-7 nic diameter ≤ 10 oral >= 1 Reproductive studies - one generation	assification criteria are not met. 201-074-9 pacteria 35, TA 1537, TA 98, TA 100; assification criteria are not met. EC no. 236-675-5 000 mg/kg bw/d
Route of exposure Type of examination Species Method Source Evaluation/classification 2 propylidynetrimethanol Type of examination Species Method Source Evaluation/classification Source Evaluation/classification Reproduction toxicity No Substance name 1 titanium dioxide; [in powder form more of particles with aerodynam	oral In vivo mammalian somatic cell micronucleus rat OECD 474 ECHA Based on available data, the cla 77-99-6 in vitro gene mutation study in b Salmonella typhimurium: TA 15: Escherichia coli WP2 uvrA OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla OECD 471 ECHA Based on available data, the cla oral >= 0ral >= 1 Reproductive studies - one gen	assification criteria are not met. 201-074-9 pacteria 35, TA 1537, TA 98, TA 100; assification criteria are not met. EC no. 236-675-5 000 mg/kg bw/d

einz

Product no.: 0171657

Current version : 3.2.1, issued: 07.08.2023

Page 10 of 15	

Rout	e of exposure	oral		
NOA	•		1000	mg/kg bw/d
	of examination	Prenatal Develop	nental Toxicity Study	inging still
Spec		rat		
Meth		OECD 414		
Sour		ECHA		
	uation/classification	Based on available	e data, the classificatio	n criteria are not met.
2	propylidynetrimethanol	77-9		201-074-9
Rout	e of exposure	oral		
NOA	EL		2200	ppm
Dura	tion of exposure		19	week/s
Spec		rats (male/female)		
Meth		OECD 443		
Sour	ce	ECHA		
Caro	inogenicity			
		CAS	S no.	EC no.
1	titanium dioxide; [in powder form contai		63-67-7	236-675-5
-	more of particles with aerodynamic dian			
	µm]			
Rout	e of exposure	oral		
NOE	L		7500	mg/kg bw/d
Spec	cies	mouse		
Sour	ce	ECHA		
Eval	uation/classification	Based on available	e data, the classificatio	n criteria are not met.
STO	T - single exposure			
	ata available			
OTO	T was a stard and a sum			
	T - repeated exposure	CAS	2 no	EC no
No	Substance name		S no.	EC no.
	Substance name titanium dioxide; [in powder form contai	ning 1 % or 134	S no. 63-67-7	EC no. 236-675-5
No	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic diam	ning 1 % or 134		
No 1	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm]	ning 1 % or 134 neter ≤ 10		
No 1 Rout	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure	ning 1 % or 134	63-67-7	236-675-5
No 1 Rout NOA	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL	ning 1 % or 134 neter ≤ 10 oral		
No 1 Rout	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL cies	ning 1 % or 134 neter ≤ 10 oral >	63-67-7	236-675-5
No 1 Rout NOA Spec	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL cies nod	ning 1 % or 134 neter ≤ 10 oral > rat	63-67-7	236-675-5
No 1 Rout NOA Spec Meth Sour	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL cies nod	ning 1 % or 134 neter ≤ 10 oral > rat OECD 408 ECHA	63-67-7	236-675-5 mg/kg bw/d
No 1 Rout NOA Spec Meth Sour Evalu	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL cies iod ce	ning 1 % or 134 neter ≤ 10 oral > rat OECD 408 ECHA	63-67-7 962	236-675-5 mg/kg bw/d
No 1 Rout NOA Spec Meth Sour Evalu	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL cies nod ce uation/classification e of exposure	ning 1 % or 134 heter ≤ 10 > rat OECD 408 ECHA Based on available inhalational rat	63-67-7 962	236-675-5 mg/kg bw/d
No 1 Rout NOA Spec Meth Sour Evalu Rout Spec Sour	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL cies od ce uation/classification e of exposure cies ce	ning 1 % or 134 heter ≤ 10 > rat OECD 408 ECHA Based on available inhalational rat ECHA	962 962 e data, the classificatio	236-675-5 mg/kg bw/d on criteria are not met.
No 1 Rout NOA Spec Meth Sour Evalu Rout Spec Sour	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL bies nod ce uation/classification e of exposure bies ce uation/classification	ning 1 % or 134 heter ≤ 10 oral > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available	962 962 e data, the classificatio	236-675-5 mg/kg bw/d on criteria are not met.
No 1 Rout NOA Spec Sour Evalu Sour Evalu Sour Evalu 2	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL bies nod ce uation/classification e of exposure cies ce uation/classification propylidynetrimethanol	ning 1 % or 134 heter ≤ 10 oral > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available 77-5	962 962 e data, the classificatio	236-675-5 mg/kg bw/d on criteria are not met.
No 1 Rout NOA Spec Meth Sour Evalu Spec Sour Evalu 2 Rout	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL bies hod ce uation/classification e of exposure cies ce uation/classification propylidynetrimethanol e of exposure	ning 1 % or 134 heter ≤ 10 oral > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available	962 962 e data, the classificatio e data, the classificatio 99-6	236-675-5 mg/kg bw/d on criteria are not met. on criteria are not met. 201-074-9
No 1 Rout NOA Spec Meth Sour Evalu Spec Sour Evalu 2 Rout NOA	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL bies hod ce uation/classification e of exposure cies ce uation/classification propylidynetrimethanol e of exposure EL	ning 1 % or 134 heter ≤ 10 oral > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available 77-5	962 962 e data, the classificatio e data, the classificatio 99-6 67	236-675-5 mg/kg bw/d on criteria are not met. on criteria are not met. 201-074-9 mg/kg bw/d
No 1 NOA Spec Meth Sour Evalu Spec Sour Evalu Rout NOA Dura	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL cies od ce uation/classification e of exposure cies ce uation/classification propylidynetrimethanol e of exposure EL tion of exposure	ning 1 % or 134 heter ≤ 10 > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available 77-5 oral	962 962 e data, the classificatio e data, the classificatio 99-6 67 14	236-675-5 mg/kg bw/d on criteria are not met. on criteria are not met. 201-074-9
No 1 Rout NOA Spec Meth Sour Evalu Rout Spec Sour Evalu Rout NOA Dura Spec	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL bies hod ce uation/classification e of exposure cies ce uation/classification propylidynetrimethanol e of exposure EL tion of exposure bies	ning 1 % or 134 heter ≤ 10 oral > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available 77-5 oral	962 962 e data, the classificatio e data, the classificatio 99-6 67 14	236-675-5 mg/kg bw/d on criteria are not met. on criteria are not met. 201-074-9 mg/kg bw/d
No 1 Rout NOA Spec Meth Sour Evalu Spec Sour Evalu Rout NOA Dura	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL bies hod ce uation/classification e of exposure cies ce uation/classification propylidynetrimethanol e of exposure EL tion of exposure bies	ning 1 % or 134 heter ≤ 10 > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available 77-5 oral	962 962 e data, the classificatio e data, the classificatio 99-6 67 14	236-675-5 mg/kg bw/d on criteria are not met. on criteria are not met. 201-074-9 mg/kg bw/d
No Rout NOA Spec Meth Sour Evalu Rout Spec Sour Evalu Evalu A Dura Spec Sour	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL bies hod ce uation/classification e of exposure cies ce uation/classification propylidynetrimethanol e of exposure EL tion of exposure cies ce	ning 1 % or 134 heter ≤ 10 oral > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available 77-5 oral	962 962 e data, the classificatio e data, the classificatio 99-6 67 14	236-675-5 mg/kg bw/d on criteria are not met. on criteria are not met. 201-074-9 mg/kg bw/d
No 1 Rout NOA Spec Meth Sour Evalu Rout NOA Dura Spec Sour Evalu Aspec Sour Evalu Aspec Sour Spec Spec Sour Spec Sp	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL bies hod ce uation/classification e of exposure cies ce uation/classification propylidynetrimethanol e of exposure EL tion of exposure bies	ning 1 % or 134 heter ≤ 10 oral > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available 77-5 oral	962 962 e data, the classificatio e data, the classificatio 99-6 67 14	236-675-5 mg/kg bw/d on criteria are not met. on criteria are not met. 201-074-9 mg/kg bw/d
No Rout NOA Spec Sour Evall Rout Spec Sour Evall Rout NOA Dura Spec Sour Evall Rout NOA Spec Sour Evall Rout NOA Spec Sour Evall Rout Spec Sour Evall Rout Spec Sour Evall Rout Spec Sour Evall Rout Spec Sour Evall Rout Spec Sour Evall Rout Spec Sour Evall Rout Spec Sour Evall Rout Spec Sour Evall Rout Spec Sour Spec	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL cies lood ce uation/classification e of exposure cies ce uation/classification propylidynetrimethanol e of exposure EL tion of exposure cies ce It is a contained and	ning 1 % or 134 heter ≤ 10 oral > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available 77-§ oral rats (male/female) ECHA	963-67-7 962 e data, the classificatio e data, the classificatio 99-6 67 14	236-675-5 mg/kg bw/d on criteria are not met. 201-074-9 mg/kg bw/d week/s
No Rout NOA Spec Meth Sour Evall Rout Spec Sour Evall Rout NOA Dura Spec Sour Evall NOA Dura Spec Sour Evall NOA Dura Spec Sour Evall NOA Dura Spec Spec Sour Evall NOA Dura Spec Spec Spec Sour Evall Dura Spec S	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL cies lood ce uation/classification e of exposure cies ce uation/classification propylidynetrimethanol e of exposure EL tion of exposure cies ce uation hazard ata available yed and immediate effects as well as chr	ning 1 % or 134 heter ≤ 10 oral > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available 77-5 oral oral coral coral coral coral	963-67-7 962 e data, the classificatio e data, the classificatio 99-6 67 14 67 14	236-675-5 mg/kg bw/d on criteria are not met. 201-074-9 mg/kg bw/d week/s
No Rout NOA Spec Meth Sour Evall Rout Rout NOA Dura Spec Sour Evall Cont NOA Dura Spec Sour Evall Cont NOA Spec Sour Evall Cont Spec Sour Evall Cont Spec S	Substance name titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm] e of exposure EL cies lood ce uation/classification e of exposure cies ce uation/classification propylidynetrimethanol e of exposure EL tion of exposure cies ce It is a contained and	ning 1 % or 134 heter ≤ 10 oral > rat OECD 408 ECHA Based on available inhalational rat ECHA Based on available 77-5 oral oral onic effects from sontration in excess of	963-67-7 962 e data, the classificatio e data, the classificatio 99-6 67 14 67 14	236-675-5 mg/kg bw/d on criteria are not met. 201-074-9 mg/kg bw/d week/s xposure al exposure limit may result

Replaced version: 3.2.0, issued: 14.03.2023

in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.



Trade name: einzA mix HydroAlkyd Seidenglanz, Basis 2 **Product no.:** 0171657

Current version : 3.2.1, issued: 07.08.2023

Replaced version: 3.2.0, issued: 14.03.2023

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

Тохі	city to fish (acute)				
	Substance name		CAS no.		EC no.
1	propylidynetrimethanol		77-99-6		201-074-9
LC5		>		1000	mg/l
	ation of exposure			96	h
Spe		Alburnus Alb	urnus		
Sou	rce	ECHA			
Тохі	city to fish (chronic)				
	lata available				
	city to Daphnia (acute)		010		50
	Substance name		CAS no. 77-99-6		EC no.
1 EC5	propylidynetrimethanol		//-99-0	13000	201-074-9
	ation of exposure			48	mg/l h
Spe		Daphnia mag	ina	40	11
Sou		ECHA	, i a		
	city to Daphnia (chronic)				
	Substance name		CAS no.		EC no.
1	propylidynetrimethanol	-	77-99-6		201-074-9
NOE		>		1000	mg/l
	ation of exposure	Daubuia		21	day(s)
Spe Meth		Daphnia mag OECD	jna		
Sou		ECHA			
oou		LONA			
	city to algae (acute)				
	Substance name		CAS no.		EC no.
1	titanium dioxide; [in powder form conta		13463-67-7		236-675-5
	more of particles with aerodynamic dia	meter ≤ 10			
F.05	[µm]			400	
EC5		>		100	mg/l
Spe	ation of exposure	Raphidocelis	subcapitata	72	h
Meth		OECD 201	Subcapitata		
Sou		ECHA			
	uation/classification		available data.	the classific	ation criteria are not met.
2	propylidynetrimethanol		77-99-6		201-074-9
EC5		>		1000	mg/l
	ation of exposure			72	h
Spe	cies		capricornutum		
Meth		OECD			
Sou	rce	ECHA			
Tovi	city to algae (chronic)				
No c	lata available				
No c	lata available teria toxicity				
No c	lata available teria toxicity Substance name		CAS no.		EC no.
No c Bac No 1	lata available teria toxicity Substance name propylidynetrimethanol		CAS no. 77-99-6		EC no. 201-074-9
No c Bac No	lata available teria toxicity Substance name propylidynetrimethanol	>		1000	

Product no.: 0171657

Current version : 3.2.1, issued: 07.08.2023	Replaced version: 3.2.0, issued: 14.03.2023	Region: GB

e11

Duration of exposure		3	h
Species	activated sludge		
Method	EU C.11		
Source	ECHA		

12.2 Persistence and degradability

Bio	degradability				
No	Substance name	CAS no		EC no.	
1	titanium dioxide; [in powder form contai	ning 1 % or 13463-6	57-7	236-675-5	
	more of particles with aerodynamic diam	leter ≤ 10			
	μm]				
Sou	rce	ECHA			
Eva	luation	Not applicable for inor	ganic substances.		
2	propylidynetrimethanol	77-99-6		201-074-9	
Valu	IE		100	%	
Dura	ation		28	day(s)	
Met	hod	OECD 302 B			
Sou	rce	ECHA			
Eva	luation	readily biodegradable			

12.3 Bioaccumulative potential

Bioc	concentration factor (BCF)				
No	Substance name		CAS no.		EC no.
1	propylidynetrimethanol		77-99-6		201-074-9
BCF		<		17	
Spee	cies	Cyprinus carp	io		
Meth	nod	OECD 305 C			
Sour	ce	ECHA			
Part	ition coefficient n-octanol/water (log value	e)			
No	Substance name	•	CAS no.		EC no.
1	titanium dioxide; [in powder form contai more of particles with aerodynamic diam μm]		13463-67-7		236-675-5
Not a	applicable				
Sour	rce	ECHA			
2	propylidynetrimethanol		77-99-6		201-074-9
log F	Pow			-0.47	
Refe	erence temperature			26	°C
Meth	nod	OECD			
Sour	rce	ECHA			

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information Do not allow to enter drains or water courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product no.: 0171657

Current version : 3.2.1, issued: 07.08.2023

Replaced version: 3.2.0, issued: 14.03.2023

Region: GB

Product

Waste code 08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No	
1	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	75	
2	2-amino-2-methylpropanol	124-68-5	204-709-8	75	
3	acetone	67-64-1	200-662-2	75	
4	pyridine-2-thiol 1-oxide, sodium salt	3811-73-2	223-296-5	75	
5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-	55965-84-9	-	75	
	one and 2-methyl-2H -isothiazol-3-one (3:1)				

Product no.: 0171657

rrent version : 3.2.1, issued: 07.08.2023	Replaced version: 3.2.0, iss	ued: 14.03.2023	Region: G
 6 titanium dioxide; [in powder form more of particles with aerodynan μm] 		236-675-5	75
Directive 2012/18/EU on the control o		angerous substance	es la
This product is not subject to Part 1 or 2	of Annex I.		
Directive 2010/75/ELL on industrial and	ssions (integrated pollution preventi	on and control)	
Directive 2010// 5/EU on industrial em			

solvents in certain paints and varnishes and vehicle refinishing products

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE , Cat. : d, type: wb = 130 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 130 g/l

National regulations

Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H351i	Suspected of causing cancer by inhalation.
H361fd	Suspected of damaging fertility. Suspected of damaging
	the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI) B Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at
various concentrations and, therefore, these solutions require different classification and
labelling since the hazards vary at different concentrations. In Part 3 entries with Note B
have a general designation of the following type: 'nitric acid %'. In this case the supplier
must state the percentage concentration of the solution on the label. Unless otherwise
stated, it is assumed that the percentage concentration is calculated on a weight/weight
basis.

Trade name: einzA mix HydroAlkyd Seidenglanz, Basis 2 **Product no.:** 0171657

Current version : 3.2.1, issued: 07.08.2023	Replaced version: 3.2.0, issued: 14.03.2023	Region: GB

ell

V	If the substance is to be placed on the market as fibres (with diameter < 3 μ m, length > 5 μ m and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc.
W	1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied. It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.
	This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.
1	The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.

Creation of the safety data sheet

UMCO GmbH Georg-Wilhelm-Str. 187, D-21107 Hamburg Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 653641